						\sim	· .
		HBsAg	HTLV-III	ALT Reactive (>5)	(ALT 2-5)	Anti-D Reactive	
LA	SMA						
•	Reactive unit:	Destroy	Destroy	Destroy or divert from Cutter	Destroy or di- vert from Cutter	Destroy or divert from Cutter	
	Subsequent units:	Destroy	Destroy	Destroy or divert from Cutter	If units(s) are non-reactive and	Destroy or divert from Cutter	-
					donor has tested reactive for first time in 30		
					days: No action.		
					Even if unit(s)		
					are non-reactive, if donor has		
					tested reactive for second time		
					in 30 days: Des-		
					troy or divert from Cutter		
	Previous units:	No action	Destroy all units in-house	No action	No action	Destroy or	2
			and call Cutter			divert from Cutter all	
			on any units donated during			units in-house and call Cutter	
			previous 6 weeks minimum.			on any other	
			Some plasma			units donated during previous	
			types require longer look-			6 weeks minimum. (Some plasma	
			back).			types require longer look-back.)	
	OR ·	D	D				
	First Reactive	Permanent Deferral	Permanent Deferral	Permanent Deferral	No action	Permanent Deferral	8
		N/A	N/A	N/A	Permanent	N/A	Rev.
	within 30 days				Deferral		•
	Second Reactive >	N/A	N/A	N/A	No action	N/A	

BAYP0000009_044_0001