# $\frac{\text{ROYAL INFIRMARY OF EDINBURGH}}{\text{MAXIMUM SURGICAL BLOOD ORDERING SCHEDULE}} \\ \underline{\text{MSBOS}}$

# **ELECTIVE ORTHOPAEDICS**

PROCEDURE	GROUP & SAVE
Primary and Revision Hips	
Hb > 100	✓
Hb < 100	✓ Inform medic (Hb)
Primary and Revision Knees	
Hb > 100	<b>✓</b>
Hb < 100	✓ Inform medic (Hb)
Primary shoulders and elbows	✓
Revision shoulder/elbow	✓
Femoral osteotomy	✓
Pelvic osteotomy	✓
Back discectomy and laminectomy	✓
Back decompression	✓
Spinal fusions	✓
Scoliosis surgery	✓
Major orthopaedic tumours	<b>√</b>
Bone from iliac crest	✓

An individual clinician can over-ride the MSBOS if deemed appropriate. Blood, if required, will be issued wherever possible by electronic issue.

#### **VASCULAR SURGERY**

PROCEDURE	PRE-OP RESERVATION TARIFF
Ruptured Aortic Aneurysm:	
TAAA Extent 1,2,3,5 open surgery	10 units red cells
TAAA Extent 4 open surgery	6 units red cells
TAAA stent grafting	6 units red cells
Elective Aortic Aneurysm	Electronic Issue
Aorto-bifemoral Bypass	Electronic Issue
Ilio-femoral/popliteal/distal	Electronic Issue
Femoral Endarterectomy	$G + S^*$
Femoro-femoral X-over	G + S*
Carotid Endarterectomy	G + S*
Carotid Subclavian Bypass	G + S

Amputations	G + S
Upper/Lower Limb Embolectomy	G + S
Thoracoscopic sympathectomy	Nil
Varicose veins	Nil
Toe/finger amputation	Nil
Radiological Procedures:	
Transfemoral	Nil
Angioplasty	G + S
Patient anticoagulated	G + S

### An individual clinician can over-ride the MSBOS if deemed appropriate.

## **ELECTIVE CARDIOTHORACIC SURGERY**

PROCEDURE	PRE-OP RESERVATION TARIFF
(1st time) CABG	Electronic issue
Redo CABG,	
complex cases (valves +/-CABGs), others	2 units

An individual clinician can over-ride the MSBOS if deemed appropriate.

#### **OBSTETRICS**

PROCEDURE	PRE-OP RESERVATION TARIFF
Elective Caesarian section	Electronic issue
Placenta praevia:	
anterior, grade IV posterior,	
or previous C/Sn	10 units red cells

<sup>\*</sup>For these operations, if the pre-op Hb is less than 100 g/L, clinicians will send a second sample to BTS to make patient eligible for electronic issue.

Any other pp and no previous C/Sn	4 units red cells
Placental abruption	4 units red cells
Actively bleeding:	
Major APH	4 units red cells
Major PPH	4 units red cells
DIC, multiple causes	4 units red cells
Coagulopathies	4 units red cells
MROP (manual removal of placenta)	Electronic issue

An individual clinician can over-ride the MSBOS if deemed appropriate.

## **GYNAECOLOGY**

PROCEDURE	PRE-OP RESERVATION TARIFF
Myomectomy	2-3 units red cells
Malignancy with low Hb	2-3 units red cells
Total abdominal hysterectomy +/-	
bilateral salpingo-oophorectomy +/-	
omenectomy	G+S
Ovarian cystectomy	G+S
Oophorectomy	G+S
Pelvic floor	
repair:anterior/posterior;enterocoele	G+S
Vaginal hysterectomy	G+S
Colposuspension	G+S
Tension free vaginal tape procedure	G+S
Sacrospinous fixation	G+S
Manchester repair	G+S
Radical vulvectomy	G+S
Simple vulvectomy	G+S
Groin node dissection	G+S
Wertheims hysterectomy	G+S
Reversal of sterilisation	G+S
Laparoscopic removal of ectopic	
pregnancies +/- salpingectomy	G+S
All other procedures	G+S

An individual clinician can over-ride the MSBOS if deemed appropriate.

#### GENERAL/UPPER GI/HEPATOBILIARY SURGERY

PROCEDURE	PRE-OPRESERVATION TARIFF
Oesophagectomy	G+S
Oesophagectomy + gastrectomy	G+S
Gastrectomy (any type)	G+S
Pancreatectomy	G+S
Liver resection	G+S
Splenectomy	G+S
Laparoscopic splenectomy	G+S
Open hiatus hernia repair	G+S
Cholecystectomy	G+S not required
Oesophageal dilatation	G+S not required
Elective sclerotherapy	G+S not required
ERCP	G+S not required
Emergency explorative laparotomy	G+S
Emergency appendicectomy	G+S not required
Other emergency surgery	As indicated by requesting clinician
	No of units indicated by requesting
GI haemorrhage	clinician

An individual clinician can over-ride the MSBOS if deemed appropriate.

#### LIVER TRANSPLANTATION

PROCEDURE	PRE-OP RESERVATION TARIFF
Orthoptic liver transplantation	5 U RCC

An individual clinician can over-ride the MSBOS if deemed appropriate; this may occur in transplants for fulminant hepatic failure, when FFP and platelets may also be required pre-operatively.

June 2006