

NAME: Gary WEBSTER	AGE: GRO-A 65	WT(KG): 48	HAEMOPHILIA - CHRISTMAS - INHIBITOR		NO OF BLEEDS:	
SITE: DDAVP Stage II Trial	SYMPTOMS:		TRAUMA: YES - NO		TIME NOTICED:	TIME SEEN:
DATE TIME: 18/5/82 8.30a						
PAIN						
TENDERNESS						
WARM						
SWELLING						
GIRTH - DIL. VEINS						
R.O.M. IF MUSCLE SPECIFY JOINT(S)						
DOSE %: 14.4 Mg DDAVP in 30mls Sol. p.						
UNITS MATERIAL						
TIME GIVEN						
REACTION						
U's/KG						
INSTRUCTIONS	Notes: slight dryness of mouth and said that he can taste the stuff. That was due to the 1st swim of preparation.					
DAYS SINCE LAST TRANS:	NORMAL GIRTH:	NORMAL R.O.M.:	TIME TO DISCHARGE:		TRANSFUSIONS:	U/KG/BLEED:

NAME: Gary WEBSTER		AGE: GRO-A	165	WT(KG): 48	HAEMOPHILIA - CHRISTMAS - INHIBITOR		NO OF BLEEDS:
SITE: (R) Knee		SYMPTOMS:		TRAUMA: YES - NO	TIME NOTICED: 7.20 p.m	TIME SEEN: 9.25 p.m	
DATE TIME	11-6-82 9.25 p.m	12-6-82 a.m	12-6-82 P.m	Fell over it 6.50 p.m 13-6-82 a.m	14/6/82 a.m		
PAIN	+	-		-	-		
TENDERNESS	+	-		-	-		
WARM	-(Ice bag)	-		+	±		
SWELLING	+	+		+	-		
GIRTH - DIL. VEINS	37-7	37-3		35-2	34-8		
R.O.M. IF MUSCLE SPECIFY JOINT(S)	52-75	35-108	DNA	12-125	8-137		
DOSE %	30 % (over)						
UNITS MATERIAL	Interhem 1116 u						
TIME GIVEN	7.30 P.m						
REACTION							
UNITS/KG	23.2						
INSTRUCTIONS	S-B Ice bag Pillows under his R knee	w/c foot plate No weight bearing.		G-w-B in double T.G. based on w/c	(D)		
DAYS SINCE LAST TRANS:	NORMAL GIRTH:	NORMAL R.O.M.: 8/148	TIME TO DISCHARGE: 2	TRANSFUSIONS: 1	U/KG/BLEED: 23.2		

NAME: Gary WEBSTER		AGE: GRO-A 55	WT(KG): 48	HAEMOPHILIA - CHRISTMAS - INTERSTOR		NO OF BLEEDS:
SITE: (L) Knee		SYMPTOMS: Hurts on walking		TRAUMA: YES - (NO)	TIME 28/4/82 NOTICED: 9-45 P-m	TIME 28/4/82 SEEN: 8-55 a-m
DATE TIME	27/4/82 p-m	28/4/82 a-m	28/4/82 p-m	29/4/82 a-m	29-4-82 p-m	
PAIN		-	-	-	-	
TENDERNESS		-	-	-	-	
WARM		-	+	-	+ - Tibial slip	
SWELLING		+	-	-	-	
GIRTH - DIL. VEINS		37-5	37-7	36.9	36.4	
R.O.M. IF MUSCLE SPECIFY JOINT(S)		20-144	1.5-142	15-148	12-145	
DOSE %	20%					
UNITS MATERIAL	Interhem 825 u					
TIME GIVEN	10-45 p-m					
REACTION						
UNITS/KG	17.1					
INSTRUCTIONS	W/c foot plate No W.B			G.W.B in D.T.G based on W/C.	W/c OK (D)	
DAYS SINCE LAST TRANS:		NORMAL GIRTH:		NORMAL R.O.M.: 22/4/82	TIME TO DISCHARGE: 2	TRANSFUSIONS: 1
						U/KG/BLEED: 17.1

NAME: Gary WEBSTER		AGE: GRO-A 65	WT(KG): 48	HAEMOPHILIA - CHRISTMAS - INHIBITOR		NO OF BLEEDS:	
SITE: (R) Flexor carpi ulnaris.			SYMPTOMS: Aching		TRAUMA: YES - (NO)	TIME NOTICED: 8 a.m.	TIME SEEN: 8.30 a.m.
DATE TIME	17/6/82 a.m.	17/6/82 p.m.	18/6/82 a.m.				
PAIN	±	—	—				
TENDERNESS	+	+ < a.m.	—				
WARM	±	±	—				
SWELLING	+	+	±				
GIRTH - DIL. VEINS	22	21.8	21.4				
R.O.M. IF MUSCLE SPECIFY JOINT(S)	Not examined	Not Examined.	All movements are full. not catching				
DOSE %	30%						
UNITS MATERIAL	Inter Hem 1,116u						
TIME GIVEN	0840						
REACTION							
UNITS/KG	23:2						
INSTRUCTIONS	K. cone + sling	← sling	(D)				
DAYS SINCE LAST TRANS:	NORMAL GIRTH:	NORMAL R.O.M.: Full	TIME TO DISCHARGE:	TRANSFUSIONS:	U/KG/BLEED: 23.2		


NAME: Gary WEBSTER		AGE: GRO-A 65	WT(KG): 48	HAEMOPHILIA - CHRISTMAS - INHIBITOR		NO OF BLEEDS:	
SITE: (R) Knee		SYMPTOMS: Aching		TRAUMA: YES - (NO)	TIME NOTICED: 7-55 a.m. W.U.W	TIME SEEN: 8-40 am	
DATE TIME	23/6/82 8-40 am	23/6/82 p.m	24/6/82 a.m	24/6/82 p.m			
PAIN	-	-	-	-			
TENDERNESS	+	-	-	-			
WARM	+	+	+	-			
SWELLING	+	+	-	-			
GIRTH-DIL. VEINS	37	36.3	35.4	36.0			
R.O.M. IF MUSCLE SPECIFY JOINT(S)	13 - 110	11 - 125	10 - 125 walks ok	10 - 138			
DOSE %	20%						
UNITS MATERIAL	Inter Hem 837u						
TIME GIVEN	0855						
REACTION							
UNITS/KG	17.4						
INSTRUCTIONS	- w/c (no foot plate) - no weight bearing He says foot plate stiffen it.		G.W.B in double T.G.	Walks ok. (D) Has had 3 bleeds into (R) knee in 2/52. He is doing his own management for alt. day prophylaxis till end of Dec.			
DAYS SINCE LAST TRANSF	NORMAL GIRTH:		NORMAL R.O.M.: 10/144	TIME TO DISCHARGE: 2	TRANSFUSIONS: 1	U/KG/BLEED: 17.4	

NAME: Gary WEBSTER		AGE: GRO-A - 65		WT(KG): 48		HAEMOPHILIA - CHRISTMAS - INHIBITOR		NO OF BLEEDS:	
SITE: (R) Knee		SYMPTOMS: Hurts on movements		TRAUMA: YES - (NO)		TIME 30.3.82 NOTICED: 10.15 p.m.		TIME 31.3.82 SEEN: 8.35 a.m.	
DATE TIME	30.3.82 p.m.	31.3.82 a.m.	31.3.82 p.m.	1.4.82 a.m.					
PAIN		—	—	—					
TENDERNESS		—	—	—					
WARM		+	+(INT.G)	± INT.G					
SWELLING		—		—					
GIRTH - DIL. VEINS		35.9	35.6	35.5					
R.O.M. IF MUSCLE SPECIFY JOINT(S)		7 - 130	6 - 133	5 - 135					
DOSE %	20%								
UNITS MATERIAL	550								
TIME GIVEN									
REACTION									
UNITS/KG	11.4								
INSTRUCTIONS	W/c foot plate - No w.B	W/c foot plate No w.B	G.W.B in D.T.G. based on W/c	(D)					
DAYS SINCE LAST TRANSF		NORMAL GIRTH:	NORMAL R.O.M.: 8/148	TIME TO DISCHARGE: 2	TRANSFUSIONS: 1	U/KG/BLEED: 11.4			

NAME: Gary WEBSTER		AGE: GRO-A-65	WT(KG): 48	HAEMOPHILIA - APES MASS - INHIBITOR		No OF BLEEDS:	
SITE: (R) Elbow			SYMPTOMS: Hurts on movement		TRAUMA: YES - (NO)		TIME NOTICED: 10-30 a.m. TIME SEEN: 11-06 a.m.
DATE TIME	25-3-82 11-05 a.m.	25-3-82 p.m.	26-3-82 a.m.	26-3-82 p.m.	27.3.82	29.3.82	
PAIN	-	-	-		-		
TENDERNESS	-	-	-		-		
WARM	-	+	-		-		
SWELLING	+	+	-		-		
GIRTH - DIL. VEINS	23-7	23-8	23-8		23.8		
R.O.M. IF MUSCLE SPECIFY JOINT(S)	43-130	40-130	31-129	DNA		28-135	DNA
DOSE %	20 %						
UNITS MATERIAL	Interhem 550u						
TIME GIVEN	10-45 a.m.						
REACTION							
UNITS/KG	11.4						
INSTRUCTIONS	slang	slang	Discard slang				for physio
DAYS SINCE LAST TRANS:	NORMAL GIRTH:		NORMAL R.O.M.: 27/38		TIME TO DISCHARGE: 8		TRANSFUSIONS: 1
						U/KG/BLEED: 11.4	

NAME: Gary WEBSTER		AGE: GRO-A-65		WT(KG): 48		HAEMOPHILIA - CHRISTMAS - INHIBITOR		NO OF BLEEDS:	
SITE: (R) Elbow (cont'd)				SYMPTOMS:		TRAUMA: YES - NO		TIME NOTICED:	
DATE TIME		30-3-82 a.m		2-4-82 a.m					
PAIN		—		—					
TENDERNESS		—		—					
WARM		—		—					
SWELLING		—		—					
GIRTH - DIL. VEINS		23.6		23.5					
R.O.M. IF MUSCLE SPECIFY JOINT(S)		25 — 133		22 — 138					
DOSE %									
UNITS MATERIAL									
TIME GIVEN									
REACTION									
UNITS/KG									
INSTRUCTIONS		Physio		Going home today (D)					
DAYS SINCE LAST TRANS:		NORMAL GIRTH:		NORMAL R.O.M.: 17/138		TIME TO DISCHARGE:		TRANSFUSIONS:	
								U/KG/BLEED:	

NAME: Gary WEBSTER		AGE: GRO-A-65		WT(KG): 48		HAEMOPHILIA - CHRISTMAS - INHIBITOR		No OF BLEEDS: 2	
SITE: (R) Knee				SYMPTOMS: Hurts on walking		TRAUMA: YES (circled) - NO (circled)		TIME NOTICED: 9.45 p.m.	
DATE TIME		21/3/82 10.30 p.m.		22/3/82 a.m.		22/3/82 p.m.		23/3/82 a.m.	
PAIN		+		+ > p.m.		+ 7 a.m.		+ < p.m.	
TENDERNESS		+		+ 15 p		+ 16 a		+ < p.m.	
WARM		+		-		-		-	
SWELLING		+		+		+		+	
GIRTH - DIL. VEINS		36		35.2		36.0		35.1	
R.O.M. IF MUSCLE SPECIFY JOINT(S)		42 - 72		30 - 73		35 - 75		25 - 94	
DOSE %		40% for (R)+(L) Knee		20% for (R) Knee		20% for (R) Knee		20% for (R)+(L) Knee	
UNITS MATERIAL		Interhem 1375 u		Interhem 550 u		Interhem 550 u		Interhem 550 u	
TIME GIVEN		10 p.m.		1000		5 p.m.		10 a.m.	
REACTION									
TS/KG		28.6		11.4		11.4		11.4	
INSTRUCTIONS		S.B.		S.B.		w/c foot plate		S.W.B. 5 2xTG	
SAYS SINCE LAST TRANS:		NORMAL GIRTH:		NORMAL R.O.M.: 11/145		TIME TO DISCHARGE: 3		TRANSFUSIONS: 4	
								U/KG/BLEED: 62.8	

NAME: Gary WEBSTER		AGE: GRO-A 65	WT(KG): 48	HAEMOPHILIA - CHRISTMAS INHIBITOR		NO OF BLEEDS:	
SITE: (R) Knee (cont.)			SYMPTOMS:		TRAUMA: YES - NO		TIME NOTICED:
DATE TIME	24/3/82 p.m.						TIME SEEN:
PAIN	—						
TENDERNESS	—						
WARM	+ INT-G						
●LLING	—						
GIRTH - DIL. VEINS	33						
R.O.M. IF MUSCLE SPECIFY JOINT(S)	11 — 142						
DOSE %							
UNITS MATERIAL							
TIME GIVEN							
REACTION							
●TS/KG							
INSTRUCTIONS							
DAYS SINCE LAST TRANS:		NORMAL GIRTH:		NORMAL R.O.M.:		TIME TO DISCHARGE:	
						TRANSFUSIONS:	
						U/KG/BLEED:	

NAME: Gary WEBSTER		AGE: GRO-A 65	WT(KG): 48		HAEMOPHILIA - CHRISTMAS INHIBITOR		No OF BLEEDS: 2	
SITE: @ Knee			SYMPTOMS: Aching		TRAUMA: (YES) - No		TIME NOTICED: 9-30 p.m	
DATE TIME		21/3/82 10.30 p.m	22/3/82 a.m	22/3/82 p.m	23/3/82 a.m	23/3/82 p.m	24/3/82 a.m	
PAIN		+	+ < p.m	+ < a.m	+ < p.m	-	-	
TENDERNESS		+	+ < p.m	+ < a.m	+ < p.m	-	-	
WARM		+	-	-	-	-	-	
SWELLING		+	+	+	+	-	-	
GIRTH - DIL. VEINS		35-2	33	37.9 (across middle of knee)	37	36.7	35.6	
R.O.M. IF MUSCLE SPECIFY JOINT(S)		47-80	28-107	35-105	30-127	15-143	16-148	
DOSE %		under (R) knee 40%						
UNITS MATERIAL								
TIME GIVEN								
REACTION								
UNITS/KG								
INSTRUCTIONS		S.B	S.B		w/c foot plates	GVB i 2xTG		CR Knee
DAYS SINCE LAST TRANS:			NORMAL GIRTH:	NORMAL R.O.M.: 12/145	TIME TO DISCHARGE: 3	TRANSFUSIONS: 4	U/KG/BLEED: 62.8	

NAME: Gary WEBSTER		AGE: GRO-A 65		WT(KG): 48		HAEMOPHILIA - CHRISTMAS - INHIBITOR		No OF BLEEDS:	
SITE: (L) Knee (contc)			SYMPTOMS:			TRAUMA: YES - NO		TIME NOTICED:	
DATE TIME	24/3/82 p.m								
PAIN	—								
TENDERNESS	—								
WARM	INT-G								
SHELLING	—								
BIRTH - DIL. VEINS	35-4								
R.O.M. IF MUSCLE SPECIFY JOINT(S)	12 — 139								
DOSE %									
UNITS MATERIAL									
TIME GIVEN									
REACTION									
UNITS/KG									
INSTRUCTIONS	(D)								
DAYS SINCE LAST TRANS:			NORMAL GIRTH:		NORMAL R.O.M.:		TIME TO DISCHARGE:		TRANSFUSIONS:
									U/KG/BLEED:

NAME: Gary WEBSTER		AGE: GRO-A 65		WT(KG): 48		HAEMOPHILIA - CHRISTMAS - INHIBITOR		No OF BLEEDS:	
SITE: (R) Ankle				SYMPTOMS: Hurts on walking		TRAUMA: YES - (NO)		TIME NOTICED: 1-45 p.m.	
DATE TIME		15-3-82 1:55 p.m.		16-3-82 a.m.		16-3-82 p.m.		17-3-82 a.m.	
PAIN		+		-		-		-	
TENDERNESS		+		+		-		-	
WARM		+		+		-		-	
SWELLING		+		-		-		-	
GIRTH - DIL. VEINS		31.2		30.8		30.7		30.3	
R.O.M. IF MUSCLE SPECIFY JOINT(S)		P.F. Approx. 50% catches D.F. > 50% catches		al. full catches > 50% w/ walking		Full } not catching Full } catches		Full } not catching Full } catches	
DOSE %		T. dose.							
UNITS MATERIAL		1 vial hem 570							
TIME GIVEN		2 p.m.							
REACTION									
UNITS/KG									
INSTRUCTIONS		w/c leg support. No weight-bearing → foot plate		G. w. B. based on w/c		(D)			
DAYS SINCE LAST TRANS:		NORMAL GIRTH:		NORMAL R.O.M.: full		TIME TO DISCHARGE:		TRANSFUSIONS:	
								U/KG/BLEED: 11.8	

NAME: Gary WEBSTER		AGE: GRO-A/63		WT(KG): 48		HAEMOPHILIA - CHRISTMAS INHIBITOR		No OF BLEEDS:	
SITE: (R) Big toe (M-P-joint)				SYMPTOMS: Hurts on walking		TRAUMA: YES - (NO)		TIME NOTICED: 7.45 a.m. ^{W-U-W}	
DATE TIME	10-3-82 a-m	10-3-82 P-m	11/3/82 a-m						
PAIN	-	-	-						
TENDERNESS	+	-	-						
WARM	-	-	-						
SWELLING	+	-	-						
GIRTH - DIL. VEINS									
R.O.M. IF MUSCLE SPECIFY JOINT(S)	DF } Minimal PF: }	> 50% > 50%	Full Full						
DOSE %	20 %								
UNITS MATERIAL	Inter Nem 825u								
TIME GIVEN	0840.								
REACTION									
UNITS/KG	17.1								
INSTRUCTIONS	w/c leg support no weight bearing	G.W.B based on w/c	(D)						
DAYS SINCE LAST TRANS:		NORMAL GIRTH:		NORMAL R.O.M.: Full		TIME TO DISCHARGE:		TRANSFUSIONS:	
								U/KG/BLEED: 17.1	

NAME: Gary WEBSTER		AGE: GRO-A/53	WT(KG): 48	HAEMOPHILIA - CHRISTMAS INHIBITOR		No OF BLEEDS:	
SITE: (L) wrist			SYMPTOMS: Aching		TRAUMA: YES - (No)		TIME NOTICED: 1.15 a.m.
DATE TIME	2/3/82 1.15 a.m.	2/3/82 8.55 a.m.					
PAIN		-					
TENDERNESS		-					
WARM		-					
SWELLING		-					
GIRTH - DIL. VEINS		16-8					
R.O.M. IF MUSCLE SPECIFY JOINT(S)		Ext: ? Full Flex: Pron: his normal sup. his normal					
DOSE %	20 %						
UNITS MATERIAL	Inter hema 540u						
TIME GIVEN	1.15 a.m.						
REACTION							
LOTS/KG	11.2						
INSTRUCTIONS		(D)					
DAYS SINCE LAST TRANS:		NORMAL GIRTH:	NORMAL R.O.M.: Full	TIME TO DISCHARGE:	TRANSFUSIONS: 1	U/KG/BLEED: 11.2	

NAME: Gary WEBSTER		AGE: GRO-A	63	WT(KG): 48	HAEMOPHILIA - CHRISTMAS INHIBITOR		NO OF BLEEDS: (2)
SITE: (L) Knee			SYMPTOMS: stiff on walking		TRAUMA: YES - (No)		TIME NOTICED: 10.05 p.m. TIME SEEN: 10.20 pm
DATE TIME	14/2/82 10.20 pm	15/2/82 a.m.	15/2/82 p.m.	16/2/82 a.m.	16/2/82 p.m.	17/2/82 a.m.	
PAIN	+	+ < p.m.	+	-	-	-	
TENDERNESS	+	+ < p.m.	+	+ 150	-	-	
WARM	+	-	-	-	-	-	
SWELLING	+	+	+	+	-	-	
GIRTH - DIL. VEINS	36.2	36	35	36.3	35.8	34.8	
R.O.M. IF MUSCLE SPECIFY JOINT(S)	37-95	25-118	23-110	20-128	18-148	14-146	
DOSE %	T. dose for (L) knee (0.5% ELbow)			Cover dose for Hydro under (R) Elbow (20%)			
UNITS MATERIAL	Interhem 1375						
TIME GIVEN	11.15 p.m.						
REACTION							
UNITS/KG							
INSTRUCTIONS	Bed rest in S.B.		1	Hydro S.B.		GWB rem - 4/	Elbow
DAYS SINCE LAST TRANS:		NORMAL GIRTH:		NORMAL R.O.M.: 12/145		TIME TO DISCHARGE: 3	TRANSFUSIONS: 3
						U/KG/BLEED: 62.9	

NAME: Gary WEBSTER		AGE: DOB	WT(KG): 48	HAEMOPHILIA - CHRISTMAS - INHIBITOR		No of BLEEDS:
SITE: (L) Knee (cont.)			SYMPTOMS:	TRAUMA: YES - NO	TIME NOTICED:	TIME SEEN:
DATE TIME	17/2/82 P.M					
PAIN	-					
TENDERNESS	-					
WARM	- J.G					
SWELLING	-					
GIRTH - PIL. VEINS	35.0					
R.O.M. IF MUSCLE SPECIFY JOINT(S)	12-145					
DOSE %						
UNITS MATERIAL						
TIME GIVEN						
REACTION						
UNITS /KG						
INSTRUCTIONS	(D)					
DAYS SINCE LAST TRANS:		NORMAL GIRTH:	NORMAL R.O.M.:	TIME TO DISCHARGE:	TRANSFUSIONS:	U/KG/BLEED:

NAME: Gary WEBSTER		AGE: GRO-A/63		WT(KG): 48		HAEMOPHILIA - CHRISTMAS INHIBITOR		NO OF BLEEDS: 2					
SITE: (R) ELbow [Fresh bleed]-			SYMPTOMS: Aching			TRAUMA: (YES) - NO		TIME NOTICED: 10 p.m		TIME SEEN: 10.20pm			
DATE TIME		14/2/82 10.20 p.m		15/2/82 a.m		15/2/82 P.m		16/2/82 a.m		16.282 p.m		17/2/82 a.m	
PAIN		+		+ < p.m		+ < a.m		-		-		-	
TENDERNESS		+		+ < p.m		+ < a.m		+		-		-	
WARM		-		-		-		-		-		-	
SWELLING		+		+		+		+		-		-	
GIRTH - DIL. VEINS		25-9		25.5		25.3		25		24.5		24.4	
R.O.M. IF MUSCLE SPECIFY JOINT(S)		65-92		52-107		42-125		35-131		28-137		24-135	
DOSE %		under (L) knee (T. dose)						20% cover dose for Hydro					
UNITS MATERIAL		interhem		1375				24g Hem 550u					
TIME GIVEN		11.15 P.m						9.45am 10am					
REACTION													
UNITS/KG		28.6						11.4					
INSTRUCTIONS		Bed rest in S.B sling		f→		f→		Hydro S.B		✓		C knee 62.9	
DAYS SINCE LAST TRANS:				NORMAL GIRTH:		NORMAL R.O.M.: 17/135		TIME TO DISCHARGE: 5		TRANSFUSIONS: 3		U/KG/BLEED: 400	

NAME: Gary WEBSTER		AGE: GRO-A 1/63	WT(KG): 48	HAEMOPHILIA - CHRISTMAS - INHIBITOR		No OF BLEEDS:	
SITE: (R) Elbow (cont'd)			SYMPTOMS:		TRAUMA: YES - NO		TIME NOTICED:
DATE TIME	17/2/82 P.m	19.2.82 4.20 a.m					
PAIN	—	—					
TENDERNESS	—	—					
WARM	—	—					
SWELLING	—	—					
GIRTH - DIL. VEINS	24.3	25.5					
R.O.M. IF MUSCLE SPECIFY JOINT(S)	21-138	24-132					
DOSE %		20 %					
UNITS MATERIAL		Interheim 11000					
TIME GIVEN		9.45 a.m					
REACTION							
UNITS/KG		22.9					
INSTRUCTIONS	for physio	(D)					
DAYS SINCE LAST TRANS:		NORMAL GIRTH:	NORMAL R.O.M.: 17/135		TIME TO DISCHARGE:		TRANSFUSIONS:
							U/KG/BLEED:

NAME: Gary WEBSTER		AGE: GRO-A/53		WT(KG): 48		HAEMOPHILIA - CHRISTMAS - INHIBITOR		NO OF BLEEDS:			
SITE: (R) Elbow			SYMPTOMS: Stiff		TRAUMA: YES - (No)		TIME NOTICED: 7.30 a.m. W.U.W		TIME SEEN: 8.40 a.m.		
DATE TIME	10/2/82 a.m.	10/2/82 p.m.	11/2/82 a.m.	11/2/82 p.m.	12.2.82 a.m.	13/2/82 a.m.					
PAIN	+	-	-	-	-	-					
TENDERNESS	+	-	-	-	-	-					
WARM	-	-	-	-	-	-					
SWELLING	+	+	-	-	-	-					
GIRTH - DIL. VEINS	24.3	24	23.8	23.7	23.7	23.7					
R.O.M. IF MUSCLE SPECIFY JOINT(S)	48 - 120	34 - 125	33 - 128	28 - 130	27 - 134	24 - 137					
DOSE %	T. dose										
UNITS MATERIAL	interven 1140										
TIME GIVEN	0910										
REACTION											
UNITS/KG	23.7										
INSTRUCTIONS	sling	→	Discard sling Gentle activities		Physio.	Exo.					
DAYS SINCE LAST TRANS:		NORMAL GIRTH:		NORMAL R.O.M.: 17/135		TIME TO DISCHARGE: 9		TRANSFUSIONS: 1		U/KG/BLEED: 23.7	

NAME: Gary WEBSTER		AGE: GRO-A 1/53		WT(KG): 48		HAEMOPHILIA: NO INHIBITOR:		No OF BLEEDS:	
SITE: R. Elbow		SYMPTOMS:		TRAUMA: YES - NO		TIME NOTICED:		TIME SEEN:	
DATE TIME	15.2.82 am								
PAIN									
TENDERNESS									
WARM									
SWELLING									
GIRTH - DIL. VEINS									
R.O.M. IF MUSCLE SPECIFY JOINT(S)	Fresh bleed on 14/2/82 10p.m. P.T.O								
DOSE %									
UNITS MATERIAL									
TIME GIVEN									
REACTION									
UNITS/KG									
INSTRUCTIONS									
DAYS SINCE LAST TRANS:		NORMAL GIRTH:		NORMAL R.O.M.:		TIME TO DISCHARGE:		TRANSFUSIONS:	
								U/KG/BLEED:	

NAME: <u>Joly WEBSTER</u>	AGE: <u>1/63</u>	GRO-A	WT(KG): <u>48</u>	HAEMOPHILIA - CHRISTMAS - INHIBITOR		NO OF BLEEDS:
SITE: <u>(C) knee</u>	SYMPTOMS: <u>Achilles</u>		TRAUMA: YES - <u>(NO)</u>	TIME NOTICED: <u>11.25a</u>	TIME SEEN: <u>11.45a</u>	
DATE TIME	<u>24.1.82 11.45a</u>	<u>24.1.82 p-</u>	<u>25.1.82 a-</u>	<u>25.1.82 P.M</u>	<u>26.1.82 a.m</u>	<u>27.1.82 am.</u>
PAIN	<u>+</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>
TENDERNESS	<u>+</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>
WARM	<u>±</u>	<u>-</u>	<u>+</u>	<u>-</u>	<u>+</u> in T.G.	<u>-</u>
SWELLING	<u>+</u>	<u>+</u>	<u>+</u>	<u>-</u>	<u>+</u>	<u>-</u>
GIRTH - DIL. VEINS	<u>38.7</u>	<u>38.2</u>	<u>37.9</u>	<u>38</u>	<u>36.4</u>	<u>35.7</u>
R.O.M. IF MUSCLE SPECIFY JOINT(S)	<u>25-132</u>	<u>20-135</u>	<u>20-133</u>	<u>15-142</u>	<u>16-140</u>	<u>13-145</u>
DOSE %	<u>T. Dose</u>				<u>20%</u>	
UNITS MATERIAL	<u>interhem 1140</u>				<u>Interhem 845u</u>	
TIME GIVEN	<u>11.45a</u>				<u>0900</u>	
REACTION						
UNITS/KG	<u>23.7</u>				<u>17.6</u>	
INSTRUCTIONS	<u>w/o for pain</u>	<u>w/c for next</u>	<u>f</u>	<u>GWB base - w/c Tuburp</u>	<u>Physio increase w.B. No gums/PE.</u>	<u>(D)</u>
DAYS SINCE LAST TRANS:		NORMAL GIRTH:	NORMAL R.O.M:	TIME TO DISCHARGE: <u>3</u>	TRANSFUSIONS: <u>2</u>	U/KG/BLEED: <u>41.3</u>

NAME: <u>Jah Webster</u>		AGE: <u>GRO-A</u> / <u>63</u>	WT(KG): <u>48</u>	HAEMOPHILIA - CHRISTMAS INHIBITOR		NO OF BLEEDS:	
SITE: <u>R knee</u>		SYMPTOMS: <u>Aching</u>		TRAUMA: YES - <u>NO</u>	TIME NOTICED: <u>11.15 AM</u>	TIME SEEN: <u>11.25 AM</u>	
DATE TIME	<u>18.1.82 11.25a</u>	<u>18.1.82 P-</u>	<u>19.1.82 a.m</u>	<u>19.1.82 P.m</u>			
PAIN	<u>±</u>	<u>-</u>	<u>-</u>	<u>-</u>			
TENDERNESS	<u>±</u>	<u>-</u>	<u>-</u>	<u>-</u>			
WARM	<u>-</u>	<u>±</u>	<u>±</u>	<u>+ = F.G.</u>			
SWELLING	<u>+</u>	<u>+</u>	<u>±</u>	<u>-</u>			
GIRTH - DL. VEINS	<u>36.5</u>	<u>36.5</u>	<u>35.9</u>	<u>35.7</u>			
R.O.M. IF MUSCLE SPECIFY JOINT(S)	<u>24-117</u>	<u>15-130</u>	<u>11-134</u>	<u>11-144</u>			
DOSE %	<u>T. Dose</u>						
UNITS MATERIAL	<u>Intershem 1140 ✓</u>						
TIME GIVEN	<u>11.30 AM</u>						
REACTION							
TS/KG	<u>23.7</u>						
INSTRUCTIONS	<u>w/c for pain</u>	<u>w/c for pain</u>	<u>G.W.B. in double T-G based on w/c</u>	<u>Walk etc</u> <u>(D)</u>			
DAYS SINCE LAST TRANS:		NORMAL GIRTH:	NORMAL R.O.M.: <u>11/145</u>	TIME TO DISCHARGE: <u>2</u>	TRANSFUSIONS: <u>1</u>	U/KG/BLEED: <u>23.7</u>	

NAME: Gary WEBSTER		AGE: GRO-A 63		WT(KG): 48		HAEMOPHILIA - CHRISTMAS INHIBITOR		No OF BLEEDS: 1	
SITE: Left Thigh. (1. Adductor longus)		SYMPTOMS: Hurt on walking		TRAUMA: YES (NO)		TIME NOTICED: 1.10 pm		TIME SEEN: 1.30 pm	
DATE TIME	14.12.81 1.30 pm	14.12.81 pm	15/12/81 am	16/12/81 a.m	16.12.81 p.m	18/12/81 Am			
PAIN	-	-	-	-	-	-			
TENDERNESS	+	-	-	-	-	-			
WARM	-	-	-	-	-	-			
SWELLING	+	+	-	-	-	-			
GIRTH - DIL. VEINS	37.5 cm.	37.5	37.5	37.5	37.5	37.8			
R.O.M. IF MUSCLE SPECIFY JOINT(S)	Knee. 25-135	21-142	18-138		21-145	16-142	14-140		
DOSE %	30%		30%		30%		20% (lower for Hydro)		
UNITS MATERIAL	Inter Hem 1100 u		Inter Hem 1100 u		Inter Hem 1100 u		Inter Hem 825 u		
TIME GIVEN	1.30 pm		0915		0930		10 a.m		
REACTION									
UNITS/KG	22.9		22.9		22.9		17.1		
INSTRUCTIONS	w/c.	w/c foot plate No w.B	w/c foot plate	} →		G.W.B in double T.G based on w/c	Hydro.		
DAYS SINCE LAST TRANS:		NORMAL GIRTH:	NORMAL R.O.M.: 12/14	TIME TO DISCHARGE: 4	TRANSFUSIONS: 4	U/KG/BLEED: 85.8			

NAME: Gary WEBSTER		AGE: GRO-A 63		WT(KG): 48		HAEMOPHILIA - CHRISTMAS - INHIBITOR		No OF BLEEDS:	
SITE: (L) thigh (L. adductor longus) CONT				SYMPTOMS:		TRAUMA: YES - NO		TIME NOTICED:	
DATE TIME		18/12/81 P.M.							
PAIN		-							
TENDERNESS		-							
WARM		-							
SWELLING		-							
GIRTH - DIL. VEINS		37.8							
R.O.M. IF MUSCLE SPECIFY JOINT(S)		14 - 140							
DOSE %									
UNITS MATERIAL									
TIME GIVEN									
REACTION									
UNITS/KG									
INSTRUCTIONS		Admin 2 mg/kg H ₂ O - (D) See Monday 11.18.82 P.							
DAYS SINCE LAST TRANS:		NORMAL GIRTH:		NORMAL R.O.M.:		TIME TO DISCHARGE:		TRANSFUSIONS:	
								U/KG/BLEED:	

NAME: Gary WEBSTER		AGE: GRO-A 163	WT(KG): 48	HAEMOPHILIA - CHRISTMAS - INHIBITOR -		NO OF BLEEDS: 2
SITE: (R) Tensor fascia lata Muscle			SYMPTOMS: Hurts on walking		TRAUMA: YES - (NO)	TIME NOTICED: 9.12.81 10.45 PM
DATE TIME	9/12/81 11 p.m	10/12/81 a.m	10/12/81 p.m	11.12.81 a.m	11.12.81 p.m	
PAIN		+	+ -	-	-	
TENDERNESS		+	+ < a -	± < p.m	-	
WARM		-	=	-	-	
SWELLING		+	+	±	-	
GIRTH - DIL. VEINS						
R.O.M. IF MUSCLE SPECIFY JOINT(S)		(A) 25 - 150 Hip flexion: 90°	- 14 - 152 - > 90°	15 - 152 Full	11 - 150 full	
DOSE %	(30%)	(30%)		under. (D) Add. longus (26% cover for HyArg)		
UNITS MATERIAL						
TIME GIVEN						
REACTION						
UNITS/KG						
INSTRUCTIONS		S.B.		G.W.B. Hydro. w/c post plate	Cellp oc (D)	- abductor longus
DAYS SINCE LAST TRANS:		NORMAL GIRTH:	NORMAL R.O.M. 11/14	TIME TO DISCHARGE: 2	TRANSFUSIONS: 3	U/KG/BLEED: 55.9

NAME: Gary WEBSTER		AGE: GRO-A-65	WT(KG): 54	HAEMOPHILIA - CHRISTMAS INHIBITOR		NE OF BLEEDS:	
SITE: (L) Knee			SYMPTOMS: Hurts walking		TRAUMA: YES - (NO)		TIME NOTICED: 8.15 am
DATE TIME	25/5/83 8.30 am	25/5/83 pm	26.5.83 am				
PAIN	+	-	-				
TENDERNESS	+	-	-				
WARM	-	-	-				
SWELLING	+	+	-				
GIRTH - DIL. VEINS	36.0	36.0	35.2				
R.O.M. IF MUSCLE SPECIFY JOINT(S)	25 - 134	18 - 145	17 - 152				
			walking ok.				
DOSE %	40%						
UNITS MATERIAL	intolen 1410.						
TIME GIVEN	0900						
REACTION							
UN / KG	26.1						
INSTRUCTIONS	w/c i / for plate →		G.W.B in double T.G based on w/c for one day.				
			 started alt. day 20% prophylaxis today for 4 weeks.				
DAYS SINCE LAST TRANS:		NORMAL GIRTH:	NORMAL R.O.M.: 17/149	TIME TO DISCHARGE:	TRANSFUSIONS:	U/KG/BLEED: 26.1	

NAME: Gary WEBSTER	AGE: GRO-A/63	WT(KG): 48	HAEMOPHILIA - CHRISTMAS - INHIBITOR -		NO OF BLEEDS: 2
SITE: (L) Adductor longus muscle	SYMPTOMS: Aching		TRAUMA: YES - (NO)	TIME NOTICED: 9/12/81 70.45 pm	TIME SEEN: 10/12/81 9 a.m.
DATE TIME	9/12/81 11 p.m.	10/12/81 a.m.	10/12/81 p.m.	11.12.81 a.m.	11.12.81 p.m.
PAIN		+	+ < a.m.	-	-
TENDERNESS		+	+ < a.m.	-	-
WARM		-	-	-	-
SWELLING		+	+	-	-
GIRTH - DIL. VEINS		35.6	37.8	37.6	37.3
R.O.M. IF MUSCLE SPECIFY JOINT(S)		45 - 137	28 - 132	21 - 141	13 - 143
DOSE %	30% for (R) Tensor fascia lata & (L) Adductor muscle	30% for (R) Tensor fascia lata & (L) Adductor muscle	20 cover for Hydro W-B		
UNITS MATERIAL	20 Hm 816 u.	20 Hm 4,100 u.	Hemofil 772 u		
TIME GIVEN	7.3 - 15	9.30 am	9.30 am		
REACTION					
UNITS/KG	17.0	22.9	16		
INSTRUCTIONS		S.B	get the plate	G.W.B. based on w/c foot plate	W.B. 500 (D)
					Tensor fascia lata
DAYS SINCE LAST TRANS:	NORMAL GIRTH:	NORMAL R.O.M:	TIME TO DISCHARGE: 2	TRANSFUSIONS: 3	U/KG/BLEED: 55.9

NAME: Gary WEBSTER		AGE: GRO-A 185		WT(KG): 48		HAEMOPHILIA - CHRISTMAS - INHIBITOR		NO OF BLEEDS:	
SITE: R. Deltoid		SYMPTOMS: still on mt.		TRAUMA: YES - (NO)		TIME NOTICED: 2.12.81 10.45 pm.		TIME SEEN: 3.12.81 8.45 am.	
DATE TIME	2/12/81 11 p.m.	3/12/81 a.m.	3.12.81 pm	4.12.81 a.m.	5.12.81 a.m.				
PAIN		—	—	—	—				
TENDERNESS		—	—	—	—				
WARM		—	—	—	—				
SWELLING		++	++	+	—				
GIRTH - DIL. VEINS									
R.O.M. IF MUSCLE SPECIFY JOINT(S)		Abd. 120° caters Flex. full } caters Ext. 750° } L.R.R. } full not caters G.R.R. }	full full full full full full } not caters	} Full	} Full				
DOSE %	30%		30%		(cover)				
UNITS MATERIAL	Inter Hem 825u		Inter Hem 825u						
TIME GIVEN	11.00 pm.		4.45						
REACTION									
UNITS/KG	17.1		17.1						
INSTRUCTIONS		sling	sling	sling	(D)				
DAYS SINCE LAST TRANS:		NORMAL GIRTH:		NORMAL R.O.M.: Full	TIME TO DISCHARGE: 2	TRANSFUSIONS: 2	U/KG/BLEED: 34.2		

NAME: Gary WEBSTER		AGE: GRO-A / 65		WT(KG): 48		HAEMOPHILIA - CHRISTMAS INHIBITOR -		No OF BLEEDS:	
SITE: L. Knee		SYMPTOMS: hwt on walking		TRAUMA: YES - (NO)		TIME NOTICED: 10.45 pm		TIME SEEN: 8.50 am	
DATE TIME		24. 11. 81 8.30 am	24. 11. 81 pm	25. 11. 81 a-	25/11/81 P.m				
PAIN		-	-	-	-				
TENDERNESS		±	-	-	-				
WARM		±	±	INT.G	-				
SWELLING		+	+	-	-				
GIRTH - DIL. VEINS		37	37.6	35.7	36.5				
R.O.M. IF MUSCLE SPECIFY JOINT(S)		37 - 128	20 - 144	17 - 140	12 - 140				
DOSE %	30%								
UNITS MATERIAL	11000 Factorale								
TIME GIVEN	11.10 pm.								
REACTION									
UNITS/KG	22.9								
INSTRUCTIONS		w/c n leg support	GWSB. knelt w/c Painkillers	Increase weight bearing in double T.G.	(D)				
DAYS SINCE LAST TRANS:		NORMAL GIRTH:		NORMAL R.O.M.: 12/145	TIME TO DISCHARGE: 2	TRANSFUSIONS:		U/KG/BLEED: 22.9	

NAME: <u>Jerry WEBSTER</u>		AGE: <u>GRO-A</u> / <u>65</u>		WT(KG): <u>48</u>		HAEMOPHILIA - CHRISTMAS - INHIBITOR		NO OF BLEEDS:	
SITE: <u>(2) superficial ^{flexor} muscle & 2nd fingers</u>		SYMPTOMS: <u>Aching</u>		TRAUMA: YES - <u>(NO)</u>		TIME NOTICED: <u>17/11/81</u> <u>9.45 p.m.</u>		TIME SEEN: <u>18/11/81</u> <u>8.40 a.m.</u>	
DATE TIME	<u>17/11/81</u>	<u>18/11/81</u>	<u>a.m.</u>	<u>19/11/81</u>	<u>a.m.</u>				
PAIN		<u>-</u>		<u>-</u>					
TENDERNESS		<u>-</u>		<u>-</u>					
WARM		<u>-</u>		<u>-</u>					
SWELLING		<u>-</u>		<u>-</u>					
GIRTH - DIL. VEINS		<u>15-9</u>		<u>15-8</u>					
R.O.M. IF MUSCLE SPECIFY JOINT(S)		<u>Fingers:</u> <u>EXT: Full</u> <u>Flex: full. catches</u>		<u>Full</u> <u>Full</u>					
DOSE %	<u>20 %</u>								
UNITS MATERIAL	<u>InterHem 687u</u>								
TIME GIVEN	<u>9.50 p.m.</u>								
REACTION									
UNITS/KG	<u>14.3</u>								
INSTRUCTIONS		<u>Futura splint</u>		<u>(D)</u>					
DAYS SINCE LAST TRANS:		NORMAL GIRTH:		NORMAL R.O.M.: <u>Full</u>		TIME TO DISCHARGE:		TRANSFUSIONS:	
									<u>U/KG/BLEED: 4.3</u>

NAME: Gary WEBSTER		AGE: GRO-A-65		WT(KG): 48		HAEMOPHILIA - CHRISTMAS INHIBITOR		NE OF BLEEDS:	
SITE: (L) Knee				SYMPTOMS: Hurts on walking		TRAUMA: YES - (No)		TIME NOTICED: 10 pm	
DATE TIME		8-11-81 10:30 p.m.		9-11-81 a.m.		9/11/81 p.m.		10-11-81 a.m.	
PAIN		+		+ (SQ)		+ (SQ)		-	
TENDERNESS		+		+ (SQ)					
WARM		+		-					
SWELLING		+		+					
GIRTH - DIL. VEINS		34		34					
R.O.M. IF MUSCLE SPECIFY JOINT(S)		50 - 58		55 - 73				Feels comfortable in crepe bandage	
DOSE %		40%		30%		50%		30%	
UNITS MATERIAL		Interhem 1100u		Inter Hem 1100u		Inter Hem 1650u		Inter Hem 1100u	
TIME GIVEN		10.45 pm		1015		12.15 P-		1045	
REACTION								Reaction known Pinton orally.	
UNITS/KG		22.9		22.9		34.3		22.9	
INSTRUCTIONS		S.B. ice bags - pillows under his knee NO W.B.		S.B.		aspirate in cotton wool bandage feels slightly better S.B. No wt. band No L/C		Stay in S/B from 5-11 val 5-11	
								Still crying 1 sec pain Demands IV. fentanyl.	
								S.B.	
DAYS SINCE LAST TRANS:		NORMAL GIRTH:		NORMAL R.O.M.: 12/145		TIME TO DISCHARGE: 7		TRANSFUSIONS: 6	
								U/KG/BLEED: 141.9	