

Florence Treloar School

(12)

Name..... GARY WEBSTER..... Date of Birth... GRO 65.....
 Address..... GRO-A..... Admitted..... 6.9.75.....
 Next of Kin. Parents..... GRO-A..... Discharged.....
 Authority..... Hampshire County Council..... Disability.... Haemophilia.....

Date

Moderately severe haemophiliac with f. VIII level of approx. 1%

No allergies. No inhibitors. Suffers from fairly frequent episodes of bleeding into knees, ankles, and elbows. Occasional attacks of haematuria.

Family history None.

Present condition normal physically for his age. No signs of intercurrent disease Joints: slight disablement of left elbow and both ankles. Some

wasting of the right quadriceps. Has worn a splint on right knee for about 1 year.

3.12.75 Seen by Mr. Evans - Satisfactory.

14.7676 Seen by Mr. Evans - Satisfactory.

23/3/77 Seen by Mr. Evans. (R) knee by far the worst. Photographs have been taken of both knees. He has splints for both legs, but only wears one at a time according to the bleed he has. To work hard on his muscles. Mr. Small to take further photographs.

28/3/77 Disabled Sticker requested for the Car. Letter to Social Services.

20/9/77 Seen by Mr. Evans. GRO is a severe bleeder. Photographs have been taken of different positions of knees and splints. He has one brother, who is alright.

13/12/77 Second Medical

Has had a fairly good term. He has had the average number of bleeds. His condition remains unchanged.

This space to be left blank for binding

Notes to be written only on one side of the paper

The Lord Mayor Treloar College

Name.....WEBSTER Gary..... Admitted 11.9.75 F.TS
 Address..... GRO-A..... Discharged 9.9.76 L.M.T.C.
 Date of Birth GRO-65..... Disability Haemophilia

Date

This space to be left blank for binding

Moderately severe haemophiliac with f.VIII level of approx. 1%

No allergies. No inhibitors. Suffers from fairly frequent episodes of bleeding into knees, ankles and elbows. Occasional attacks of haematuria.

Family history none.

Present condition normal physically for his age. No signs of intercurrent disease

Joints: slight disablement of left elbow and both ankles. Some wasting of the right quadriceps. Has worn a splint on right knee for about 1 year.

Notes to be written only on one side of the paper

The Lord Mayor Treloar College

(112)

Name WEBSTER Gary

Date

AUTUMN TERM 1975

8.9.75 * Woke up with fresh bleed (R) elbow
In 6 Cuzo.
Blew LFTs ✓

16.9.75 Early bleed (R) ankle
In 5 Cuzo.

7.10 * Blew (R) wrist
In 5 Cuzo.

9.10 Slightly stiff (R) elbow
100° and
Observe.

4.30 pm. Now bleed (R) elbow.
Movements limited to 15°
For 5 Cuzo.

5.20 pm Allergic rash developed.
Treated with Fabakistin $\frac{1}{2}$ stat on Dr. Culver-Lamel
instructions.

10.10 Elbow much better of full movements.
Discharge.

This space to be left blank for binding

Date

This space to be left blank for binding

FREE

Record No. 112
Surname WEBSTER
Christian Names GARY.

[illegible]

The Lord Mayor Treloar College

Name July Webster

Date

13.6.78 Improving still febrile $37^{\circ} \rightarrow 37.8^{\circ}C$
Tonsils less inflamed. still pustular
Swallowing lip & dist
Cervical glands less swollen. - Continue
on above

pm Better, temp &
less pustular. - Continue

14.6.78 a Feels a bit better, throat still quite sore.
T 38.

pm. Throat not so sore, but temp still
 38° after 3 days of pen.
1/2 Enlarged spleen lymphadenopathy to
liver. Tenderness of liver on
magn. Suggest Paul Gunnell & J.C. OSR

15.6.78 am Throat - st. inflamed, 2 small pustules
↑ cervical glands.
Leuc 3 FBs Spken 2 FBs.

16.6.78 a T 37° .
Throat much better.
Throat still inflamed.
Hepato splenomegaly 180
Plan to see Paul Gunnell.
Stay in bed

This space to be left blank for binding

29/9/78 - 28/9/78 - 28/9/78 - 28/9/78

Date

AUTUMN TERM, 1978

28.9.78. woke up with left knee bleed - &

Te. 36 cm. upper border patella.

Warm.

~~movement~~ No tenderness. 15° - 130° .

For chair. That done see pm.

pm. Better.

(D)

29/9/78. Feels he needs 2 doses for a knee. No limitation present.

For a bandage. Review pm.

pm. No real range of movement. Discharge.

2.10.78. Bl. Right ankle present a waking, frozen Tander 3.

Heads both knees present a waking - access when in ward.

For 30%. Adminib. wood & creps R knee & Ankle

(R) knee - painful. Swollen, difficulty - walking.

o/c ROM $25-105^{\circ}$ 35 cm Tender swollen

(R) ankle. Minimal movement. Very painful esp. lateral movement.

(L) knee. ROM $25-105^{\circ}$ 37.5 cm. Tender.

pm. (RW) ankle - about 5° movement. Tender lat. aspect
Knee same - 20/20 VLL

3/10/78 am. (R) ankle o/c

(R) knee joint 35.5 cm ROM $25-110^{\circ}$ Better

(L) knee joint 36.5 cm ROM $20-125^{\circ}$ Better

Rest - sed today. Gradual movement, exercise
early hour.

This space to be left blank for binding

The Lord Mayor Treloar College

Name Gary Webster.

Date

3.10.78

pm. (R) ankle full range of movement
 (R) knee full range of movement (0-105°) Jilt 26cm
 (L) knee full range of movement (0-145°) Jilt 35cm
 Have been doing his exercises. To see the physio -
 Therapist at 4 p.m.
 Discharge

6.10.78. Kicked a wall - pain (R) hallux
 8.10 pm. O/E no tenderness. No swelling.

7.10.78. Better. (D)

12.10.78. (L) Delta's blues. Woke up with pain
 O/E Tender, difficulty in Abductin 30°. Shoulder Jt OK.
 30% rise sling. See pm

PM. Delta's.

No pain. No tenderness. No swelling.

Full range of movement of (L) shoulder Jt. Rotation of (R) shoulder Jt OK.
 Discharge.

23/10/78. FRESH. (L) Fore arm.
 9.10 Am. ↓ 1/2" in front of Wrist.
 Bruise.

WHEN STARTED	WHEN PAINFUL/SWOLLEN	WHEN SEEN IN CLINIC	WHEN TREATED
Woke up this Am.	Woke up this Am.		
SWELLING	WARM	DEGREE OF TENDERNESS	RANGE OF MOVEMENT

WHEN STARTED	WHEN PAINFUL/SWOLLEN	WHEN SEEN IN CLINIC	WHEN TREATED
Woke up this Am.	Woke up this Am.	9.10 Am.	10 Am
SWELLING	WARM	DEGREE OF TENDERNESS	RANGE OF MOVEMENT
+++	+	++	5°-110°

Get into 7 p.m.
 R 30% ↑. Advise in the sick bag. See pm.

This space to be left blank for binding

STANDARD REPORT FORM

Date

Pain

① Forearm: No much improvement. Still tender. very limited movement.
 flexion & extension of wrist
 fingers
 no pronation & supination
 Bandage

② Knee: Still tender. girth 35 cm. ROM 8-110° (no change)
 review 2m

24.10.78 ① Forearm: still tender. limitation of movement.
 30° ↑. splint with finger extension

② Knee: 34 cm girth ROM 0-100°
 keep-suit bag. physio Rx for knee.
 see pain

Pain ① Forearm: still tender, but tenderness shifting proximally to middle third. Difficulty in pronation and in extension of fingers. No much improvement from Rx.
 ② Knee not tender. ROM 0-120°. still painful on walking. girth 36 cm (effusion++)

25/10 ① Wrist: proximally.

9.30am ② Knee: PAIN°, tender°. Walking OK.

③

27.10.78

12.20pm

④ Adductor muscle of the thumb

WHEN STARTED	WHEN PAINFUL/SWOLLEN	WHEN SEEN IN CLINIC	WHEN TREATED
Woke up with N	12.00 Noon	12.20 pm	12.40 pm
SWELLING	WARM	DEGREE OF TENDERNESS	RANGE OF MOVEMENT
+	-	I	full but slightly painful

Bagged in hand at approx 8.30 pm last night.

30/1 ↑ Factor VIII. Keep at home. Live 7 mile away from Southampton

On home Rx. No blood at home see 3.30 pm. sleep

This space to be left blank for binding

The Lord Mayor Treloar College

Name Gary Webster

Date

3.30. Improving. Less painful on movement fingers.

PM

To continue evening sitting.

On home therapy. (He injects himself or his father does it for him).

pt advised to have another dose on Saturday if no improvement and to report to Southampton Hospital.

12.11.78 (R) KNEE bleed during the half term holiday. R. one dose 7.5 cc's
11.30 am

(R) KNEE (Traumatic)

WHEN STARTED	WHEN PAINFUL / SWOLLEN	WHEN SEEN IN CLINIC	WHEN TREATED
Fell over it last night	Woke up with it	11.00 am	11.30
SWELLING	WARM	DEGREE OF TENDERNESS	RANGE OF MOVEMENT
36 cm	+	0	5-125°

- Fell over his (R) Knee last night in the Bon-fire party.
- pain starts this am

- Painful on walking.
- Throat dose grade I
- wheelchair. see am

13/11/78 34.5 cm, 3°-141°, Tenderness+. Gentle mobilisation.

9.25 AM

Keep the wheelchair.

see AM.

14.11.78. R. 35-135° no tenderness. gentle sb. heat up.
see am for R. M.

15.11.78 (R) Knee. 0°-135°. Discharge.

9.10 AM

REMOVED (R) KNEE.

16/11/78

AM.

WHEN STARTED	WHEN PAINFUL / SWOLLEN	WHEN SEEN IN CLINIC	WHEN TREATED
Woke up this AM.	Woke up this AM.	9 AM.	
SWELLING	WARM	TENDERNESS	RANGE OF MOVEMENT
36 cm.	+	10°-125° grade I	

Painful when he walks.

grade I.

TRIAL.

Wheelchair

see AM

This space to be left blank for binding

Date

pm. ROM 0-130° girth 35.5 cm. No tenderness.
 Walks OK. To start girth wears bearing bar
 mouth on wheelchair, see am.

17.11.78 full ROM. No tenderness. girth 35 cm. Walks OK.
 0-135

(1)

(2) Thumb (metacarpophalangeal and interphalangeal joints)

20.11.78
 1.50 pm

WHEN STARTED	WHEN PAINFUL/ SWOLLEN	WHEN SEEN IN CLINIC	WHEN TREATED
10.50 am	11.30 am	1.00 pm	1.30 pm
SWELLING	WARM	DEGREE OF TENDERNESS	RANGE OF MOVEMENT
+	+	++	↑

Thrombotic
 The Abductor muscle of Thumb spasm +
 Thumb got caught in the wheel
 chair track at 3.00 pm
 yesterday. Thumb was
 ok. This am when he woke up.
 Fell over it at 10.00 am today
 and twisted it.

① Fixed interphalangeal jt.

② Minimal movement of the metacarpophalangeal jt.

25.1. ↑ F. VII. Examination
 see am.

21/11/78 Improving. 25.1. ↑ remove splint (Zimmer splint)
 am clinic see am.

22/11/78 Improving.
 AM. (1)

(2) ~~RA~~ FOOT. (INSIDE OF FOOT)

24.11.78
 AM.

WHEN STARTED	WHEN PAINFUL/ SWOLLEN	WHEN SEEN IN CLINIC	WHEN TREATED
Woke up this AM	Woke up this AM	9.5 AM	
SWELLING	WARM	DEGREE OF TENDERNESS	RANGE OF MOVEMENT
0	0	+	Big toe moving normal

ABDUCTOR MUSCLE OF BIG
 TOE.
 30% ↑
 Wheel chair
 see PM.

This space to be left blank for binding

The Lord Mayor Treloar College

Name G. WEBSTER

Date

27.11.78 Normal. Pain°. No tenderness. (D)
AM.

(R) KNEE (Traumatic)

WHEN STARTED	WHEN PAINFUL/SWOLLEN	WHEN SEEN IN CLINIC	WHEN TREATED
Thurs 7.30 pm yesterday	Woke up with	8.55	9.20 am
SWELLING	WARM	DEGREE OF TENDERNESS	RANGE OF MOVEMENT
35.5 cm	+	++	40-110°

20% ↑

Admit to sick bay in Playh.

(L) KNEE (Traumatic)

WHEN STARTED	WHEN PAINFUL/SWOLLEN	WHEN SEEN IN CLINIC	WHEN TREATED
Thurs 7.30 pm yesterday	Woke up with	8.55 am	9.20 am
SWELLING	WARM	DEGREE OF TENDERNESS	RANGE OF MOVEMENT
girth 37	+	++	85-90°

see p.m.

PM (R) Knee: Minimal tenderness girth 34.0 cm ↓ ROM 10-138°

(L) Knee: Tenderness + girth 35.5 cm ROM 22-145°
(Both knees beautiful ROM)

Pre: crepe bandage for swellings. Enter wheel chair
see p.m. (check 9 am tomorrow)

29.11.78 (R) KNEE: 31.5 cm, Effusion+++ warm. No tenderness. 0-140°
P.M. (L) Quadriceps 6 cm for E upper border of patella = 27 cm. WASTED.

(L) KNEE. 35 cm, 20-135°, Effusion+++ Tondr+
(L) Quadriceps → 9 cm for the upper border of patella = 28 cm Wasting++

Exam on 30/11/78 AM.

Review P.M. Crepe for both knees. I wonder if anything should be done
both knees about the effusions of both knees.

GRO-C

Date

(R) THUMB.

Traumatic cut at the top of thumb ~~skin~~ bleeding.

20/4/78
Am

WHEN STARTED	WHEN PAINFUL/SWOLLEN	WHEN SEEN IN CLINIC	WHEN TREATED
15 mins ago.	15 mins ago.	8.55 AM	
SWELLING	WARM	DEGREE OF TENDERNESS	RANGE OF MOVEMENT

Re SDY. ↑ this Am.

Then daily 30%.

1. X-Ry THUMB (R)

pm (R) Thumb: painful interphalangeal jt. flexion of the jt is < 50%.

- Nail is cut together with pulp of Thumb.

BOTH Knees (R) Knee

(L) Knee

girl 34 cm (+++ fluid) (fluid) ++ 34 cm

Quads 28 cm 28 cm

ROM. 0-138° 20-165°

a Tenderness 0 0

(L) Knee a bit stiff on walk

start getting up better but mostly on wheel chair.

See a.m. (when not interfered with exams (probably 11.00 am))

1.12.78 (R) Thumb: Full ROM. No joint pain a Tenderness.

11.20 a.m.

Tenderness only - pulp of Thumb (tip) 30% dose now

Knees (R)

(L)

girl 32.5 cm ↓ 34 cm

Tenderness 0 0

ROM 0-140 20-150

Quads 28 cm 28 cm

Double Taping for both Knees. continue w/ bedrest. See a.m.

~~11.20 a.m.~~ ON PHYSIO FOR BOTH QUADS

See 9.30 a.m. for possible 30% dose for (R) Thumb and ROM of (L) Knee.

This space to be left blank for binding

The Lord Mayor Treloar College

Name Jody WEBSTER

Date

①		②	
KNEES	R	L	THUMB R.
2/12/78	33 in.	33.3 in.	not bleeding any more.
AM.	Tenderness 0	0	See AM.
	6°-144°	16°-140°	
	Double Tube grip to continue.	Double tube grip to continue.	
	Walking is OK	Walking OK now.	

This space to be left blank for binding

3/12/78 AM. (R) Thumb is not bleeding any more. Not tender. Can move the (R) Thumb well and is not painful.

R. KNEE	L. KNEE.
32.5 cm.	33.5 cm.
3°-143°	10°-146°
Double Tube Grip	Double Tube Grip.
Adv. Continue the same	Continue the same.

See on 4/12/78. 5 P.M.

Need physio for both quadriceps. (3 times a week) AT PREYCE.

I wonder if Robert Jones compression bandage will be of more help to her.
For discussions.

GRO-C

4.12.78 (R) Thumb OK. → (D)

pu (L) Knee ROM 15-140° just 34 cm. (Normal 0-140°)

Exam. Tomorrow. See Wednesday 9 am.

(*) please put on Dial Iron 200mg Fe So₄ t.d.s for 1/2 (for Lowish Hb) started about 1/2 ago.

6.12.78 AM. Knees. In Regular physio for quadriceps.

(L) Knee 10°-146°.

(D).

P.T.O.

Date _____

② Has last four teeth

⑦ Bad knees

② To be put on Fe Rx (lowish Hb level)

on from ^{as}
20.11.78

200 mls Re Ser 4 to 21-8 for $4\frac{1}{2}$

① not to be considered for B. Building.

WHEN STARTED	WHEN PAINFUL/ SWOLLEN	WHEN SEEN IN CLINIC	WHEN TREATED
12 hrs.	on waking	9.40 AM	
SWELLING	Went	DEGREE OF TENDERNESS	RANGE OF MOVEMENT
+	0	+	Full.

② FOOT - TRAUMATIC
1st MT
4th MT

Rx 30% ↑.
See Sp # 6.12.78.

P.M. - (L) Foot. is normal now. (D)

(L) Knee $3^{\circ}-135^{\circ}$ (in Chair), 33 cm.
($5^{\circ}-150^{\circ}$) in Couch.

② knee. $5^{\circ} - 135^{\circ}$ (in couch). 34 cm

He has quadriceps exercise 3 times week. He can practise himself in this room.

Discontinue the tulerip. (He has used tulerip for $\frac{1}{52}$

Florence Treloar School

Name Judy Webster

Date

(L) KNEE

11/12/78
9.20
a.m.

WHEN STARTED	WHEN PAINFUL/SWOLLEN	WHEN SEEN IN CLINIC	WHEN TREATED
Walking with L	Walking with L	9.20 a.m.	
SWELLING	WARM	DEGREE OF TENDERNESS	RANGE OF MOVEMENT
37 cm	+	+	70°-130°

- GRADE above grade 13
- Admin. to S. Bay.
see p.m.

P.M. (L) knee 34 cm,
35°-140°, (Normally he has full range of movement)
Takes 9.15 for (L) knee. Wheelchair. See AM.
(Doubt)

12/12/78 just 34 cm Tenderness 0 ROM 25-140
Explain. wheelchair see p.m.

P.M. just 34 cm Tenderness 0 ROM 18-150

Feels stiff on walks. poor @ grade. Cannot extend his (L) leg
when sitting at edge of bed.

- To discard this as swelling is to start gentle at heel but
based on a chair. see a.m.

13/12/78 32.5 cm, 10°-145°,
AM.

See 5 P.M.

P.M. 34 cm. 10°-145°

14.12.78 15-145° just 34.5 cm
AM

(D)

This space to be left blank for binding.

Date

(R) KWEE (spontaneous)

WHEN STARTED	WHEN PAINFUL/SWOLLEN	WHEN SEEN IN CLINIC	WHEN TREATED
8:15 PM	8:30 PM	8:45 PM	9:00 PM
SWELLING	WASH	DOING PT	RANGE OF MOVEMENT
36 cm	+	+	85-100

30' ↑

Wheelchair

see an

14/12/78

8:45 PM

15/12/78

Am.

(R) Knee Continued.

36 cm,

15° - 97°

See 4 P.M.

Full range of movement

Wheelchair to continue.

P.M. 34.5 cm, 10° - 105°. Gentle weight bearing.

Going home at 11 AM on 16/12/78. To see h 8:30 AM.

May need another dose.

16/12/78

9:00 AM

girth 34 cm. Tenderness. Rom 8-116

20' Y. Care

(D)

Advised R Management.

This space to be left blank for binding.