

Coleg Meddygaeth Prifysgol Cymru

University of Wales College of Medicine

Professor A. L. Bloom

Be'd 13.51.85

Department of Haematology, Heath Park, Cardiff CF4 4XN Tel. 0222-755944

9th May, 1985.

Dr. C.R. Rizza,

Director,

Oxford Haemophilia Centre, Churchill Hospital, Headington, Oxford, OX3 7LJ.

Dear Charlie,

I am enclosing two tables on the results of my recent questionnaire. This should be considered at the Meeting on 20th May, either tabled or pre-circulated, as you have time.

Best wishes,

GRO-C
A.L. Bloom.

TABLE 1

SURVEY OF FACTOR VIII AND IX CONCENTRATE USE IN U.K.

WITH REFERENCE TO AIDS.

Number of questionnaires sent	115
Number returned (8.5.85)	79
Response	69%

Concentrate Type	Conce	ntrate Used	Comment		
	Yes	No			
Unheated Commercial VIII	1	78			
Children Unbeated Comm.	O -	79			
Unheated Domestic VIII	32*	45	•		
Children Unheated Dom. VIII	14*				
Cryoprecipitate	70	9			
Heated Commercial VIII	63	16**			
Beated Domestic VIII	43	35	Not yet freely available		
Unheated Domestic 1X	51	12			
Heated Commercial 1X	. 14	46	2 Centres use both		
			heated and unheated		
Neither IX	16		Presumed too few		
			Haemophilia B.		
Financial Difficulties	4	75			

^{*} Includes 3 Centres using it on HTLV III+ patients only.

^{**} Includes: 5 Scottish Centres using heated domestic VIII.

Others include small Centres using unheated domestic VIII or Cryo.

TABLE 2 Results of Survey by Prof. A.L. Bloom amongst Haemophilia Centre Directors of the U.K.

EFFECT OF ACDP GUIDELINES ON HAEMOPHILIA PRACTICE

Number of questionnaires sent to Centres 115
Number returned (8.5.85) 79
Response 69%

	•	Yes	ç. Ö	No	<u>6</u>
				4.0	(5.40.)
1)	Laboratory problems	36	(46%)	43	(54%)
	with haemophilic samples	33	(43%)	46	(57%)
	with other hacmatology	19*	(24%)	60	(76%)
2)	Laboratories meet requirements:	30	(38%)	49	(62%)
	Laboratories with Lab. problem which meet				
	the requirements	6	(17%)	30	(83%)
	Laboratories without Lab, problems which				
	meet the requirements	23	(55%)	19	(45%)
3)	Laboratories with Financial Difficulties	22	(28%)	56	(72%)
	Laboratories which meet the requirements that				
	have financial difficulties	O		33	(100%)
	Laboratories which do not meet the requirements				
	that have financial difficulties	22	(51%)	21	(49%)
4)	Centres with Ward (clinical) problems	23	(32%)	50	(68%)
	Aggravated by ACDP Guidelines	12	(52%)	-	
	Ameliorated by Guidelines	2	(9%)	· -	
	Neither	9	(39%)	-	
5)	Have patients "suffered"	7	(9%)	66	(83%)
	* Includes 3 from "no problem with haemophilia group".				

NOTE Several letters were also received.

Conclusions 1) There is a substantial number of laboratories where difficulties have been observed.

2) About 60% of laboratories do not meet the requirements.

- 3) Problems occur less frequently when labsmeet the requirements.
- 4) Laboratories which meet the requirements have had less financial constraints compared to those that don't.
- 5) Clinical problems occur with only slightly less frequency than laboratory problems.
- 6) A few patients have actually "suffered" and these problems have caused considerable emotional reaction in haematologists and other clinicians.