Aids increase predicted

There may be a big increase mosexuals tested in London was insufficient provision for in the number of people suf- and 5 per cent of those in five the advice and treatment of infering from Aids, experts at a other centres had been ex- fected patients. government laboratory warned posed to the virus, as had 38 yesterday.

The microbiologists, who carried out tests on 2,150 "at risk" patients, said the results showed that the virus had rapidly become widespread among homosexuals attending sexually transmitted disease clinics and among haemophiliacs receiving pooled blod products. The virus attacks the body's immune system.

patients from different areas, transfer of semen. More than a third of the ho-

per cent of the haemophiliacs.

Although the Aids outbreak appeared to be small in Britain, the trend was constantly upward and there would soon he a considerable increase in the number of sufferers, the four experts added in the British Medical Journal.

among homosexuals could only three-day international confer-The tests, carried out at the be avoided if they strictly lim- ence on Aids in Atlanta, central public health labora- ited the numbers of their sex- Georgia. tory in north London, involved ual partners and prevented the

The article said that there are being tested.

Penny Chorlton adds: Two new American studies support the growing belief that Aids can be transmitted through heterosexual contact. The latest groups of people who have been found to pass on the virus include spouses and prostitutes.

Details of the two studies, in New York and Washington The spread of the infection were given at the close of the

The conference was told that at least six anti-viral agents