-aniar	87141 ARMLAB G 20 87141 ARMLAB G 20 Followle AIDS
	20 JUNE 83 A0000092
2	ATTN: DR M S RODELL
approfessed	CC: P ROBERTS
1000	W C WHEATHERSBY C SMITH I NUDELMAN
- anger	H L SHAW R 3 OHRISTIE C R BISHOP
-2004	RE: AIDS
	THANK YOU FOR YOUR COMPREHENSIVE TELEX RESPONDING TO THE QUESTIONS RAISED BY OUR DHSS.
	WE WOULD APPRECIATE YOUR COMMENT ON THE FOLLOWING POINTS ARISING FROM THESE RESPONSES, TOGETHER WITH CERTAIN OTHER ADDITIONAL QUERIES
3	WHICH WE HAVE NOW RECEIVED FROM THE SUPPLIES DIVISION OF THE DHSS. COPY OF THESE WILL BE SUPPLIED SEPARATELY.)
	1. SHOULD WE ASSUME THAT ALL HAEMOPHILIACS DEVELOPING AIDS HAVE RECEIVED FACTORATE AS WELL AS OTHER PRODUCTS.
	2. YOUR TELEX INDICATES THAT NEW PROCEDURES WERE IMPLEMENTED IN
	FEBRUARY WHICH CONFLICTS WITH EARLIER INFORMATION WE HAD RECEIVED STATING THAT THESE STARTED IN OCTOBER/NOVEMBER 1982. COULD YOU PLEASE CLARIFY.
tion .	3. WITH RESPECT TO THE DONOR IDENTIFIED IN YOUR TELEX, IT IS NOT CLEAR WHETHER THIS DONOR IS NOW NO LONGER GIVING PLASMA. (WE WOULD LIKE TO KNOW WHETHER ANY OF THE BATCHES IDENTIFIED HAVE BEEN SUPPLIED TO OUR MARKET.)
7	4. WE UNDERSTAND THAT PLASMA MAY BE SOURCED FROM CENTRES OTHER
100 c.	THAN THOSE OF OUR PLASMA ALLIANCE GROUP AND WOULD LIKE FURTHER INFORMATION ON THESE PARTICULARLY WITH REFERENCE TO THEIR FREQUENCY OF USE, NAME AND LOCATION IN RESPECT TO RECOGNISE HIGH RISK AREAS. WE ASSUME THAT ANY SUCH CENTRES WOULD BE
and the second se	FDA APPROVED AND SUBJECT TO CORPORATE AUDIT PERIODICALLY.
3	5. WE WOULD BE INTERESTED IN INFORMATION ON THE EFFECT THE MORE STRINGENT SCREENING PROCEDURES HAVE HAD ON THE DONOR PANEL IN TERMS OF DEFERMENT AND IF KNOWN THE COMPARABLE EFFECT ON
	DONORS OF OTHER MANUFACTURERS.
÷.	IN VIEW OF THE SITUATION WE WOULD BE GRATEFUL TO RECEIVE URGENT RESPONSES TO THESE QUERIES.
à	MANY THANKS.
	REGARDS,
	W J TARBIT
2	87141 ARMLAB G
3.	REVHGP 420882
ş	9RV990 87141 ARMLAB G

ARMOUR002115

ARMO0000264\_0001