

Survey of Patients Treated at Haemophilia Centres in the U.K.Annual Return for 1976of materials used to treat patients having haemophilia or Christmas disease****Centre: BOURNEMOUTHDirector: Dr DAVID STERN

Total number of haemophilic patients treated during the year*:

41

Number with Factor VIII antibodies:

3 (2 vials)

Total number of Christmas disease patients treated during the year**:

4

Number with Factor IX antibodies:

NIL

Total amount of material used to treat these patients during the year:-

Type of Material Used	No. of bottles etc. used	Amount used (units of activity)	
		F.VIII units (for haemophilic patients)	F.IX units (for Christmas disease patients)
Plasma	<u>Nil</u>		
Cryoprecipitate	<u>1674</u>	<u>117,180</u>	
NHS Human Factor VIII Concentrate	<u>452</u>	<u>108,480</u>	
Abbott Factor VIII Concentrate (Profilate)	<u>-</u>		
Armour Factor VIII Concentrate (Factorate)	<u>-</u>		
Cutters Factor VIII Concentrate (Koate)	<u>-</u>		
Hyland Factor VIII Concentrate (Hemofil)	<u>1041</u>	<u>276,050</u>	
Immuno Factor VIII Concentrate (Kryobulin)	<u>60</u>	<u>14,400</u>	
Other Human Factor VIII Concentrate***	<u>-</u>		
Bovine/Porcine Factor VIII Concentrate	<u>-</u>		
NHS Factor IX Concentrate	<u>94</u>	<u>-</u>	<u>56,400</u>
Commercial Factor IX Concentrate***	<u>-</u>		
Other Materials (please specify)	<u>-</u>		

* Please supply details on Form A(2)

**Please supply details on Form A(3)

*** Please give name of manufacturer and/or trade name of product

**** Please do not include von Willebrand's disease patients or carriers of haemophilia or Christmas disease on this form - see Forms A(4)-A(8).

Deaths during the year:-

Name of Patient	Diagnosis	Date of Birth	Date of Death	Cause of Death
<u>NIL</u>				

Survey of Patients Treated at Haemophilia Centres in the U.K.Annual Return for 1976 - von Willebrand's Disease PatientsCentre: BOURNEMOUTHTotal number of patients with von Willebrand's disease treated during the year*: 3

Material(s) used to treat these patients:-

Type of Material Used	No. of bottles etc. used	Amount used (factor VIII units)
Plasma	10	
Cryoprecipitate	26	
NHS Human Factor VIII Concentrate	-	
Abbott Factor VIII Concentrate	-	
Armour Factor VIII Concentrate	-	
Cutters Factor VIII Concentrate	-	
Hyland Factor VIII Concentrate	-	
Immuno Factor VIII Concentrate	-	
Other Human Factor VIII Concentrate**	-	
Bovine/Porcine Factor VIII Concentrate	-	
Other Materials (Please specify)	-	

* Please supply details on Form A (8)

** Please give name of manufacturer and/or trade name of product.

Annual Return for 1976

Centre: BOURNEMOUTHHaemophilic Patients treated during the year:-

Name of Patient	D.O.B.	Basic Factor VIII Level %	Inhibitor Present (Yes/No*)	Jaundiced (Yes/No**)	On Regular Home Therapy from your Centre***
GRO-A	GRO-A 60	0			
	GRO-A 57	0-2			
	GRO-A 52				
	GRO-A 67	0			
	GRO-A 64	0			
	GRO-A 63	0			
	GRO-A 69	0			
	GRO-A 75	<1			
	GRO-A 30	0			yes ✓
	GRO-A 68	0			
	GRO-A 81	0			yes ✓
	GRO-A 27	8			
	GRO-A 59	1			
	GRO-A 58	0			
	GRO-A 62	15			
	GRO-A 64	18			
	GRO-A 1951	<1			
	GRO-A 64	0			
	GRO-A 47	0			yes ✓
	GRO-A 60	0			

* If Yes, please complete and return Form B(2) unless the information requested on Form B(2) has already been sent to Oxford.

** If Yes, please complete and return Forms C and C(3) unless these have already been sent to Alton or Oxford.

*** Please enter "Yes" where appropriate.

Annual Return for 1976

Centre: BOURNEMOUTHHaemophilic Patients treated during the year:-

Name of Patient	D.O.B.	Basic Factor VIII Level %	Inhibitor Present (Yes/No*)	Jaundiced (Yes/No**)	On Regular Home Therapy from your Centre***
GRO-A	Ag 26	3			
	GRO-A 88	0			yes - also from Oxford
	46	16			
	Ag 26				
	GRO-A 68	0			
	Ag 88	<2			
	(Switzerland)				
	43	27			
	29	1			
	GRO-A 49	3	yes ✓		
	44	3-4			
	61	<1	yes		
	67	0			
	65	0	yes		
	62	<1			
	GRO-A 60	12			

* If Yes, please complete and return Form B(2) unless the information requested on Form B(2) has already been sent to Oxford.

** If Yes, please complete and return Forms C and C(3) unless these have already been sent to Alton or Oxford.

*** Please enter "Yes" where appropriate.

Annual Return for 1976

Centre: BOURNEMOUTH

Haemophilic Patients treated during the year:-

[illegible]

* If Yes, please complete and return Form B(2) unless the information requested on Form B(2) has already been sent to Oxford.

**** If Yes, please complete and return Forms C and C(3) unless these have already been sent to Alton or Oxford.**

*** Please enter "Yes" where appropriate.

Christmas disease patients treated during the year:-

* If yes, please complete and return Form B (2) unless the information requested on Form B (2) has already been sent to Oxford.

** If Yes, please complete and return Forms C and C(3) unless these have already been sent to Alton or Oxford.

*** Please enter "Yes" where appropriate.

von Willebrand's Disease Patients treated during the year:-

[illegible]

HCDO0001060_0007

HEMOFIL Batch No: 230975

[illegible]

- HCDO0001060 0008

HEMOFIL Batch No: 090176

[illegible]

- HCDO0001060 0009

(To be completed only by Centres willing to assist with Dr. J. Craske's Survey)

HEMOFIL Batch No: 101175

* The total number of bottles given during periods of approximately 1 month can be shown against inclusive dates.

** Please enter the name and address of laboratory which normally undertakes HBAg./HBAb. tests for your Centre

*** Please enter "Yes" where appropriate. It is not necessary to give test results.

HEPATITIS SURVEY

(To be completed only by Centres willing to assist with Dr. J. Craske's Survey)

Centre: Barnemall

Virus Testing Laboratory**:

HEMOFIL Batch No: 190875

Patient's Name	Number of bottles used or issued for Home use	Dates*	Samples taken for HBAG./HBAb. testing***	Comment
GRO-A	1	4.2.76		
	1	8.2.76		
	2	7.2.76		
	2	24.4.76		
	3	27.4.76		
	2	29.4.76		
	2	2.5.76		
	2	5.5.76		
	2	8.5.76		
	2	14.5.76		
	2	15.5.76		
	2	19.7.76		
	2	24.7.76		
	2	26.7.76		
	2	5.8.76		
	3	9.8.76		
	2	12.8.76		
	2	13.8.76		
	36 ✓			

* The total number of bottles given during periods of approximately 1 month can be shown against inclusive dates.

** Please enter the name and address of laboratory which normally undertakes HBAG./HBAb. tests for your Centre

*** Please enter "Yes" where appropriate. It is not necessary to give test results.

Centre: Bournemouth

HEMOFIL Batch No: 010578

* The total number of bottles given during periods of approximately 1 month can be shown against inclusive dates.

** Please enter the name and address of laboratory which normally undertakes HBAg./HBAb. tests for your Centre

*** Please enter "Yes" where appropriate. It is not necessary to give test results.



27.10.75

GRO-A

2

10.9.76

2

26/12

2

16.9.76

2

29/12

2

18.9.76

2

31/12

2

22.9.76

2

26.9.76

90

✓

2

29.9.76

2

1.10.76

2

3.10

2

6.10

2

10.10

2

12.10

2

15.10

2

16.10

2

19

2

22

2

24

2

26

2

28

2

31

2

5/11

2

8/11

2

10/11

2

13/11

2

15/11

2

16/11

2

19/11

2

21/11

2

25/11

2

28/11

2

29/11

2

6/12

2

7/12

2

9/12

2

10/12

2

12/12

2

14/12

2

17/12

2

19/12

2

21/12

2

22/12

2

24/12



GRO-A

13/2 2 190875

23/2 2

14/4 2

29/4 3

8/5 3 ✓

19/6 3 101175

12/7 3 ✓

23/7 3 190875 ✓

14/8 3

24/8 3 271075

~~29/8~~ ~~3~~ ✓

30/8 2

3/9 3

14/9 2

20/9 2

2/10 2

6/10 2

10/10 2

13/10 2

25/10 2

31/10 2 ✓

4/12 3

In 1976 folder

1/114



GRO-A

HemoGil

15/8

H

190875



In 1976 folder

1/1243



GRO-A

- Hemogio

18/4 2
7/5 2
15/5 2
28/5 4

190875

✓

7/6 2
52/7 2
11/7 2

101175

✓

18/7 2
14/8 2

190875

✓

30/8 2
21/10 2
5/11 2

271075

✓

16/12 2
31/12 2

In 1976 folder

1/1245



GRO-A

Kempel

Bateh

18.1.76	2'	010875'	?
16.1.76	15'	010875'	
16.1.76	8.		?
17.1.76	7.		?
17.1.76	6.	010875'	
18.1.76	10.		?
"	8.		?
"	6.		?
19.1.76	4.		?
"	8		?
20.1.76	8		?
	82		✓

20.1.76	8	190875'
21.1.76	8	
"	8	
22.1.76	5	
"	5	
26.1.76	7	
27.1.76	8	190875'
28.1.76	7	
29.1.76	7	
30.1.76	6	190875'
31.1.76	5	
1.2.76	5	
2/2	5	
3/2	2	190875'
4/2	4	
6/2	2	
9/2	3	
11/2	3	
13/2	3	
16/2	3	
18/2	3	
20/2	3	
23/2	3	
25/2	3	
3/3	2	
15/3	2	
16/3	2	

HT

122

In 1976 Golde

1/164



GRO-A

Henayil

18/8

2

190875



In 1976 Collier

1/2245



GRO-A

- Hemajil

5/4	2	230975	✓
-	3	190875	
6/4	3	230975	
27/7	3	190875	} 14 ✓
10/8	3	"	
11/8	4	"	
12/8	4	"	
30/8	3	271075	
6/10	4	"	
16/10	3	"	
31/10	3	"	
2/11	3	"	
8/11	3	"	
18/11	3	"	
24/11	1	"	
26/11	2	"	
1/12	2	"	
3/12	3	"	
11/12	5	"	line MT
16/12	3	"	
17/12	3	"	
20/12	3	"	
24/12	9	"	line MT ✓
30/12	6	"	

1n 1976 folder



GRO-A

1/3209

17/8

10.

190875



In 1976 folder

1/230

GRO-A

- Hemafil

3/2

3

190875 ✓

2/4

4

230975 ✓ ?

~~5/5~~

17/4

3

190875

6/5

2

"

1/5

2

"

25/5

3

" ✓

18/6

3

101175 ✓

10/7

3

" ✓

8

26/7

3

190875 ✓

24/8

3

271075

7/12

3

"

20/12

3

"

22/12

3

" ✓

27/12

3

"



In 1976 Older

1/2558

GRO-A

- Remajel

16/9

2

271075



GRO-A

GRO-A

- see sheet for GRO-A 76



1/2465

GRO-A

- Hamajie

(Own Supplies)

29/7

3

0504 76

?

3240 U

30/7

3

~~0504 76~~ 050476

3280 U

1/8

4 ?

4320 U

11

for HT

In 1976 folder

1/1293



GRO-A

- Kamajie

6/2	2	190875 ✓
5/4	2	230975 ✓
26/4	3	190875 ✓
31/5	3	101175
4/6	3	" ✓
14/6	3	" ✓
19/6	3	" ✓
5/8	3	190875 ✓
13/8	3	" ✓
16/8	3	" ✓
21/8	3	271075 ✓
13/9	2	" ✓
18/9	2	090176 ✓
19/9	3	" ✓
2/10	2	271075
5/10	2	"
11/10	2	"
25/10	1	"
29/10	1	"
1/11	1	"
3/11	2	"
5/11	1	"
11/11	2	"
16/11	2	"
1/12	2	"
6/12	2	"
10/12	1	"
13/12	1	"
16/12	2	"
22/12	1	"
29/12	1	" ✓

In 1976 folder

1/1295



GRO-A


Kemajil

2/3	3	190875
3/3	3	"
-	3	"
6/3	3	"
7/3	3	"
23/4	2	"

11/5	4	"
16/5	4	"

22/7	3	"
30/7	3	"
-	6	"
20/8	5	"

HT



27/8	6	271075
17/9	6	"
20/9	2	"
21/9	6	"
20/10	6	"
23/12	6	"



In 1970 folder

1/3214

GRO-A

~ Hemaggl

10/9

2

271075



29/9

2



In 1976 folde.

1/1305

GRO-A

- Hemajel

8.1.76 010575

4

13/3 190875

3

17/3 190875

3

28/3 -

3

1/4 230975

3 ✓

18/4 190875

3

21/4 -

3 ✓

19/6 101175

3

2/7 -

3

11/7 -

3

13/7 -

3

15/7 -

3 ✓

22/7 -

3

22/7 190875

3

23/7 -

3

13/8 -

3

19/8 -

3 ✓

22/8 271075

3

29/8 -

3

7/9 -

3

5/9 -

2

9/9 -

1

13/9 -

14

27/9 -

3

1/10 -

3 ✓



In 1976 folder

1/1915

GRO-A

- Remajie

20/7

170875

3

✓



In 1976 Side

1/2732

GRO-A

- Kemajie

24/3	2	1	190875
7/5		2	5
17/5		2	5
24/5		2	5 ✓

20/10		2	271075
8/11		2	5
15/11		2	5
21/11		2	5
25/11		2	5
29/11		2	5
3/12		2	5
9/12		2	5
12/12		2	5
18/12		2	5 ✓

In 1976
Folder

4/2388

GRO-A

Henajil

8/8

3

190878

✓

In 1976 folder

1/2463



GRO-A

- Kemayir

12/7

5

10 1175

18/7

~~5~~



In 1976 folder
~~not on AHID~~
1/810

GRO-A

— Hamajie

3/6

2

101175 ✓

11/8

2

190875 ✓

14/8

3

"

"

4

" ✓

15/8

3

"

25/8

2

271075 ✓

8_{1/2}

Elstree V₁₁

IX

Remoquel

82	74
75	14
122	11
109	30
60	16
104	9
104	5
67	11
42	11
63	7
111	57
46	29
54	47
42	7
58	11
16	30
42	10
62	11
49	9
48	4
42	6
43	2
80	14
49	5
48	18
48	5
19	2
38	
46	
45	
44	
18	
50	
47	
50	
1710	

452

6	270 x 96 x 010575
2	250 x 201 x 101175
9	250 x 349 x 190875
4	240 x 355 x 271075
3	
3	250 } x 14 x 230975
	5 x 090176
3	22620 = 21 x 050476
3	
1	
3	1041 =
4	
3	25,920
4	50,250
4	27,250
1	4,750
1	22,620
2	25,200
1	
2	276,050
3	
1	
4	
5	
5	
7	
1	
94	

See

36

= 1674 for Remoquel

In 1976 folder

1/913



GRO-A

Kemajil

23/8

5

271075

24/8

3

~

25/8


3

~

~

3

~



GRO-A

-233

27274

GRO-A

GRO-

2.1.76

7 x III

GRO-A

GRO-A

14.1.76

GRO-A

GRO-

28.1.76

✓

x

29.1.76

GRO-A

x

16.2.76

x

24.3.76

~~live embryos 92 x 2 (x) 694~~

✓ 4.4.76

GRO-A

1/519

~~Plasma? dose? 1.11.76 op. (Plasma)~~

7.4.76

x

? dose

1.11 - op.

GRO-A

GRO-A

2.4.76

✓

anc. 5/120

GRO-A

x

26.4.76

? not vW.

but cryo x 3 for plasma be = 87%

GRO-A

x

3.8.76

GRO-A

x

13.8.76

Op. 13.11.76

Plasma

Lentherin

x

5.9.76

- op.

Plasma

V/vii day

x

5.9.76

- op.

ix

? liver

X 1/2214

GRO-A

10.9.76

- op.

Lentherin - H 1 L

10.9.76

- op.

liver failure

20.9.76

- op.

liver ig

GRO-A

x

11.10.76

- op.

Plasma

vW

20.10.76

- op.

Plasma

21.11.76

- op.

Plasma

7.12.76

- op.

Plasma

Lentherin

liver

2yo.

Plasma

GRO-A

13/3

10

10

TSF.

GRO-A

20

23

3

6

4

V, W,

26

10

