

Centre: **TRELOAR HAEMOPHILIA, ALTON, HANTS**

Haemophilic (Haemophilia A) Patients treated during the year:-

Full Name of Patient	Date of Birth	Basic Factor VIII Level %	Inhibitor Present*	Jaundiced in 1978/9*	On Regular Home Therapy from your Centre*	Type of Material(s) received during 1978 (please tick (✓) appropriate columns)													
						Plasma	Cryo	Oxford F. VIII	Elstree F.VIII	Edin. F.VIII	Profilate	Factorate	Koate	Hemofil	Kryobulin	Other Human F.VIII concs.	Bovine	Porcine	Other materials
GRO-A	GRO-A .66	< 1%	/	/	/			✓					✓	✓	✓				
GRO-A	GRO-A .64	0%	/	/	/	✓		✓				✓	✓	✓	✓				
GRO-A	GRO-A .64	< 1%	/	/	/	✓		✓				✓	✓	✓					
GRO-A	GRO-A .63	0%	YES	/	/							✓	✓	✓	✓				
GRO-A	GRO- .66	0%	/	/	/			✓				✓	✓	✓	✓				
GRO-A	GRO-A .63	0%	/	/	/	✓						✓	✓	✓	✓				
GRO-A	GRO-A .63	< 1%	/	/	/	✓		✓				✓	✓	✓	✓				
GRO-A	GRO-A .66	4%	/	/	/	✓							✓	✓	✓				
GRO-A	GRO-A .63	< 1%	/	/	/			✓					✓	✓	✓				
GRO-A	GRO-A .67	0%	/	/	/								✓	✓	✓				

* Please enter "Yes" where appropriate

* Please enter "Yes" where appropriate

Centre: **TRELOAR HAEMOPHILIA, ALTON, HANTS**

Haemophilic (Haemophilia A) Patients treated during the year:-

Full Name of Patient	Date of Birth	Basic Factor VIII Level %	Inhibitor Present*	Jaundiced in 1978/9*	On Regular Home Therapy from your Centre*	Type of Material(s) received during 1978 (please tick (✓) appropriate columns)													
						Plasma	Cryo	Oxford F. VIII	Elstree F.VIII	Edin. F.VIII	Profilate	Factorate	Koate	Hemofil	Kryobulin	Other Human F.VIII concs.	Bovine	Porcine	Other materials
GRO-A	✓ GRO-A 63	2%	/	/	/														
GRO-A	✓ GRO-A 67	0%	/	/	/														
GRO-A	✓ GRO-A 64	2%	/	/	/														
GRO-A	✓ GRO-A 67	2%	/	/	/														
GRO-A	✓ GRO-A 63	0%	/	/	/														
GRO-A	✓ GRO-A 64	< 1%	/	/	/														
GRO-A	✓ GRO-A 66	< 1%	/	/	/														
GRO-A	✓ GRO-A 60	< 1%	/	YES	YES														
GRO-A	✓ GRO- 64	< 1%	/	/	/														
GRO-A	✓ GRO-A 64	1-2%	/	/	YES														

* Please enter "Yes" where appropriate

* Please enter "Yes" where appropriate

Centre: TRELOAR HAEMOPHILIA, ALTON, HANTS

Haemophilic (Haemophilia A) Patients treated during the year:-

Full Name of Patient	Date of Birth	Basic Factor VIII Level %	Inhibitor Present*	Jaundiced in 1978/9*	On Regular Home Therapy from your Centre*	Type of Material(s) received during 1978 (please tick (✓) appropriate columns)													
						Plasma	Cryo	Oxford F. VIII	Elstree F.VIII	Edin. F.VIII	Profilate	Factorate	Koate	Hemofil	Kryobulin	Other Human F.VIII concs.	Bovine	Porcine	Other materials
GRO-A	✓ GRO-A 66	0%	YES✓	/	/			✓						✓					
GRO-A	✓ GRO-A 65	< 1%	/	/	/	✓	✓	✓				✓	✓	✓	✓				
GRO-A	✓ GRO-A 64	3%	/	/	/	✓	✓	✓				✓	✓	✓	✓				
GRO-A	✓ GRO-A 59	< 1%	/	/	/	✓	✓	✓				✓	✓	✓	✓				
GRO-A	✓ GRO-A 63	< 1%	/	/	/	✓	✓	✓				✓	✓	✓	✓				
GRO-A	✓ GRO-A 61	0%	/	/	/	✓						✓	✓	✓	✓				
GRO-A	✓ GRO-A 66	0%	/	/	/			✓				✓	✓	✓	✓				
GRO-A	✓ GRO-A 65	0%	YES✓	/	/			✓				✓	✓	✓	✓				
GRO-A	✓ GRO-A 64	< 1%	/	/	/	✓	✓	✓				✓	✓	✓	✓				
GRO-A	✓ GRO-A 62	0%	/	/	/			✓				✓	✓	✓	✓				

* Please enter "Yes" where appropriate

Centre: TRELOAR HAEMOPHILIA, ALTON, HANTS.

Haemophilic (Haemophilia A) Patients treated during the year:-

Full Name of Patient	Date of Birth	Basic Factor VIII Level %	Inhibitor Present*	Jaundiced in 1978/9*	On Regular Home Therapy from your Centre*	Type of Material(s) received during 1978 (please tick (✓) appropriate columns)													
						Plasma	Cryo	Oxford F. VIII	Elstree F.VIII	Edin. F.VIII	Profilate	Factorate	Koate	Hemofil	Kryobulin	Other Human F.VIII concs.	Bovine	Porcine	Other materials
GRO-A	GRO-A 63	<1%	/	/	/	✓					✓	✓	✓	✓					
GRO-A	GRO-A 61	0%	/	YES ✓	/	✓		✓			✓	✓	✓	✓	✓				
GRO-A	GRO-A 66	0%	/	/	/			✓			✓	✓	✓	✓	✓				
GRO-A	GRO-A 61	<1%	/	/	/	✓		✓			✓	✓	✓	✓	✓				
GRO-A	GRO-A 65	0%	/	YES ✓	/	✓					✓	✓	✓	✓	✓				
GRO-A	GRO-A 61	4%	/	/	/			✓			✓	✓	✓	✓	✓				
GRO-A	GRO-A 64	1-2%	/	/	/	✓		✓			✓	✓	✓	✓	✓				
GRO-A	GRO-A 63	<1%	/	/	/	✓		✓			✓	✓	✓	✓	✓				
GRO-A	GRO-A 63	0%	/	/	/	✓		✓			✓	✓	✓	✓	✓				
GRO-A	GRO-A 61	<1%	/	/	/	✓		✓			✓	✓	✓	✓	✓				

* Please enter "Yes" where appropriate

* Please enter "Yes" where appropriate

Centre: TREWAR HAEMOPHILIA, ALTON, HANTS.Haemophilic (Haemophilia A) Patients treated during the year:-

Full Name of Patient	Date of Birth	Basic Factor VIII Level %	Inhibitor Present*	Jaundiced in 1978/9*	On Regular Home Therapy from your Centre*	Type of Material(s) received during 1978 (please tick (✓) appropriate columns)													
						Plasma	Cryo	Oxford F. VIII	Elstree F.VIII	Edin. F.VIII	Profilate	Factorate	Koate	Hemofil	Kryobulin	Other Human F.VIII concs.	Bovine	Porcine	Other materials
GRO-A ✓	GRO-A 63 ✓	< 1%	/	/	/			✓						✓					
GRO-A ✓	GRO-A 62 ✓	< 1%	/	/	/		✓	✓					✓	✓	✓	✓			
GRO-A ✓	GRO-A 62 ✓	< 1%	/	/	/			✓					✓	✓	✓	✓			
GRO-A ✓	GRO-A 62 ✓	0%	/	/	/			✓					✓	✓	✓	✓			
GRO-A ✓	GRO-A 63 ✓	0%	/	/	/		✓	✓					✓	✓	✓	✓			
GRO-A ✓	GRO-A 66 ✓	< 1%	/	/	/		✓	✓					✓	✓	✓	✓			
GRO-A ✓	GRO-A 65 ✓	< 1%	/	/	/			✓					✓	✓	✓	✓			
GRO-A ✓	GRO-A 65 ✓	< 1%	/	/	/		✓	✓					✓	✓	✓	✓			
GRO-A ✓	GRO-A 68 ✓	0%	/	/	/			✓					✓	✓	✓	✓			
GRO-A ✓	GRO-A 61 ✓	0%	/	/	/		✓	✓					✓	✓	✓	✓			

* Please enter "Yes" where appropriate

* Please enter "Yes" where appropriate

Centre: TREWAR HAEMOPHILIA, ALTON, HANTS.Haemophilic (Haemophilia A) Patients treated during the year:-

Full Name of Patient	Date of Birth	Basic Factor VIII Level %	Inhibitor Present*	Jaundiced in 1978/9*	On Regular Home Therapy from your Centre*	Type of Material(s) received during 1978 (please tick (✓) appropriate columns)													
						Plasma	Cryo	Oxford F. VIII	Elstree F.VIII	Edin. F.VIII	Profilate	Factorate	Koate	Hemofil	Kryobulin	Other Human F.VIII concs.	Bovine	Porcine	Other materials
GRO-A ✓	GRO-A 52	0%	—	—	YES									✓	✓	✓			
GRO-A ✓	GRO-A 31	2%	—	—	YES									✓					
GRO-A ✓	GRO-A 57	<1%	—	—	YES									✓					
GRO-A ✓	GRO-A 39	0%	—	—	YES									✓	✓	✓	✓		
GRO-A ✓	GRO-A 51	<1%	—	—	YES									✓					
GRO-A ✓	GRO-A 29	0%	—	—	—	✓		✓						✓	✓				
GRO-A ✓	GRO-A 56	<1%	—	—	—									✓	✓	✓			
GRO-A ✓	GRO-A 58	0%	—	—	—									✓					
GRO-A ✓	GRO-A 41	1-2%	—	YES	—									✓					
GRO-A ✓	GRO-A 58	0%	—	—	—			✓						✓	✓	✓	✓		

* Please enter "Yes" where appropriate

* Please enter "Yes" where appropriate

Centre: TRELOAR HAEMOPHILIA, ALTON, HANTSHaemophilic (Haemophilia A) Patients treated during the year:-

Full Name of Patient	Date of Birth	Basic Factor VIII Level %	Inhibitor Present*	Jaundiced in 1978/9*	On Regular Home Therapy from your Centre*	Type of Material(s) received during 1978 (please tick (✓) appropriate columns)													
						Plasma	Cryo	Oxford F. VIII	Elstree F.VIII	Edin. F.VIII	Profilate	Factorate	Koate	Hemofil	Kryobulin	Other Human F.VIII concs.	Bovine	Porcine	Other materials
GRO-A ✓✓	GRO-A 77	<1%	/	/	/														
GRO-A ✓	GRO-A 47	5%	/	/	/														
GRO-A ✓	GRO-A 60	0%	/	/	/			✓			✓	✓	✓	✓	✓	✓	✓	✓	✓
GRO-A ✓	GRO-A 61	0%	/	/	/		✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓
GRO-A ✓	GRO-A 61	0%	/	/	/		✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓
GRO-A ✓	GRO-A 62	<1%	/	/	/		✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓
GRO-A ✓	GRO-A 62	0%	/	/	/		✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓
GRO-A ✓	GRO-A 59	0%	/	/	/			✓			✓	✓	✓	✓	✓	✓	✓	✓	✓
GRO-A ✓	GRO-A 60	0%	YES	/	/			✓			✓	✓	✓	✓	✓	✓	✓	✓	✓
GRO-A ✓	GRO-A 58	0%	/	/	/			✓			✓	✓	✓	✓	✓	✓	✓	✓	✓

* Please enter "Yes" where appropriate

* Please enter "Yes" where appropriate

Haemophilic (Haemophilia A) Patients treated during the year:-

Full Name of Patient	Date of Birth	Basic Factor VIII Level %	Inhibitor Present*	Jaundiced in 1978/9*	On Regular Home Therapy from your Centre*	Type of Material(s) received during 1978 (please tick (✓) appropriate columns)											
						Plasma	Cryo	Oxford F. VIII	Elstree F.VIII	Edin. F.VIII	Profilate	Factorate	Koate	Hemofil	Kryobulin	Other Human F.VIII concs.	Bovine
GRO-A	☒ GRO-A 63	41%	/	/	/	☒	☒		☒								
GRO-A	☒ GRO-A 61	0%	/	/	/	☒	☒		☒		☒	☒					

* Please enter "Yes" where appropriate

Carriers of Christmas Disease treated during the year:

```
* Please enter "Yes" where appropriate
** Please enter type(s) of material|
```

Von Willebrand's disease patients treated during the year:-

HCDO0001224_0010

Christmas Disease (Haemophilia B) patients treated during the year:-

HCD00001224_0011

Survey of Patients Treated at Haemophilia Centres in the U.K.

ack

Annual Return for 1978

of materials used to treat patients having haemophilia or Christmas disease****

Centre: TREDEAR HAEMOPHILIA, ALTON, HANTS Director: DR. A. ARONSTAM.

Total number of haemophilic patients treated during the year*:

72

Number with Factor VIII antibodies:

4

Total number of Christmas disease patients treated during the year**:

6

Number with Factor IX antibodies:

—

Total amount of material used to treat these patients during the year:-

Type of Material Used	No. of bottles etc. used	Amount used (units of activity)	
		F.VIII units (for haemophilic patients)	F.IX units (for Christmas disease patients)
Plasma	4	1200	—
Cryoprecipitate	1156	11,560	—
NHS Human Factor VIII Concentrate	2682	586,130	—
Abbott Factor VIII Concentrate (Profilate)	—	—	—
Armour Factor VIII Concentrate (Factorate)	1160	464,420	—
Cutters Factor VIII Concentrate (Koate)	671	285,482	—
Hyland Factor VIII Concentrate (Hemofil)	2691	1,349,650	—
Immuno Factor VIII Concentrate (Kryobulin)	799	293,527	—
Other Human Factor VIII Concentrate***	—	—	—
Bovine/Porcine Factor VIII Concentrate	—	—	—
NHS Factor IX Concentrate	485	258,875	—
Commercial Factor IX Concentrate***	—	—	—
Other Materials (please specify)	1	— PLASMA PROTEIN	FRACTION ↑

* Please supply details on Form A(2)

**Please supply details on Form A(3)

*** Please give name of manufacturer and/or trade name of product 2,991,969

**** Please do not include von Willebrand's disease patients or carriers of haemophilia or Christmas disease on this form - see Forms A(4)-A(8).

Deaths during the year:- NIL.

Name of Patient	Diagnosis	Date of Birth	Date of Death	Cause of Death

Annual Returns for 1978

Centre: TRELOAR HAEMOPHILIA, ALTON HANTS.

Total amount of material used for the treatment of Haemophilia A patients who have Factor VIII antibodies (inhibitors).

Type of material used	Amount used during 1978*			
	At Hospital		For Home Therapy	
	Bottles	Units	Bottles	Units
Cryoprecipitate				
NHS Factor VIII Concentrate				
Abbott Factor VIII (Profilate)				
Armour Factor VIII (Factorate)	10	3664		
Cutters Factor VIII (Koate)	38	13410		
Hyland Factor VIII (Hemofil)	126	83910		
Immuno Factor VIII (Kryobulin)	11	5292		
Bovine Factor VIII				
Porcine Factor VIII				
Factor IX Concentrate (please specify type)				
Other Materials (please specify)				
Lister (ELSTREE) F.VIII	47	10125		

Comment (if any):

116,401

*Please enter the factor VIII units of activity; if this information is not available, please enter the number of bottles etc. used.

**Factor IX Units

Annual Returns for 1978Centre: TREWAR HAEMOPHILIA, ALTON, HANTS.

Total amount of material used for the treatment of Haemophilia B (Christmas Disease) patients who have factor IX antibodies (inhibitors).

Type of Material Used	Total Amount Used During 1978*			
	At Hospital		For Home Therapy	
	Bottles	Units	Bottles	Units
NHS Factor IX Concentrate				
Commercial Factor IX (Please specify type)				
Other Materials (Please specify)				

Comment (if any):

NO PATIENTS

*Please enter the factor IX units of activity; if this information is not available, please enter the number of bottles etc. used.

Survey of Patients Treated at Haemophilia Centres in the U.K.

Annual Return for 1978 - Carriers of Haemophilia or Christmas Disease

Centre: TRELOAR HAEMOPHILIA, ALTON, HANTS

Total number of Carriers of Haemophilia treated during the year*: 0

Total number of Carriers of Christmas Disease treated during the year**:

Material(s) used to treat these patients:-

Type of Material Used	No. of bottles etc. used	Amount used (units of activity)	
		F. VIII Units	F. IX Units
Plasma			
Cryoprecipitate			
NHS Human Factor VIII Concentrate			
Abbott Factor VIII Concentrate			
Armour Factor VIII Concentrate			
Cutters Factor VIII Concentrate			
Hyland Factor VIII Concentrate			
Immuno Factor VIII Concentrate			
Other Human Factor VIII Concentrate***			
Bovine/Porcine Factor VIII Concentrate			
NHS Factor IX Concentrate			
Commercial Factor IX Concentrate***			
Other Materials (please specify)			

* Please supply details on Form A(5)

** Please supply details on Form A(6)

*** Please give name of manufacturer and/or trade name of product.

Survey of Patients Treated at Haemophilia Centres in the U.K.Annual Return for 1978 - von Willebrand's Disease PatientsCentre: TREBOAR HAEMOPHILIA, ALTON, HANTSTotal number of patients with von Willebrand's disease treated during the year*: 0

Material(s) used to treat these patients:-

Type of Material Used	No. of bottles etc. used	Amount used (factor VIII units)
Plasma		
Cryoprecipitate		
NHS Human Factor VIII Concentrate		
Abbott Factor VIII Concentrate		
Armour Factor VIII Concentrate		
Cutters Factor VIII Concentrate		
Hyland Factor VIII Concentrate		
Immuno Factor VIII Concentrate		
Other Human Factor VIII Concentrate**		
Bovine/Porcine Factor VIII Concentrate		
Other Materials (Please specify)		

* Please supply details on Form A (8)

** Please give name of manufacturer and/or trade name of product.