Anti-HBc study: Minutes of meeting held at Cambridge 11 July 1996

Attended: J-P Allain, P Hewitt, D Howell, C Parkhouse, I Reeves, U Wicheloe, L Williamson.

Apologies received from J Barbara, J Griffiths

1. Minutes of last Meeting. On page 3, PH indicates that 6000 donors of the TTI study have been tested for anti-HBc.

2. Matters arising.

Data correlating anti-HBc tested with Corzyme and Ortho are presented. All anti-HBc/ anti-HBs positive samples correlate well. Only 1/3 of isolated anti-HBc correlated between the two tests, suggesting that Corzyme + Imx do not completely eliminate false positive anti-HBc.

Hbs Ag positive samples collected during the study period at Tooting have been sent to RT for sequencing but no information about the processing of the samples was

available.


DH indicates his holiday period during which recipient testing will continue supervised by either S Brown or I Rayfield.

PH will arrange with LWE and E Caffrey to insure that patient counselling will be

available during her holidays.

CP confirms that the funds for RT PCR and sequencing are available from Chicago and will be sent to UCLM. A letter from J-P A is required to obtain the £10,000 allocated to the lookback part of the study. PH indicates that the nurse to work at South London has been recruited. A medical student will also be needed to speed up the project. All will be covered by the allocated funds.

- 3. UW reports on the status of the lookback at South Thames. All ethical approvals have been obtained. Letters for 1128 recipients identified have been sent; 17/51 hospitals have replied correspondiong to 235 recipients. Sampling may start in August.
- 4. Update of lookback in Cambridge. A summary Table is in annex. Of 21 results received from North London, one recipient has markers of HBV: strong anti-HBc, low anti-HBs and borderline HBsAg. Two recipients of donations from the same donor one preceding, one following the index donation are part of the lookback and recipients did not seroconvert. Preliminary conclusion is an HBV infection preceding the surgery and no evidence of HBV transmitted by the index unit. Another sample is required from this recipient to confirm serology. A sample was kept in Cambridge and will be used for HBsAg testting with PRISM.
- 5 Date of next meeting: 12 September, 9:30 at Cambridge BTC.



HOSPITAL	LBF1a	NUMB	HOSPITAL	9	CONTACT	LETTER &	NO OF DATE	DATE	RECORDS	RECORDS COMMENTS
	EODMG	שני	MUEDE INIT	-T	WITL		, C			
	CINICOL	- (5		PAIIEN	KECS	FOR	VIEWED	•
	RETUR pPAT		TRANSFERRED	PAT	PAT HOSPITAL	LIST SENT		VISIT		
ALEXANDRA	က	က								
ALL SAINTS CHATHAM	19	19			MARIANIA (1900) I PAPANIA (190 AND	tel contact	16	23-Jul		
BENENDEN	2		2.2							
BLACKHEATH BMI	5	9	SLOANE HOSP	-	3/7/96 -letter	and the control of th				no acress to records
BUCKLAND, DOVER	5					The second secon				200000000000000000000000000000000000000
CHAUCER, CANTERBURY		က								
CHELSFIELD PARK ORP'TON	3	3								
CONQUEST, ST. LEONARDS		21								
CRAWLEY, SUSSEX		17				and the state of t				
CROMWELL HOSPITAL		9								
EAST SURREY, REDHILL		30								
EASTBOURNE	25	25				· martin delication of the same and the same and the same of the s				
EPSOM DISTRICT		23								
FARNBOROUGH		28								
FRIMLEY PARK		28				The same of the sa				
GREENWICH & BROOK		39	The state of the s			And the second s				
GUYS		67		:						
KENT & CANTERBURY	28	28								
KING EDVII, MIDHURST		2								
KING'S COLLEGE		77				der en er				
KINGSTON	20	20				11/07/96	12			
LEWISHAM		32								
LONDON BRIDGE HOSPITAL		2				The second secon				
MAIDSTONE	-	23								
MARGATE/THANET	17	17								
MAYDAY, THORNTON HEATH		48								
MEDWAY GILLINGHAM	7	7				tel contact	5			
MOUNT ALVERNIA	3	က								
PEMBURY		25			ar a de la companya d					
PRINCESS ROYAL H. HEATH		20								
•										

	-									

East Anglian Blood Centre

HBc Look-back

Status at 11.07.96

GP letters	Replies	Yes contact Yes GP will sample	Yes No	No to	Dead
79	67	39	8	16	3

Patients contacted	Patients enrolled	Packs sent	Patients sampled	Results back	3	Category 4	5
38	36	36	30	21	5	8	8

JG/cmh