

Witness Name: Royal Free Hospital (Debra Anne Pollard)
Statement No. WITN3094003

EXHIBIT "WITN3094005"

This is the exhibit marked "WITN3094005" referred to in the third witness statement
of Debra Anne Pollard

Surname	STEWART	Forenames	ANGUS MORRIS	D.O.B.	Defect	Vol. Inoculated	Reg. No.	
Nationality	SCOTISH			GRO-C	Level	20/76	423491	
Address	GRO-C		Date Diagnosis	20 1 69	Blood Group	A Pos		
Telephone			1st Attendance G.O.S.	20 1 69	Date Detected	9.6.76		
G.P. Address	GRO-C CAVERHAM ROAD NEWELL		Family History	YES	Any Antigen Antibody	Jaundice		
School Address			Social		Allergies	C.F. 76		
Telephone					uses	S.A. 10/64		
Type of School			Prophylaxis		Home Treatment			
Other Doctors	DR NORMAN		Date Commenced		Date Commenced			
Date	Clinical Data	Material			Treated	Leish	H.B.	Any Antigen Antibody
		Type	Vol.	Dose	I.P./O.P./Home	Pre	Post	g/100 ml
20 1 69								
20 1 69								
20 1 69								
6 1 70								
7 1 70								
6 3 75	Spontaneous							

Date	Chemical Data	Material			Treated LP/OP/Room	Levels		R.B.	An Analysis
		Type	Vol	Dose		Pre	Post		
13.6.75	Epilamin	bag	70	8	✓				
24.7.75	"	"	70	8	✓				
5.12.75	"	"	7	8	✓				
7.12.75	"	"	100	8	✓				
18.2.76	"	"	8	2	✓				
19.2.76	Epilamin	"	10	10	✓			10.6	
15.5.76	Removal of surface	"	20	20	✓				
17.5.76	Epilamin	"	20	10	✓				
18.5.76	Epilamin	"	100	10	✓				
19.5.76	Epilamin	"	20	10	✓				
20.5.76	"	"	100	10	✓				
21.5.76	"	"	10	10	✓				
26.5.76	Removal of surface	"	120	10	✓				
5.6.76	Removal of surface	"	10	10	✓			10.3	
7.7.76	Epilamin	"	7	4	✓				
21.9.76	Epilamin	"	7	10	✓				
11.11.76	Epilamin	"	7	4	✓				
30.12.76	"	"	7	9	✓				
no data 152. base									
1.1.77	Epilamin	"	7	7	✓				
21.4.77	"	"	7	9	✓				
27.4.77	Epilamin	"	7	7	✓				
78.7.77	Epilamin	"	190	10	✓			10.9	

HISTORY SHEET

Hospital No.
Surname
First Names
D. of B.

217032
STEWART
ANGUS

M/F
M/S/W

GRO-C 65

DATE

CLINICAL NOTES (Each entry must be signed)

26/3/79

Strike on head with bottle in kitchen on 21/3/79. Laceration
bleed for about 1 hour afterwards. In town of emergency.
No removal of laceration. Did not seek medical advice.
2 1/2" midline vertical laceration on back of head
1/4" laceration left parietal region.
Both lacerations bleeding. Tender over parietal region.
CNS N.G.D.
General examination N.G.D.

Two skull X-ray. Evident after X-ray.

GRO-C: Goldman

27/3/79

did not return to hospital after X-ray yesterday as
he was required to do
X-rays show no #

GRO-C

26/4/79

① added lacerated epidermis of epidermis seen following (17/4/79).
Numerous pressure epidermis. It is not fully not clear.
All microscopically 100% to 100% temporary improvement.
But he had many epidermis then got - not nearly left.
usually ② bleed.
③ bleeding in this area stopped temporarily with pressure
- not bleeding at present.
④ No evidence of bleeding at the moment
Small because in ② metal area (? not accurate)
left checked.
Pale.
⑤ 10 bags cure - at worst insect.
⑥ 10 bags cure - 10 bags cure.

GRO-C

28/12/79

A 30yr

Epistaxis today started 2 hours before attendance.
Stopped spontaneously. Diagnosed
Has had recurrent epistaxis since last visit in November.

He stopped bleeding now.

Has had like olivine

Sat 9.30am 29/12/79

- > ENT - will see him as soon as possible - ~~booked~~ - 7.30am
- > 10 days ago

Wishes him to have dental check-up & further

GRO-C

30.1.80.

Recurrent epistaxis last night.

Has had 5-6 epistaxis since consultation 1 month ago.

Thinks cold + sneezing provoked current attack.

Taking dose cryo x 5 + 7 days tranexamic acid

GRO-C: P
Kernoff

16/2/80

Recurrent epistaxis last night + this morning.

Not bleeding at present.

6 Cryo x 5

Tranexamic acid for 7 days

GRO-C: Goldman

22/9/80

Came with epistaxis, started with one hour ago spontaneously; from the left nostril.

For 10 days CRYO

② Tranexamic acid 1gm 8 hourly for five days.

28/11/80

Epistaxis ② for 48 hrs.
Dilated vessels. Inflamed mucosa.

R Cryo 10a.
Tranex Ac.
Nasiprin

GRO-C

GRO-C

Copy made on 20/09/2019

TREATMENT

SURNAME: STEWART FIRST NAMES: Angus DIAGNOSIS: VWD HAEMOPHILIA CENTRE
 HOSPITAL NO. 20 MAR 1984

DATE	TIME	PLACE (HOME/OP/IN)	BY WHOM	REASON FOR INJECTION	DRUGS	INJECTION MATERIAL X bags/bottles	SERIAL/ BATCH NOS	UNITS/ BLOOD GROUP	VOLUME (mls)	EFFECTS/ COMMENTS
25/1/84	2pm	GP	EC	Sp. STX	100mg	1 bag	232850 232852			A / 1st
					100mg	1 bag	232853 232854			Reaction after
					100mg	1 bag	232855 232856			1st Rx - mlt
					100mg	1 bag	232857 232858			1st Rx - mlt
					100mg	1 bag	232859 232860			1st Rx - mlt
					100mg	1 bag	232861 232862			1st Rx - mlt
					100mg	1 bag	232863 232864			1st Rx - mlt
					100mg	1 bag	232865 232866			1st Rx - mlt
					100mg	1 bag	232867 232868			1st Rx - mlt
					100mg	1 bag	232869 232870			1st Rx - mlt
					100mg	1 bag	232871 232872			1st Rx - mlt
					100mg	1 bag	232873 232874			1st Rx - mlt
					100mg	1 bag	232875 232876			1st Rx - mlt
					100mg	1 bag	232877 232878			1st Rx - mlt
					100mg	1 bag	232879 232880			1st Rx - mlt
					100mg	1 bag	232881 232882			1st Rx - mlt
					100mg	1 bag	232883 232884			1st Rx - mlt
					100mg	1 bag	232885 232886			1st Rx - mlt
					100mg	1 bag	232887 232888			1st Rx - mlt
					100mg	1 bag	232889 232890			1st Rx - mlt
					100mg	1 bag	232891 232892			1st Rx - mlt
					100mg	1 bag	232893 232894			1st Rx - mlt
					100mg	1 bag	232895 232896			1st Rx - mlt
					100mg	1 bag	232897 232898			1st Rx - mlt
					100mg	1 bag	232899 232900			1st Rx - mlt
					100mg	1 bag	232901 232902			1st Rx - mlt
					100mg	1 bag	232903 232904			1st Rx - mlt
					100mg	1 bag	232905 232906			1st Rx - mlt
					100mg	1 bag	232907 232908			1st Rx - mlt
					100mg	1 bag	232909 232910			1st Rx - mlt
					100mg	1 bag	232911 232912			1st Rx - mlt
					100mg	1 bag	232913 232914			1st Rx - mlt
					100mg	1 bag	232915 232916			1st Rx - mlt
					100mg	1 bag	232917 232918			1st Rx - mlt
					100mg	1 bag	232919 232920			1st Rx - mlt
					100mg	1 bag	232921 232922			1st Rx - mlt
					100mg	1 bag	232923 232924			1st Rx - mlt
					100mg	1 bag	232925 232926			1st Rx - mlt
					100mg	1 bag	232927 232928			1st Rx - mlt
					100mg	1 bag	232929 232930			1st Rx - mlt
					100mg	1 bag	232931 232932			1st Rx - mlt
					100mg	1 bag	232933 232934			1st Rx - mlt
					100mg	1 bag	232935 232936			1st Rx - mlt
					100mg	1 bag	232937 232938			1st Rx - mlt
					100mg	1 bag	232939 232940			1st Rx - mlt
					100mg	1 bag	232941 232942			1st Rx - mlt
					100mg	1 bag	232943 232944			1st Rx - mlt
					100mg	1 bag	232945 232946			1st Rx - mlt
					100mg	1 bag	232947 232948			1st Rx - mlt
					100mg	1 bag	232949 232950			1st Rx - mlt
					100mg	1 bag	232951 232952			1st Rx - mlt
					100mg	1 bag	232953 232954			1st Rx - mlt
					100mg	1 bag	232955 232956			1st Rx - mlt
					100mg	1 bag	232957 232958			1st Rx - mlt
					100mg	1 bag	232959 232960			1st Rx - mlt
					100mg	1 bag	232961 232962			1st Rx - mlt
					100mg	1 bag	232963 232964			1st Rx - mlt
					100mg	1 bag	232965 232966			1st Rx - mlt
					100mg	1 bag	232967 232968			1st Rx - mlt
					100mg	1 bag	232969 232970			1st Rx - mlt
					100mg	1 bag	232971 232972			1st Rx - mlt
					100mg	1 bag	232973 232974			1st Rx - mlt
					100mg	1 bag	232975 232976			1st Rx - mlt
					100mg	1 bag	232977 232978			1st Rx - mlt
					100mg	1 bag	232979 232980			1st Rx - mlt
					100mg	1 bag	232981 232982			1st Rx - mlt
					100mg	1 bag	232983 232984			1st Rx - mlt
					100mg	1 bag	232985 232986			1st Rx - mlt
					100mg	1 bag	232987 232988			1st Rx - mlt
					100mg	1 bag	232989 232990			1st Rx - mlt
					100mg	1 bag	232991 232992			1st Rx - mlt
					100mg	1 bag	232993 232994			1st Rx - mlt
					100mg	1 bag	232995 232996			1st Rx - mlt
					100mg	1 bag	232997 232998			1st Rx - mlt
					100mg	1 bag	232999 233000			1st Rx - mlt
					100mg	1 bag	233001 233002			1st Rx - mlt
					100mg	1 bag	233003 233004			1st Rx - mlt
					100mg	1 bag	233005 233006			1st Rx - mlt
					100mg	1 bag	233007 233008			1st Rx - mlt
					100mg	1 bag	233009 233010			1st Rx - mlt
					100mg	1 bag	233011 233012			1st Rx - mlt
					100mg	1 bag	233013 233014			1st Rx - mlt
					100mg	1 bag	233015 233016			1st Rx - mlt
					100mg	1 bag	233017 233018			1st Rx - mlt
					100mg	1 bag	233019 233020			1st Rx - mlt
					100mg	1 bag	233021 233022			1st Rx - mlt
					100mg	1 bag	233023 233024			1st Rx - mlt
					100mg	1 bag	233025 233026			1st Rx - mlt
					100mg	1 bag	233027 233028			1st Rx - mlt
					100mg	1 bag	233029 233030			1st Rx - mlt
					100mg	1 bag	233031 233032			1st Rx - mlt
					100mg	1 bag	233033 233034			1st Rx - mlt
					100mg	1 bag	233035 233036			1st Rx - mlt
					100mg	1 bag	233037 233038			1st Rx - mlt
					100mg	1 bag	233039 233040			1st Rx - mlt
					100mg	1 bag	233041 233042			1st Rx - mlt
					100mg	1 bag	233043 233044			1st Rx - mlt
					100mg	1 bag	233045 233046			1st Rx - mlt
					100mg	1 bag	233047 233048			1st Rx - mlt
					100mg	1 bag	233049 233050			1st Rx - mlt
					100mg	1 bag	233051 233052			1st Rx - mlt
					100mg	1 bag	233053 233054			1st Rx - mlt
					100mg	1 bag	233055 233056			1st Rx - mlt
					100mg	1 bag	233057 233058			1st Rx - mlt
					100mg	1 bag	233059 233060			1st Rx - mlt
					100mg	1 bag	233061 233062			1st Rx - mlt
					100mg	1 bag	233063 233064			1st Rx - mlt
					100mg	1 bag	233065 233066			1st Rx - mlt
					100mg	1 bag	233067 233068			1st Rx - mlt
					100mg	1 bag	233069 233070			1st Rx - mlt
					100mg	1 bag	233071 233072			1st Rx - mlt
					100mg	1 bag	233073 233074			1st Rx - mlt
					100mg	1 bag	233075 233076			1st Rx - mlt
					100mg	1 bag	233077 233078			1st Rx - mlt
					100mg	1 bag	233079 233080			1st Rx - mlt
					100mg	1 bag	233081 233082			1st Rx - mlt
					100mg	1 bag	233083 233084			1st Rx - mlt
					100mg	1 bag	233085 233086			1st Rx - mlt
					100mg	1 bag	233087 233088			1st Rx - mlt
					100mg	1 bag	233089 233090			1st Rx - mlt
					100mg	1 bag	233091 233092			1st Rx - mlt
					100mg	1 bag	233093 233094			1st Rx - mlt
					100mg	1 bag	233095 233096			1st Rx - mlt
					100mg	1 bag	233097 233098			1st Rx - mlt
					100mg	1 bag	233099 233100			1st Rx - mlt
					100mg	1 bag	233101 233102			1st Rx - mlt
					100mg	1 bag	233103 233104			1st Rx - mlt
					100mg	1 bag	233105 233106			1st Rx - mlt
					100mg	1 bag	233107 233108			1st Rx - mlt
					100mg	1 bag	233109 233110			1st Rx - mlt
					100mg	1 bag	233111 233112			1st Rx - mlt
					100mg	1 bag	233113 233114			1st Rx - mlt
					100mg	1 bag	233115 233116			1st Rx - mlt
					100mg	1 bag	233117 233118			1st Rx - mlt
					100mg	1 bag	233119 233120			1st Rx - mlt
					100mg	1 bag	233121 233122			1st Rx - mlt
					100mg	1 bag	233123 233124			1st Rx - mlt
					100mg	1 bag	233125 233126			1st Rx - mlt
					100mg	1 bag	233127 233128			1st Rx - mlt
					100mg	1 bag	233129 233130			1st Rx - mlt
					100mg	1 bag	233131 233132			1st Rx - mlt
					100mg	1 bag	233133 233134			1st Rx - mlt
					100mg	1 bag	233135 233136			1st Rx - mlt
					100mg	1 bag	233137 233138			1st Rx - mlt
					100mg	1 bag	233139 233140			1st Rx - mlt
					100mg	1 bag	233141 233142			1st Rx - mlt
					100mg	1 bag	233143 233144			1st Rx - mlt
					100mg	1 bag	233145 233146			1st Rx - mlt
					100mg	1 bag	233147 233148			1st Rx - mlt
					100mg	1 bag	233149 233150			1st Rx - mlt
					100mg	1 bag	233151 233152			1st Rx - mlt
					100mg	1 bag	233153 233154			1st Rx - mlt
					100mg	1 bag	233155 233156			1st Rx - m

28.11.80 Treated today with Cryo D₁₀ for epistaxis.
 Developed a moderately severe transfusion
 reaction — generalized erythema, urticaria
 + rigor, which was abated with hydrocortisone
 (Ariston had been given before infusion).
 His future treatment should be changed
 to NHS factor VIII concentrate — try
 ~ 700u in first instance. Precede with
 Ariston and obtain baseline LFTs + Hb₅ Ag
 pre treatment. If concentrate is used,
 weekly LFTs need to be obtained for
 8 weeks after first infusion. Also consider
 use of immunoglobulin — discuss with
 Dr Kernoff when need for treatment arises.
 not advisable

GRO-C: Kernoff

1/12/80

Further nosebleeds (L)

Rx 700u Lister VIII

pre + post VIII C, RAG, coF
+ BT

LFTs + S-Ag / Ab today

↑
+ weekly for 8/52

GRO-C

2.2.81 Last 4 days: tired
Nauseated at sight of food.

Has vomited 4-5 times
when he has tried to eat.

No abdo. pain, but epigastric discomfort.

Bowels normal, colour normal.

Urine darker than usual.

No pruritis. No sweating / fluency.

Feels thirsty, throat dry

Changed to NMS concentrate in Dec 1980

1.12.80 : Hc 2706

20.1.81 : Hc 2691

AST more or less normal & steady
at around 20iu up to 13.1.81.

Last tested 28.1.80 - result not yet available.

Known HBsAg negative.

* AST marked increase to 237 on 28/1/80.

Jaundiced, liver not felt.

Imp: acute hepatitis due to transfusion

✓ FAN concentrate

Could be NANB or B.

LFT, FBC, PT, urines

? Admission: Dr Bantadour

As has don't feel admission is necessary
at present. To rest at home &
come up at weekly interval for LFT.

GRO-C:
Kernoff

16/2/81

Much improved.

Still has intermittent epigastric ache

Nausea subsided considerably. No vomiting

Still resting at home.

Booked to see on 14/3/81 — to check other
samples

AST on 11/2/81 shows dramatic fall from
606 → 30. Partial.

LFTs etc today & see again next week.

GRO-C:
Kernoff

16/2 AST : 390 ↑

bil : 50 ↑

PT A/B

23/2/81

Feeling well today

no nausea

slight epigastric discomfort

unable to eat fatty foods

urine ✓

stools ✓

ole abdomen soft

o tenderness

liver not palpable

Play check

L F's

Hb's Ag

PT

see 1/52 C due back at school
2/3)

GRO-C: Miller

23/3/81 another episode of nausea & vomiting
on Friday & Saturday.
no change in bowel
wine color.

% abdomen soft

o L U U S.



areas tenderness above belt
iliac crests.

Play check

L F's

Hb

PT

see 1/52

GRO-C: Miller

TREATMENT

SURNAME: STEWART FIRST NAME: Angus (Unc) DIAGNOSIS: V.W.D. HAEMOPHILIA CENTRE:

HOSPITAL NO.: 20 MAR 1984

DATE/TIME	PLACE (HOME/OP/10)	REASON FOR INJECTION	DRUGS	INJECTION MATERIAL X Doses/bottles	SERIAL/ BATCH NOS	UNITS (total)	VOLUME (mls)	EFFECTS/ COMMENTS
11.00 11.30	H7C	CIN	SPROTACE	BPL	MA 2844	680	45	
<p><i>Consider BOTIVP when he next presents for treatment - contact Dr Kenny or Dr Tuddarhan.</i></p>								

HISTORY SHEET (Continuation)

Hospital No.

Surname

AS Jnr

First Names

DATE

(Each entry must be signed)

22-9-82

Seen for review.

Last treated Nov. 1981. Since then, several episodes of epistaxis. Worse in summer.

Also can occur from washing face.

is main prostatic part mechanical trauma.

Both sides. Usually stops within 10-15 min.

Rinses cold water / ice of help.

Cryo debridement helped with severe epistaxis;

Havert enceph VIII come to know whether

this is of benefit. Tranexams and 'no good'.

Going to Australia Dec 82 for 3/52: will

need to arrange about insurance & get

address of Centre. Perhaps also take letter.

Periodically still gets symptoms suggestive of

hepatitis — nausea, EFT, food, L. epigastrium

pain, sweetly attacks. Settles within a day or

so. Overcome, getting less frequent & less severe.

Goes to PMH dentist regularly — next appt Nov.

No troubles

Working as watchmaker (Highway): Likes it very much

Wt 80.7 Kg. BP 115/75 lying

Chit clear. No signs in abdomen.

Consider bonyar when he next needs treatment, otherwise continue with NMS care.

LFT, FBC, autoantibodies today

I book u/s & for swallow.

DATE

(Each entry must be signed)

18/1/83

④ eye hit by piece of steel from lathe
 tells it is still in his eye - lateral to iris.
 Was examined at work by someone using
 eye glass & told piece still there

O/E. Slightly injected conjunctiva
 No bleeding.

Cannot see metal with naked eye.

Referred to Dr. Green A+E.

To go down for X-ray & further
 management

GRO-C

19/2/83

C/o Epistaxis for 3/7.
 worse today

O/E Nil.

Rx 32 mg DDAMP
 + Tranexan Acid
 1g SOS.

TCA SOS.

HL

GRO-C

NB. Felt faint during infusion ? too fast
 Rx 1g piriton.

5/8/83

Spontaneous intermittent nose bleeds for
 1 week. Particularly troublesome at
 night.

Dr. Kornoff

For 24mg DDAMP by slow infusion

Copy made on: 20/09/2019