

NOV 1981: ULCER. "1968" - THIS IS WHAT THE
PAT EXPERTS O.B.V. USED AS EXTRAPOLATION "JAUNDICE" *

* 52

LIVERPOOL AREA HEALTH AUTHORITY (TEACHING)

CONTINUATION SHEET

SURNAME Mr Mrs Miss	INITIALS	SEX	AGE	WARD	CONSULTANT	UNIT No.
DATE						
20 11 81	Transferred to S6 from Broad Green Hospital					
	aged 47y: Accountant.					
	c/o Haemophilia					
	13 years ago, with pain in epigastrium - like hunger pain, relieved by eating woke up at night - relieved by milk & bread.					
	Aggravated by stress at work.					
	vomited coffee grounds x1) 2 weeks ago. melena stool for 2 days }					
	Admitted LHM - discharged after bleeding from D.U. stopped.					
	Re-admitted to Broad Green - under Dr. Campbell there for haemophilia					
	D.U. proven in RHM with endoscopy (+ at B.G.)					
	Barium meal 1968 - D.U. present.					
	P.S. : no Rh fever, diabetes, TB.					
	- post transfusion jaundice - ? hepatitis. following a bleed from D.U.					
	no operations.					
	F.H. : Parents ♂ + 64 Pneumonia & D.U. ♀ 76 - a/w					

MED/C 11 12.74

DATE

NOV 1981: ULCER: "SIBLINGS 3+1"

"2 HAEMOPHILIAC" "ALCOHOL VERY OCCASIONALLY"

53

"FIT LOOKING EARLY MIDDLE AGED MAN"

Siblings: 30⁺ - 2 haemophilic
19 - a.u.

children: 10⁺ - 15 yrs } a.u.
9 - 21 yrs }

P.H.: married: wife 44 yrs a.u.

Smoke: 14 cigs/day.

alcohol: very occasionally

allergies: none known

drugs: cimetidine 200mg tds
400mg nocte.

Factor VIII of low level
+ appropriate.

Res: R. }
Cvs: }

Gt: nil of note.

Gut: }
Cvs: }

s/e: fit-looking early middle-aged man.
no cyanosis, jaundice, lymphadenopathy.

Skin: pale, but no clinical evidence of anaemia

RS - trachea central

Expansion good (R) = (L)

Resonant to percussion all areas

Breath sounds vesicular.

Cvs BP 110/70

Pulse 60 b/min S.R. Good volume.

MS 3/2 nil else

no peripheral oedema

peripheral pulses present.

NOVEMBER 1981: ULCER " ADMITTED TO BG 5/7 ago

"HAS BEEN RECEIVING 20 BAGS OF CRMO ALTERNATING WITH ? No. ~~of~~

LIVERPOOL AREA HEALTH AUTHORITY (TEACHING)

BOTTLES OF FACTOR VIII

CONTINUATION SHEET

54

SURNAME Mr Mrs Miss	INITIALS	SEX	AGE	WARD	CONSULTANT	UNIT No.
DATE						
	Abdom. Sig. over tenderness. no scars no LICKS palpable no other masses palpable No succussion splash. H. O. vi ix not done					
	crus. Grossly intact.					
	Investigations: FBC ✓ Hb SMAC ✓ Factor VIII levels ✓ + clotting profile. ✓					
	GRO-C					
21. 11. 81.	Admitted to Broadgreen 5/7 ago - haematemesis: 1/2 cupful of coffee grounds - melena: 80 x 3-4 - soft but not liquid. Melena has gradually improved: bowels last opened yesterday morning: still dark but greatly improved. Bowels not opened today. No further haematemesis. No abd. pain. Has been receiving 20 bags of cryo alternating with ? no bottles of factor VIII					

MED/C 11 12.74

DATE

NOV: 1981


55

CE Rule

P40

BP 114/70

Abdo



Abdo soft

No tenderness

No LKXS, " masses

PR - hard melena in rectum

11.11.81 Well No complaints

Hb 12.0

Reticulocytes $2.31 \times 10^9/L$

SWMC 1.40

GRO-C

LIVERPOOL AREA HEALTH AUTHORITY (TEACHING)

Name: Mr. MURPHY, Wm. Unit No.

URINE REPORT

Sp. Gravity 1.010 Acetone NEG

Reaction NEG, 6 Blood NEG

Albumin NEG Bile TRACE

Sugar NEG

Date 20-11-81 Signature GRO-C

MED/C846 11.78

22.11.81 Well Still has old melena

Hb 12.2

WCC 5,700

✓ Cpt + save serum

23.11.81

✓ OXR

✓ ECC

23-24/11/1981: ULCER OPERATION: "TRANSFUSION -- FOR TOMORROW"
 "GIVE 2500u (10 BOTTLES) VIII CONCENTRATE PRE-OP" 56

LIVERPOOL AREA HEALTH AUTHORITY (TEACHING)

CONTINUATION SHEET

SURNAME Mr Mrs Miss	INITIALS	SEX	AGE	WARD	CONSULTANT	UNIT NO.
------------------------------	----------	-----	-----	------	------------	----------

DATE

23/11/81

transfusion X-rayed 8.0 for tomorrow

Inhibit. Some regular.

:- please give 2500u (10 bottles)

VIII concentrate 1 hour pre-op

+ pre- and post infusion levels.

GRO-C

6 units blood available for tomorrow.

24.11.81

Ward

Life factor VIII levels (=5% of normal)

For 11 bottles of Factor VIII concentrate
 pre op (= 2750 I.U.)

GRO-C

1pm 2750 I.U. Factor VIII given IV.

1.30pm Post dose level Factor VIII taken

GRO-C

DATE

NOV 1981: ULCER OP

57

24. 11. 81OPERATIONCJ STODDARD / 1 COLEMAN
SMITHTRUNCAL VAGOTOMY + PYLOROPLASTYIncision Mid lineFindings Scarred duodenal cap. with small
anterior ulcer.
Liver, GB, Stomach, SI, LI all normal.Procedure Routine TV. Posterior V. 1 large + 1 small
Anterior V. 1 large + 2 smallOesophagus cleaned to muscle.
Pyloroplasty - H-M type
2 layer closure. CCGG + int silk.
Omental patch.Closure Prolene x2 silk to skin.

GRO-C

24. 11. 81LVIT pre - 5%

post - 72%

please give (1) 9 bottles (2250)
at 10-00 pm.

(2) 7 bottles (1750)

at 9-30 AM tomorrow

+ pre / post infusion level tomorrow
+
3-00 pm level.

GRO-C



NOVEMBER 1981: ULCER OP
"FACTOR VIII" SEVERAL




58

LIVERPOOL AREA HEALTH AUTHORITY (TEACHING)

CONTINUATION SHEET

SURNAME Mr Mrs Miss	INITIALS	SEX	AGE	WARD	CONSULTANT	UNIT No.
MURPHY	W.	M		511DU	CSS.	

DATE	
	10 ^{pm} Observations stable over evening 9 bottles Factor VIII given
✓ FBC	Hb 11.9 WCC 14,600 Pe 353,000.
	GRO-C
25.11.81	Well overnight. 7 bottles Factor VIII given at 10.15 am.
✓ FBC	Temp 37°.
✓ SnaAC	Chest - Exp. - TVE - PN - AE
	No flatus PR. No BO ① = ② NAT
	Abdo
	
	Wound clean - slight ooze only Abdo soft - non tender. BS - occasional
	No calf tenderness No urinary problems
	N. G aspirate - 250 ml yesterday - decreasing
	Hb 11.5 WCC 13.2 Pe $287 \times 10^9 \text{ l}^{-1}$
	GRO-C

MED/C 11 12.74

DATE

NOVEMBER FBI: ULCER OP

59

25/11/81

Pre level 56%

Post " 103%

3-00 pm 17%

✓ gave 1.5 bottles (1250g) at
4:00 pm.

(2) 6 bottles (1500g) at

Pre 10:00 AM 12% trans

+ Pre/post infusion & 3-00 pm levels
transmitted

GRO-C

25/11/81.

Well this evening

5 bottles factor VIII given

at 10:30 pm.

GRO-C

26/11/81

well. No flatus passed.

Abdo soft Scattered bowel sounds

Wound clean

Temp ↑ to 37.5 overnight - now settled.

1500 IU Factor III given at 10:45 am.

Pre & post infusion levels taken

Temp still up - 37.4.

For 30 mls water hourly.
- oral analgesia

GRO-C



NOVEMBER 1981: UCLER DP

"F VIII"

60



LIVERPOOL AREA HEALTH AUTHORITY (TEACHING)

CONTINUATION SHEET

SURNAME Mr Mrs Miss	INITIALS	SEX	AGE	WARD	CONSULTANT	UNIT No.
MURPHY	W.	M		SUDU	CSS	

DATE

3pm level of Factor VIII taken

GRO-C

26/11/81

pre 61%

post 98%

1-yr. 68%

∴ plan give - 1000 u (4 bottles) at 9-00pm

- 1000 u (4 bottles) at 9-00AM tomorrow

+ pre & post level + 3-00pm level tomorrow

GRO-C

26.11.81. Haematologists recommended 1000 units Factor VIII concentrate at 9pm (4 bottles).

GRO-C

27.11.81

Well today

No flabs PR.

No BS

BS - occasional

Abdo soft wound clean

↑ oral fluids.

1,000 u Factor VIII given 2 pre & post levels at 10.15 am.

GRO-C



NOVEMBER 1981. ULLER OP. "FVIII"

"TEMP UP TO 38.5 CAUSE?"



61

DATE

4b 11.9.

3pm Factor VIII level taken ✓

GRO-C

27/11/81 { pre - 53%
post - 69%
3-00pm - 60%

- please give 4 bottles b.d.
over weekend at 9-30 AM & 9-30 PM
+ please check pre-level on
Monday.

GRO-C

9.30pm 4 bottles Factor VIII given

GRO-C

28.11.81

Well

Temp. ↑ to 38.5 overnight. ? cause
4 bottles of Factor VIII given at 10.45am
no cough. no sputum. Chest clear.

GRO-C

Hot + sweaty today wound-clean.

Only complaint is of soreness of scrotum & today
- intertrigo only of scrotal skin. weeping
tores - normal.

bath. pdr.

GRO-C

NOVEMBER 1981 : ULCER OF

62

LIVERPOOL AREA HEALTH AUTHORITY (TEACHING)

CONTINUATION SHEET

SURNAME Mr Mrs Miss	INITIALS	SEX	AGE	WARD	CONSULTANT	UNIT No.
MURPHY	W.	M		SHDN	ETS	

DATE
28/11/81

4 bottles factor VIII given at 1015

Well - T $\searrow$ 38°C. feels better.

Observe nae.

GRO-C

29/11/81.

T = 37°C.
feels well.

Factor VIII 4 bott.
∴ given at 10.30 am

Repeat this evening.

GRO-C

29/11/81.

Still well.

Factor VIII - further 4 bottles
given : = 11.30 pm

GRO-C

30.11.81

Feels well Temp 37°C.
wound clear.
Bowels - functioning well

✓FBC

Factor VIII - 4 bottles given at
10.30am.

Abdo - soft
- BS normal.

GRO-C

On normal diet
No urinary/chest problems
No oral feedings

GRO-C

DATE

NOVEMBER/DECEMBER 1981 ULCER OF

63

Hb 10.6 g/l

30/11/81 s/o Dr. McVerry→ for 3 bottles VIII 12 hourly
until Wednesday (including Wednesday)→ then 2 bottles VIII 12 hourly
until discharge (~~including~~ if no problems)
Friday

GRO-C

10.30pm 3 bottles Factor 8 given IV
Stat

GRO-C

1.12.81

Well today. Temp 37°C

3 bottles Factor 8 given IV stat 9.45am

GRO-C

2.2.81

Well Temp 37°C.

3 bottles Factor 8 given IV 10.30am

GRO-C

3.12.81

Temp 37.5

Well

Wound - well healed

- stitches out today

Eating well. B.O. well.

✓ 2 bottles Factor VIII at 11am

GRO-C



DECEMBER 1981: ULLER OP



64

LIVERPOOL AREA HEALTH AUTHORITY (TEACHING)

CONTINUATION SHEET

SURNAME Mr Mrs Miss	INITIALS	SEX	AGE	WARD	CONSULTANT	UNIT No.
------------------------------	----------	-----	-----	------	------------	----------

Murphy

DATE

3/14/81

Dr. McVerry

- Continue VIII as above.

- please give 2 doses VIII before home before discharge

clin H

- OPA Dr. McVerry 2/52 please

GRO-C

4.12.81 well

2 x Factor VIII given
Home.

GRO-C



9/12/81 : POST ULCER OP. "JAUNDICE" X MANY



65

LIVERPOOL AREA HEALTH AUTHORITY (TEACHING)

CONTINUATION SHEET

SURNAME Mr Miss Mrs MURPHY	INITIALS W.	SEX M	AGE 47	WARD 7Y	CONSULTANT GRO-D	UNIT No.
DATE						
9.12.81	Admitted via casualty.					
	CO 1. Melena 2 Abdo pain 3 Jaundice					
	HPC. Haemophiliac 2 DU = previous bleeding Vagotomy & pyloroplasty.					
	1. Abdo pain - mainly epigastric - intermittent for 4/7. - colicky - different from previous pain - not severe but worse 2/7. - no aggravating factors - relieved by food					
	2 Melena - x1 this morning - ? quantity - formed stool.					
	3 Jaundice - mild : improved today - pale stools, dark urine - slight pruritus - no contact = hepatitis. No haematemesis. No other evidence of bleeding					
	ROS COS ° chest pain ° dyspnoea ° palpitations RS ° cough ° sputum CAT ° appetite weight					

MED/C 11 12/74

DATE

DECEMBER 1981: POST ULCER OP

66

"JAUNDICED; FINGER CLUBBING
ANKLE SWELLING"

bruises

GUT • dysuria
• frequency
nocturia
haematuria

CNS headaches
fits / faints
visual disturbance
weakness
paraesthesia

DRUGS None

OE. Not shocked
Very pale
Mildly jaundiced
"LN"
• finger clubbing
apical T = 36.5°C

CDS P. 80 reg
BP 100/70.

AB SICS MCL

HS I II NAD

• YUE

• ankle swelling

RS Not dyspnoeic

TO

Exp R=L

PN RS

AE all over



DEC 1981: VLCEL

67

LIVERPOOL AREA HEALTH AUTHORITY (TEACHING)

CONTINUATION SHEET

SURNAME Mr Mrs Miss	INITIALS	SEX	AGE	WARD	CONSULTANT	UNIT No.
MURPHY	D.	M	47	74	GRO-D	


DATE

9 12 81 cont.

BS vesic

° AS

Abdo



Abdo soft

No tenderness

No lumps, ° masses

BS normal

OVS PERLA

Fund ° haemorrhages

For gastroscopy

FBC

SMA

LFT & SAUR

F VIII levels

F VIII inhibitor

SHS ag

Consent

F VIII

MED/C 11 12.74

Missis-

68

LIVERPOOL AREA HEALTH AUTHORITY (TEACHING)

CONTINUATION SHEET

WITN1944010 0017

DATE

DECEMBER 1981: "VIRAL HEPATITIS"

69

12/11/81

2 patients

11-12-81

Assess ①: little head for DU.
 ②: viral hepatitis.

① ✓
 P.S.
 Met:
 V.H.P.
 inhibitor screen
 X.M. → 60
 S.H.C.

③ viral studies

✓ ③ Liver:

✓ ③ Liver concentrate ⇒ 10 bottles give
 at 11-45 pm for.


④ Summary

9/12/81

GRO-C

INSTRUMENT 4

GRO-C

DU GU CA
Biopsy Sites
No.1.
2.
3.
4.
5.
6.Photographs.
Film No.:
Frames:-

Normal oesophagus.
 Stomach full of altered
 blood. Adherent
 clot in Duodenum
 with blood oozing
 from the margin

Δ Bleeding DU

GRO-C

DECEMBER 1981: ULCER POST-OP

70

LIVERPOOL AREA HEALTH AUTHORITY (TEACHING)

CONTINUATION SHEET

SURNAME Mr Mrs Miss	INITIALS	SEX	AGE	WARD	CONSULTANT	UNIT No.
Hugh						
DATE						
9/11/81 10-30 AM pre - 77 (3000 u)						
post - 83%						
for 5 bottles 10 p.m.						
5 bottles 10 AM →						
pre / post 3-00 p.m. level.						
GRO-C						
9.12.81 Surgery Note.						
An unfortunate complication. He certainly had a complete vegetation and presumably he has bled from his ulcer which was still in the healing phase. He should continue with cimetidine for a full 6/12 + blood + factor VIII infusion as at present						
GRO-C						
9.12.81 No further melena today - barrets not opened. No evidence of bleeding elsewhere.						
Feeling much stronger following transfusion on 4th unit.						
Abdo discomfort improved.						

DATE



DECEMBER 1981: POST ULCER OP. "JAUNDICE"



71

DE Appraisal T = 36.5°C

Colour improving

Mild jaundice

CVS 9/60

BP 110/70

ITS I II NAD

Abdo Soft

No tenderness

"LKKs"

Furds - "hemorrhages"

Urine - no bilirubin

SMA Bili 59 Direct 36

Alk phos 194

SGT 114

APT - no result

Protein 63 Alb 34

K⁺ 4.4, Na⁺ 141 Urea 9.9

FBC

SMA

Clotting

Gp & save

GRO-C

10/12/81

pre - 54

post - 77

for 3 bottles b.d, with per

post tomorrow

GRO-C



DECEMBER 1981: POST ULCER OP: "TAUNCE
MORE MARKED"



72

LIVERPOOL AREA HEALTH AUTHORITY (TEACHING)

CONTINUATION SHEET

SURNAME Mr Mrs Miss	INITIALS	SEX	AGE	WARD	CONSULTANT	UNIT No.
MURPHY	N	M	47	7Y	GRO-D	1020860T

DATE	
11.12.81	Feeling much better after blood. No further melena: bowels not opened for 3/4. No evidence of bleeding elsewhere. No evidence of infection. No further abdominal pain. OE Appraisal <u>Taunice more marked</u> P 70 BP 120/70. Fund - "haemorrhages". 3 bottles factor VIII ✓ Pre & post F VIII levels. ✓ FBC SMA GRO-C C. Kell
11/12/81	Levels: { pre - 35%. { post - 51%. 1/2 w/ Dr McVerry: for 3 bottles VIII only over w/E. GRO-C CMV, Toxo. } tomorrow. WR SMA FBC
12/12/81	Having 3 bottles of factor VIII today. Had dark stools yesterday - better than before. GRO-C

MED/C 11 12.74



DEC 1981: POST ULLER OP "HEPATITIS"
"LESS JAUNDICED"



73

LIVERPOOL AREA HEALTH AUTHORITY (TEACHING)

CONTINUATION SHEET

SURNAME Mr Mrs Miss	INITIALS	SEX	AGE	WARD	CONSULTANT	UNIT No.
------------------------------	----------	-----	-----	------	------------	----------

DATE

15/12/81

— well

— no further bleeding

— Hae today

16/12/81

NOTE

— HB: AS —ve x 2.

— PLEASE SEND 10ml ✓ COTTON

BLOOD TO DR TAYLOR —

ROBINSON (MICRO BIOLOGY) (FOR

FURTHER INVESTIGATION OF HEPATITIS)

FROM OUTPATIENTS

Blank take 16/12/81

GRO-C

18-12-81 WT 53.2

V. well. Less jaundice. Will
recheck LFTs today & FBC.
No further bleeding

Othman's V. well.

Will contact Jy if
any problems arise

2/82

GRO-C