Case: **GRO-C** Document #: 1752-3 Filed: 02/14/08 Page 22 of 38 PageID #:10576

GRO-C

M274

Ì

÷

J \$1667. 83

Cef Aus Funge

ξ.

. . .

ï

.

ļ

RECEIVED

TX-GTW 1455 PDT 05/06/85 T209

MAY 08 1985

ITT. GA (0269552)78086246" CUTTERITL EMVL

05 06 1900 86246 HKLCH HX GA

CUTTERITL EMVL TO: MR. R. HO/LUEN CHEONG HONG FROM: D. RAY/CUTTER DATE: 6 MAY 1985 REF: DCR-5196

RE: STOCK POSITION ON KOATE-HT

AS SUGGESTED ON THE PHONE, WE HAVE CUT QUANTITY ON LCH'S OUTGOING REGULAR KOATE ORDER TO 1,200 VIALS INSTEAD OF 2,400 VIALS. WE WILL HOLD 1,200 MORE IN RESERVE IN CASE YOU NEED RUSH SHIPMENT. SHIPMENT SHOULD GO OUT LATE THIS WEEK.

HAVE DISCUSSED HONG KONG'S URGENT DEMAND FOR KOATE-HT WITH PRODUCT MANAGER IN CHARGE. HE INFORMS ME STOCK STILL VERY LIMITED. MADE IT CLEAR TO ALL PARTIES THAT SITUATION IN HONG KONG HAS BECOME ACUTE DUE TO RECENT PUBLICITY ABOUT AIDS ANTIBODY TEST SCREENING RESULTS. WE WILL DO OUR BEST TO CONVERT HONG KONG SHIPMENTS TO 100 PERCENT HEAT-TREATED FACTOR VIII SOON AS POSSIBLE.

HAVE ARRANGED TO DIVERT ALLOCATION OF 330 VIALS OF KOATE-HT TO HONG KONG INSTEAD OF ANOTHER MARKET. WE EXPECT TO BE ABLE TO SHIP THEM TO LCH IN ABOUT 12 DAYS. NOT SURE WHEN WE CAN GET MORE. BE CAREFUL NOT TO SWITCH ALL USERS TO HT BECAUSE NOT POSSIBLE TO SUPPLY MUCH UNTIL JULY.

CUTTER JAPAN STILL SELLING NON HEAT KOATE THROUGH JUNE BECAUSE OF LACK OF SUPPLY OF KOATE-HT, DELAYS IN REGISTRATION AND TIME NEEDED FOR MOH TO PASS IMPORTED LOTS THROUGH QA CONTROLS. WILL BEGIN SELLING KOATE-HT IN JAPAN IN JULY.

HAVE HAD TO SWITCH TO ALL HT KOATE IN U.K., GERMANY AND ITALY BECAUSE (OF GOVERNMENT DECREES.

 MAIN HOLD UP ON SUPPLIES CONTINUES TO BE GENERALLY INADEQUATE SUPPLY OF HUMAN PLASMA IN U.S. ALSO, NUMEROUS COUNTRIES SWITCHED OVER TO HEAT-TREATED CONCENTRATES SOONER THAN PREDICTED BECAUSE GOVERNMENTS ALLOWED PROMPT REGISTRATION OF HEAT-TREATED KOATE AND AT THE SAME TIME BANNED NON-HEATED PRODUCTS.

. . .

BC115209

(

(

٢

CGRA0000612 035 0001

Case: GRO-C	Document #: 1752-3 Filed: 02/14/08 Page 23 of 38 PageID #:10577

.

.

.

Ç, IT MAY BE POSSIBLE TO GET SOME STOCKS OF KOATE-HT IN (NO. 655-30) 500 1 UNIT SIZE VIALS. WE ARE LOOKING INTO THAT ALTERNATIVE. MAYBE YOUR 11 . DOCTORS CAN USE 500 I/U SIZE. -, PLEASE CONTINUE TO KEEP US INFORMED OF ANY NEW DEVELOPMENTS IN HONG KONG. VERY SORRY ABOUT DELAY IN GETTING IMPROVED PRODUCT TO YOU. ٢ REGARDS, (-CUTTERITL EMVL 1 . . 86246 .HKLCH HX. 1906EDT 005.80 cc: S. Conatser THEY DISC. E Alfellart Elapsed time 00:05:43 . G. Mull , I PRINTED AT 1501 PDT 05/06/85 B. Ryness ٢

.

.

``

BC115210

6

ı

....