



Royal Liverpool University Hospital

PRESCOT STREET LIVERPOOL L7 8XP TEL: 051-706 2000 FAX: 051-706 5806

Your Ref:

Our Ref:

If telephoning please ask for:

CRMH/TAA

Tel No: 051-706

GRO-C

Fax No: 051-706

11th May 1994

Dr M S Feld

GRO-C

Merseyside

GRO-C

Dear Dr Feld

RE: William Murphy - dob: **GRO-C** 34

GRO-C

Liverpool

GRO-C

Diagnosis - Severe haemophilia

Cirrhosis of the liver

Mr Murphy has more apicites than before, and as a result of this his umbilical hernia is more prominent. His scrotum is just as hard and swollen as the last time I saw him, and much worse than it was on discharge from hospital, following his recent herniorrhaphy. Achieving haemostasis is quite difficult in this gentleman since we have to replace not only factor VIII but also platelets and fibrinogen. I have added Frusemide 40 mg every second day to his Amiloride 10 mg daily. He has proved very sensitive to Frusemide before, but I am obviously anxious not to render him hyponatraemic.

His abdominal girth today was 44 cm, and his weight

Yours sincerely

GRO-C

Charles Hay

SENIOR LECTURER IN HAEMATOLOGY

DIRECTOR OF MERSEY REGION HAEMOPHILIA CENTRE

pc Professor Shield
Link 5C
RLUH

MED/C 11 792

ROYAL LIVERPOOL UNIVERSITY HOSPITAL NHS TRUST

CHAIRMAN: MR J. B. NICHOLSON C.B.E. CHIEF EXECUTIVE: MR MALCOLM P. STANLEY

