Dr Southies

Due altoched constante and limber of the sures and all the sures of th

Le view of the subject watter can I have be Ecomo Catler to you for a sentence. Canal your softy to be Pralices for information.

12/8/86

GRO-C

ELOI GRO-C

ce Dr Pala / gle



## Coleg Meddygaeth Prifysgol Cymru

## University of Wales College of Medicine

Department of Haematology
University Hospital of Wales
Heath Park, Cardiff CF4 4XN
Tel. 0222 - 755944 Ext. GRO-C

Professor A. L. Bloom

CONFIDENTIAL

12th August, 1986.

Dr. Hilary Pickles,
Expert Advisory Group on AIDS,
Alexander Fleming House,
Elephant & Castle,
London SEI 6BY.

Dear Dr. Pickles,

Further to my last letter regarding iatrogenic aids, a number of other points have come to mind. I think that Alison Smithies is considering factor VIII products at the moment, but I must admit that I am quite worried about the fact that the backlog of unscreened (HTLV III) plasma held in stock at Elstree is still being processed for heat-treated factor VIII concentrate. Although the process is very severe, this had been the virological opinion with regard to the Armour product, apart from one or two notable exceptions. I know that this matter is under discussion in which I may be involved and whilst I would not wish to anticipate the decisions at the moment, I am worried about the inclusion of unscreened plasma for fractionation.

My second point is merely to the effect that I have on my desk a protocol concerning the Immuno product called Tissucol. This fibrin foam is currently being used all over the place and is only heat-treated for 30 hours at 60° (du). This would do nothing to NANB and is the same temperature exactly used by Armour for their withdrawn batches of factor VIII. I do not know if individual donors are screened. I would not use this material on myself without a lot further information and especially as it is used for comparatively trivial indication in general and specialised surgery on uninfected patients.

\* they are

Yours sincerely,

GRO-C

A.L. Bloom.