

Wd'AM/PP

27th September, 1976.

Dr. W.J. Jenkins,  
Regional Transfusion Centre,  
Crescent Drive,  
Brentwood,  
Essex. CM15 8DP.

Dear Dr. Jenkins,

GRO-A

I am writing about Dr. Colvin's letter of 15th September, 1976 in which he lists various batches of factor VIII concentrate prepared at BPL.

Of these HJ 1058, HJ 1059, HJ 1096, HJ 1098, HJ 1104 and HJ 1106 were RPH negative at BPL and RPH and RIA negative at LSHTM.

Batch HJ 1011, 20 bottles of which were issued to you in October 1974 was RPH here and at LSHTM, but the RIA result was "diluted out" - in other words it gave a positive reaction which was not confirmable. However the batch was reported as RIA negative from another laboratory.

If any of the 20 bottles of HJ 1011 you have were given to other patients, could enquiries be made about jaundice and hepatitis. I am writing to two other laboratories which received most of the rest of this batch. Its a long shot, but worth a try.

The incubation period in GRO-A is at the very upper limit, which leads  
*might by your suggestion that the Karyotype (from subject) may have been satisfactory*  
Yours sincerely,

GRO-C

W. d'A. Maycock.

c.c. Dr. B.T. Colvin. ✓