

BMAL0000087_0001

The Handbook of Medical Ethics

Ŧ

The Handbook of Medical Ethics

: -

Published by the British Medical Association Tavistock Square, London, WC1H 9JP

ī.

The British Medical Association acknowledges with thanks the support given by the British United Provident Association in the production of this Handbook.

ISBN 0 7279 0064 1

Printed in Great Britain by Clarke, Doble & Brendon Ltd Plymouth and London

Foreword

In this Handbook we set out the broad framework of ethics within which the medical profession works. Recent changes and pressures have increased the number and complexity of the ethical problems brought to the BMA, many of which present difficult choices between courses of action.

There are certain fundamental principles underlying the whole of the book and we have attempted in the various sections to suggest how these principles should be applied in day-to-day medical work. Changes in society require reappraisal of their application, and we hope that the publication of the new edition will stimulate debate.

There is a wide area of agreement about these principles among doctors in all countries, but as conditions vary we see this book mainly as a guide for doctors and medical students, and others concerned with the moral issues raised by the practice of medicine in the United Kingdom.

The division into chapters inevitably produces occasional awkward dislocation. The headings indicate the major subdivisions of the subject.

Contents

.

:

.

-

Foreword	page 5
The history of medical ethics	9
Relationships between doctors and individu	als 11
1 Forms of Medical Relationship	
2 The Doctor in Personal Medical Care	
3 The Doctor as an Impartial Expert	
4 Research in Human Subjects	
5 Ethical Dilemmas	
Relationships between doctors and group	37
6 The Doctor and Other Groups in Society	
7 The Doctor and the State	
8 The Doctor and the Media	
Etiquette, professional discipline, the law and codes of practice	47
9 The Doctor in Practice	
10 The Doctor and the Law	
11 Ethical Codes, and Resolutions of BMA Annual Representative Meetings	
Bibliography	79
Index	83

۰,

.

-

7

The History of Medical Ethics

Because of their special knowledge and the vulnerability of their patients, members of the medical profession have traditionally been regarded as particularly trustworthy and responsible by the public. From the profession, therefore, society expects high standards, not only of scientific education and clinical skill, but also of professional and humane conduct.

In the earliest civilisations medical practitioners were paid or punished on their results. In Babylon, Hammurabi separated civil from priestly jurisdiction, and in his *Code of Laws* (1790 BC) regulated the fees of physicians who were at that time still priests, and not yet distinguished from surgeons. For successful treatment, physicians were paid in proportion to the patient's status; but if an operation was fatal, the physician's hands were cut off. There was a scale, however, and if the patient were a slave his replacement would suffice. These early laws were harsh but they demonstrate how, from the beginning, organised society has felt the need to regulate the rights and duties of physicians.

Regulation of professional standards, not by the state but by the profession itself, can be traced at least as far as the *Hippocratic Oath* (4th century BC). The Oath was a covenant between the physician and his teacher which set out an ideal by which he promised to practise (the text of the Oath is reproduced in Chapter 11).

Greek philosophy provided intellectual foundations not only for medicine, but also for the church. At the beginning of the Christian era, when medical opinion was hardening against suicide and abortion, and surgery was separated from medical practice, the Hippocratic Oath gained general acceptance. In mediaeval Christian Europe, the spirit of pre-Christian medical humanism, with its emphasis on human brotherhood, still provided general guidelines for the conduct of physicians. Beside these flourished the equally ancient traditions of etiquette, medical manners, and professional deportment—factors which had always helped the physician to establish his patient's confidence.

Modern medical ethics emerged towards the end of the 18th century. The aspirations of the middle classes were undermining the aristo-

cratic order, and with it the tripartite establishment of physicians, surgeons, and apothecaries. New voluntary hospitals not only raised public expectations but also showed how far provision fell short of need, particularly during epidemics. One particular epidemic, in Manchester during 1789, created so much difficulty and friction among the hospital staff that a local physician, Thomas Percival, was asked to draw up a scheme of professional conduct to avoid further trouble. His scheme was finally published in 1803 under the title Medical Ethics: or, a Code of Institutes and Precepts adapted to the Professional Conduct of Physicians and Surgeons. It followed the same pattern of precept and example which its author had employed in the moral education of his own children.

In 1832, one of the objects of the newly-formed Provincial Medical and Surgical Association, as outlined in its prospectus, was "the maintenance of the honour and respectability of the profession generally in the provinces, by promoting friendly intercourse and free communication of its members, and by establishing the harmony and good feeling which ought ever to characterise a liberal profession." That Association became the British Medical Association in 1856. The PMSA had appointed a Committee on Medical Ethics in 1849 and two years later, following a report by its Committee on Quackery, a Committee was appointed to frame a code of ethical laws.

It was at the instigation of the BMA that the General Medical Council was established under the *Medical Act 1858*. The principle of the Act is expressed in these words : "It is expedient that persons requiring medical aid should be able to distinguish qualified from unqualified practitioners." It did not prohibit unqualified practice in medicine, but any person who falsely represented himself as a qualified medical practitioner could be fined £20. The enforcement of some criteria of professional conduct was provided by the Act : a practitioner convicted of felony or misdemeanour could have his name erased from the *Register*. The same penalty was to be imposed on any practitioner who "shall, after due enquiry, be judged by the General Council to be guilty of infamous conduct in any professional respect."

In the 20th century, wartime experiences have marked a certain loss of innocence and idealism, while scientific progress has created new moral dilemmas in medicine and intensified old ones. Contemporary medical ethics, while retaining some of the etiquette of an earlier era, is faced with new and ever more complex problems to which the past offers no solutions.

10

ι...

Relationships Between Doctors and Individuals

1 Forms of Medical Relationship

Introduction

1.1 There are three forms of contact between a person and a doctor, in which the attitude of the patient, the constraints on the doctor, and the relationship between patient and doctor are different. It is the duty of the doctor to tell a person with whom he comes into professional contact of the nature of the relationship, and in whose interest he (the doctor) is acting.

Therapeutic Doctor-Patient Relationship

1.2 In the first form of contact a person may consult a doctor as a patient. The doctor then acts in the interests of the patient and is responsible to the patient for his actions. Most medical work takes this form.

Medical Examiner and Research Work

1.3 A doctor may act as an impartial medical examiner and report to a third party (Chapter 3) or engage in clinical or other research in his own interest, in the interests of a group of people, or the advancement of medical science (Chapter 4). In these circumstances the information gathered by the doctor will be used for purposes other than the clinical care of the patient, so the patient may properly wish to limit the information he discloses.

1.4 It would be wrong for a doctor to examine a patient on the basis of a normal therapeutic relationship when this does not exist. If the doctor who normally has a therapeutic relationship with the patient is called upon to act in a different role—eg when a general practitioner examines one of his own patients for life assurance, or when another practitioner is acting on behalf of a third party or in the course of research—the nature of the relationship should be carefully explained to the patient. A doctor whose work normally falls into the second or third relationship may also have a responsibility to a person who is his patient. Again, the most scrupulous care should

be taken by the doctor to avoid any harm to the therapeutic relationship and to confidentiality.

Confidentiality

1.5 The nature of professional confidence varies according to the form of consultation or examination, but in each of the three forms of relationship the doctor is responsible to the patient or person with whom he is in a professional relationship for the security and confidentiality of information given to him.

1.6 A doctor must preserve secrecy on all he knows. There are five exceptions to this general principle :

(1) The patient gives consent.

(2) When it is undesirable on medical grounds to seek a patient's consent.

(3) The doctor's overriding duty to society.

(4) For the purposes of medical research, approved by the Chairman of the BMA's Central Ethical Committee or his nominee (see Chapter 4).

(5) The information is required by due legal process.

1.7 A doctor must be able to justify his decision to disclose information.

Consent

1.8 The patient's trust that his consent to treatment will not be misused is an essential part of his relationship with his doctor but for a doctor to touch a patient without consent is an assault. Consent is valid when freely given if the patient understands the nature and consequences of what is proposed. Assumed consent or consent obtained by undue influence is valueless (see also 4.7). Consent, obtained without influence on the person, is particularly important where treatment is offered to prisoners or procedures are carried out on volunteers in experiments or in the Armed Forces. It is also essential that no influence is exerted through any special relationship between the doctor and the person whose consent is sought, eg teachers and students.

1.9 The necessary degree of understanding of what is proposed depends on the patient's education and intelligence, the seriousness and urgency of the condition being investigated or treated, and other

relevant factors. The onus is always on the doctor carrying out the procedure to see that an adequate explanation is given.

Consent of Minors

1.10 Section 8(1) of the Family Law Reform Act 1969 states that "the consent of a minor who has attained the age of sixteen years to any surgical, medical or dental treatment which, in the absence of consent, would constitute a trespass to his person shall be as effective as it would be if he were of full age; and where a minor has by virtue of this section given an effective consent to any treatment, it shall not be necessary to obtain any consent for it from his parent or guardian". Section 8(3) says "nothing in this section shall be construed as making ineffective any consent which would have been effective if this section had not been enacted". This sub-section arises from uncertainty as to the common law position before the passing of the Act.

1.11 A common problem is that of a patient under the age of 16 who requires treatment when no parent or guardian is available. Emergencies should not wait for consent and there can be little doubt that a court, having regard to parents' duty to provide medical care for their child, will uphold the doctor's action in providing such care as might reasonably anticipate the parents' consent (see also 4.6(c)). 1.12 For patients who need treatment for illnesses of lesser urgency the doctor must balance the need for treatment against the difficulty of contacting the parents.

Incapacity to Consent

1.13 Except when a guardian has been appointed, no individual or office holder has legal authority to consent to treatment being given to an adult who is mentally incapable of making a decision. The fact that a patient has been admitted to hospital under a section of the *Mental Health Act*, 1959, or is an informal patient in a mental hospital does not necessarily indicate his ability to give or to withhold consent. The patient's right to give or withhold consent to treatment for a physical condition is not lessened by the fact of his being admitted under that Act. The question is whether the patient is able to appreciate the reasons for the nature and the possible complications of the proposed treatment, and what would happen if the proposed treatment were withheld.

Consent to Operations on Reproductive Organs

1.14 The custom of obtaining the consent of the patient's spouse

to operations on the reproductive organs is one of courtesy not of legal necessity. Nevertheless, because the patient's partner may properly hold that he or she has an interest in such an operation, it is good practice to attempt to obtain consent from both partners (see also 10.6 on the consent of both partners to AID). Similar considerations apply to the investigation or treatment of the fetus or embryo, or of the intra-uterine environment, particularly as the fetus is incapable of giving any consent.

Medical grounds

1.15 If a doctor believes that it is not desirable to tell the patient the full implication of his condition he cannot obtain consent to disclose information. In spite of this a doctor is not prevented from giving relevant information to a relative or other appropriate person.

The law

1.16 Medical information required by law or statute falls into two categories, that which is required by statutory instrument, and individual cases in which an order is made by a Court of Law.

1.17 In the United Kingdom no privilege attaches to communications between patient and doctor, and a doctor can therefore be directed by a court to disclose such information. A refusal to comply with such a direction could lead to the doctor being held to be in contempt of Court. When asked by a Court to disclose information without the patient's consent, the doctor should refuse on the grounds of professional confidence and say why he feels that disclosure should not be enforced. The court would be expected to take the doctor's statement into consideration but if in spite of this he is ordered to answer the questions, the decision whether to comply or not must be for his own conscience. A decision to refuse, while illegal, is not necessarily unethical (see also 7.7).

1.18 Some of the accepted situations and circumstances in which a doctor is required by Act of Parliament to do, or not do, certain things are set out in Chapter 10. Intra-professional constraints are formulated and applied by the General Medical Council.

Storage and access to clinical information

1.19 The doctor must ensure, as far as he can, that all medical information is kept in a secure place. In the second and third roles 14 described earlier he is responsible for limiting the disclosure of medical information to the extent to which consent has been given.

1.20 The following statements apply to records systems in all disciplines of medical practice, and are criteria for access to records in which clinical information is held :

(a) In all medical records, information should be regarded as held for the specific purpose of the continuing care of the patient, and should not be used, without appropriate authorisation by the responsible clinician or the consent of the patient, for any other purpose.

(b) Access to identifiable information held in medical records should be restricted to the author and the person clinically responsible for the patient during the episode for which the data was collected (or their successor) unless specifically authorised by the clinician in the interests of the patient. Access to clinical data of previous episodes of illness should be available to the clinicians currently providing care for the patient. Access to such information should only be made, where practicable, with the patient's consent.

(c) An individual is not to be identifiable from data supplied for statistical or research purposes. If follow-up of the individual patient is a necessary part of the research, the patient must have previously given consent, or consent to the release of information for the medical research project must be obtained from the Chairman of the Central Ethical Committee of the British Medical Association or his nominee.

1.21 A doctor has a duty to examine record storage systems and if he is not satisfied with the security and confidentiality of his patients' records, he should refuse to place clinical information in them.

2 The Doctor in Personal Medical Care

Choice

2.1 A person is free to choose the doctor from whom he wishes to obtain medical advice. Equally a doctor is free to accept or refuse any person as a patient with these exceptions :

(a) In an emergency where a doctor is bound to provide any treatment immediately necessary and to ensure that arrangements are made for any necessary further treatment.

(b) In isolated communities where the doctor is the only source of medical advice.

2.2 However, the organisation and rules of Social Security may have the effect of limiting the choice of those participating in the Scheme. In NHS general practice a Family Practitioner Committee has the power to assign a patient to a doctor whether he agrees or not. Nevertheless, the fundamental principle is one of free choice.

Overall management

2.3 It is good medical practice for one doctor to be responsible for the overall management of a patient's illness. It is important for the doctor to establish at the outset whether any other doctor is treating the person, and if so the person should ask the previous doctor to agree to the person being seen by another colleague.

2.4 Referral from general practitioner to consultant has evolved in the patient's interest. A doctor in specialist practice should not accept a patient without reference from a general practitioner except in the following circumstances :

(a) In an emergency.

(b) If he is asked for a confirmatory opinion or specialist opinion on a different aspect of the case by the specialist to whom the patient has been properly referred.

(c) If reference back to the general practitioner would produce delay seriously detrimental to the patient. The specialist should inform the general practitioner as soon as possible of the action he has taken and the reason for it.

(d) If referred by doctors in the school or other community child health services—but only after the general practitioner has been given the opportunity to refer the child himself.

(e) If it is for a consultation in venereology.

(f) If inquiry indicates that the consultation is for a refraction examination only.

(g) If the patient is referred from overseas.

(h) If the patient is seeking contraceptive advice and treatment on social grounds and is unwilling to consult her own general practitioner about contraception, or she states that her own general practitioner does not provide contraceptive services. At the

time the advice and treatment is sought it should be explained to the patient that it is in her own best interests that her general practitioner be informed that contraception has been prescribed and of any medical condition discovered which requires investigation or treatment, and every attempt should be made to obtain permission to contact the general practitioner prior to prescription or fitting of a contraceptive device. This is particularly important if the patient is at the same time under the active clinical care of her own general practitioner or that of another doctor.

Trust

2.5 The General Medical Council has said of the relationship between doctors and their patients :

"Patients grant doctors privileged access to their homes and confidences. . . . Good medical practice depends upon the maintenance of trust between doctors and patients and their families, and the understanding by both that proper professional relationships will be strictly observed. In this situation doctors must exercise great care and discretion in order not to damage this crucial relationship."

2.6 The relationship between patient and doctor is based on trust. The doctor will be constantly on his guard to be objective in his judgment in the face of the many outside pressures which may be exerted on him. These may be economic, or pressures from relatives, advertising, the media, or from other sources.

2.7 A doctor is entitled to decline to provide any treatment which he believes to be wrong, but there is a distinction between treatment which a doctor believes to be detrimental to a patient's best interests, and treatment to which a doctor has a conscientious objection. A doctor must not allow his decision as to what is in the patient's best interests to be influenced by his own personal beliefs. If a person who is already a doctor's patient requests treatment which that doctor believes to be against that patient's best interests, he should tell the patient and point out that the patient has the right to seek advice elsewhere. If a person who is already a doctor's patient is found by the doctor to need treatment which the doctor cannot provide or take part in because of the doctor's own principles, the doctor must tell the patient and ensure that the patient is referred to alternative medical care (see also 5.6).

B

2.8 Good communication between patient and doctor is of prime importance. A failure of communication in whatever form of practice is probably the commonest cause of breakdown in the relationship between the two.

Doctors in specialised communities

2.9 Doctors who serve specialised communities may face additional ethical problems. The peculiar nature of the environment may modify the balance between the doctor's duty of professional confidence to his patient, and the overriding needs of the community. These groups include :

Prison Medical Officers Armed Forces Medical Officers Ships' Surgeons Expedition Doctors

Prison Medical Officers

2.10 A prisoner cannot usually choose his doctor. Apart from this single restriction a prisoner has a right to the same medical attention as any other member of society, and a prison medical officer's responsibility to, and professional relationship with, his patient is the same as that of any doctor working outside prison (see also 4.7 and 7.10-7.21).

Armed Forces Medical Officers

2.11 A doctor in the Armed Forces has to obey any lawful command that is given to him. Disobedience is an offence punishable by court martial. It is obvious that the command may conflict with his ethical responsibilities. In all three services a serving doctor is responsible for his professional actions to the same extent as a civilian medical practitioner and he is expected to work within the same ethical constraints as the rest of the profession. The ethica freedom of serving medical officers is guarded by the medical Direc tors General. They have accepted that they must ensure that no medical officer can be required to treat a patient in accordance with a given policy when the doctor believes that the treatment is not in that individual's best interests.

2.12 A patient who consults a doctor in the services should be aware that the duty of the doctor to keep secret the information given to him is importantly modified. When a person joins the services he 18

tacitly consents to give up some of the freedoms of civilian life. One of these is strict confidentiality, because there are times when a medical officer is required to discuss cases with his commanding officer in the interests of the unit as a whole.

2.13 When a serviceman takes his family on an accompanied posting, the health of the family may affect both the serviceman and the unit. The special relationship between the serviceman, his medical officer, and the commanding officer does not extend to the family. So the medical officer may discuss the implications but not the clinical details.

2.14 The ethical standards set out in Chapter 7 relating to interrogation and punishment apply both to serving medical officers and to civilian practitioners.

Ships' Surgeons

2.15 Medical Officers employed in the Merchant Navy work in an environment that is similar in one respect to that of Armed Forces doctors. The community may be put in danger if the captain of a ship is unaware that a member of the crew is incapable of carrying out his duties, or that a passenger is so ill as to constitute a risk to other people on board.

2.16 The Medical Officer's decision in these circumstances is a negative one. Unless he decides that the damage to his patient will be out of proportion to the risk of giving information obtained from his work to the captain, the doctor should feel able to discuss cases in outline if he believes that there is a risk to others in the community.

Expedition Doctors

2.17 The relationships between the members of an expedition, the medical officer, and the expedition leader are similar to those on a ship.

3 The Doctor as an Impartial Expert

3.1 The second form of contact occurs when a person is examined by a doctor who reports the outcome of his examination to a third party.

3.2 Consent to an examination carried out in these circumstances

٩

is essential unless the examination is ordered under statutory authority (Chapter 10), and even then a doctor may refuse to examine a person against his will. The person's lack of collaboration is then a matter between him and the statutory authority.

3.3 A person may properly wish to limit the information he discloses to a doctor who will report to a third party. Police surgeons, occupational physicians, and doctors carrying out life assurance and other examinations should make sure that the person understands the doctor's role before the examination starts.

3.4 If a doctor has a concurrent therapeutic relationship with the person, patient as well as examinee, it is essential that the doctor should be scrupulously careful to distinguish between his two roles.

Community medicine

3.5 Community medicine is that medical specialty which deals with populations or groups rather than with individual patients. In the context of a national system of health care it comprises those doctors who try to measure the needs of the population, both sick and well, who plan and administer services to meet those needs and those who are engaged in research and teaching in the field.

3.6 Community physicians face ethical problems of a different nature. They fall into three general categories: (1) those affecting the individual patient and the community; (2) those affecting the doctor's own personal views and standards; and (3) those affecting the doctor's relationships with his colleagues.

The Individual and the Community

3.7 How to balance the needs of the individual against the rights of society is not a new question. With the increasing interdependence of individuals in society and the growth of social care, the balance has been moving away from the individual towards the community and, indeed, towards the State.

Provision of Services Contrary to Individual Ethical Beliefs

3.8 Services contrary to the beliefs and ethical standards of some doctors have been introduced by legislation. For example, abortion and contraception for the unmarried may present special problems to doctors appointed to advise authorities on the provision of services.

3.9 The community physician may find himself giving advice to a 20

Health Authority which serves people with many different ethical views. He may be unable to ascertain the wishes of them all and therefore unable to decide whether he should support the provision of a service with which he personally disagrees, or whether it is enough to state his own view and then in his executive capacity implement the authority's decision. The community physician has a duty to assess the need as accurately as possible and to be aware of the dangers inherent in the method of assessment. He must also keep economic factors in mind and if resources need to be allocated for more urgent things he should say so. If a community physician is satisfied that there is a case for the introduction of a service, it would be unrealistic and inappropriate for him to oppose it, even though he disagrees with it on personal ethical grounds. He has a moral duty, however, to continue to declare his own ethical position and is entitled to persuade others that it is the most appropriate one.

Intra-Professional Relations

3.10 Relations with clinical colleagues are well illustrated by consideration of medical recommendations for re-housing. Local Authority councillors may argue that they cannot effectively deal with applications for re-housing without a detailed understanding of the medical background. The ethical situation of the community physician is complex. He has no professional relationship with the patient and may feel compelled to recommend a course of action contrary to that suggested by the information with which he has been supplied. The clinician may, with the consent of the patient, reveal medical facts to the community physician. The community physician is ethically accountable for what he does with this information. In other circumstances, however, the clinician may, with the patient's consent, complete a form which is obviously intended for wider non-medical circulation. When such a document is forwarded to the community physician his task is to interpret it to the organisation to which it is directed and not to assume the clinician's responsibility for the confidentiality of any information so conveyed.

Occupational medicine

3.11 An occupational physician has to be particularly careful. He holds his appointment from the management, but his duties concern the health and welfare of the workers, individually and collectively.

He deals constantly with other doctors' patients. But these considerations do not alter the doctor-patient relationship; the fact that the doctor is employed and paid by a company or other employer does not mean the employer has the right to see the results of examinations or notes written by the doctor. Only with the consent of the person examined may the employer have access in specifically agreed circumstances to that person's medical records. It cannot be assumed that this consent has general applicability.

3.12 If an employer explicitly or implicitly invites members of his staff to consult the occupational physician the latter must still regard such consultations as confidential.

Intra-Professional Relations

3.13 The occupational physician should treat patients only in cooperation with the patient's general practitioner except in an emergency. This applies also to the use of any special facilities or staff which he may have. Before telling the general practitioner of any findings or treatment, he should obtain the person's consent to do so. 3.14 If the occupational physician believes that the worker should consult his general practitioner, he should urge him to do so.

3.15 The occupational physician should refer a patient directly to hospital only in consultation or in agreement with the general practitioner.

3.16 The occupational physician does not usually have to confirm that absence from work is due to sickness. If the occupational physician proposes to examine a worker who is or has been absent for health reasons, he should tell the general practitioner when and where he is going to do it.

3.17 The occupational physician should not give opinions as to liability in accidents at work or industrial diseases without the consent of the parties concerned, except when legally required to do so.

3.18 Occupational physicians should not influence—or appear to influence— any worker in his choice of general practitioner.

Employment medical advisers and occupational physicians

3.19 Many of the conflicts of interest in Occupational Medicine are similar to those already outlined. In particular, statutory and other periodic medical examinations may affect continued employment in a particular job. The patient must be reminded of the doctor's role 22 ł

ŧ

as the agent of a third party. Airline pilots, workers in the atomic energy industry, and medical staff developing allergies to drugs are examples of the difficult cases which have to be tackled. So too are employees whose sickness absence record is substantial. In these cases an industrial tribunal will have to be satisfied that the doctor has acted equitably. While the employer has no right to clinical detail of sickness or injury, the doctor he employs can be reasonably expected to interpret those details in terms of

-the likely disability of the patient at that time;

-the term of the disability.

3.20 The Medical Advisory Committee of the Health and Safety Executive is reviewing the need for periodic statutory investigations in various industries and processes (see also 10.7). The employee has rights analogous to the patient being examined by a police doctor, in that he may refuse to be examined, but must bear the consequences of that refusal.

3.21 Individual clinical findings are confidential, though their significance may be conveyed to a third party. Thus, while an individual reading of a laboratory result may not be published, it may be proper to disclose that an individual or a group show a significant degree of exposure to a potentially toxic hazard.

Police surgeons

3.22 A police surgeon may not only have to examine patients on behalf of the police, but also to examine and treat ill patients in custody. The doctor should be clear where his responsibilities lie. It would be improper for him to disregard the ordinary guidelines for confidentiality (Chapter 1) when he is treating a detained person as a patient (see also 7.20-7.21).

Examination

3.23 The police surgeon should identify himself to the person to be examined and explain the purpose of the examination, and of any specimen which may be requested. The person in custody is not obliged to submit to medical examination or treatment, or to provide specimens for forensic examination. In the absence of consent, therefore, any treatment or attempt to obtain specimens would constitute an assault.

3.24 Where the consent of the person in custody has been obtained, the examination should, if possible, be witnessed by a third party. A police officer may be present but should not be within earshot. In the case of a woman in custody, a policewoman or other female should be present. If a solicitor wishes to be present during the examination, the consent of the accused should be obtained.

Minors

3.25 Relatives may be present at the examination of a person under the age of 16 if they request it. If no relatives are available a minor may have to be placed under legal guardianship of the police or Social Services in order that consent may be obtained (see also 1.10).

Unconscious Patient

3.26 Examination and procedures to ensure the life of a person in custody may be carried out without consent if the person is unconscious. Specimens may be taken for biochemical investigations, ie diagnostic purposes, but the results of tests must not be used for forensic purposes without the subsequent consent of the patient. If the individual is under 16 a parent or guardian can give consent to these procedures.

Fitness for Custody and Observation

3.27 The information obtained on examination is confidential and only sufficient detail should be given to the police to enable them to take proper care of the individual. In the cases of serious illnesses some information may be given, but not if the illness is the result of the patient's indiscretion eg, venereal disease. Information obtained as a result of *observation* where consent to examination has been refused may not be revealed without the consent of the accused, except on the direction of a court.

3.28 If a person is examined for fitness to stand trial, to give evidence, make a statement, or for jury service, the doctor may give his opinion, but should not disclose clinical details without the consent of the individual.

4 Research in Human Subjects

4.1 The third form of contact with doctors occurs in the field of research. The law lays down a minimum code in matters of pro-24 fessional negligence and the doctrine of assault, but this is not enough. Most patients trust their doctors and will consent to any proposal. Experimental procedures are nearly always too technical for patients or non-experts to understand. For practical purposes, therefore, the doctor concerned carries a moral responsibility for the investigations that are, or are not, proposed to his patient or volunteer.

4.2 Medical advances have always depended upon the public's confidence in those who carry out investigations on human subjects. This confidence will be maintained only if the public believes that such investigations are submitted to rigorous ethical scrutiny and self-discipline. It is unethical to conduct research which is badly planned or poorly executed.

4.3 Codes, regulations and laws help to keep standards of ethical behaviour high, but volunteers and patients are best protected by ethical conduct. The subjects' interests must come first.

Controlled clinical trials

4.4 Controlled trials are useful in deciding the value of a particular type of therapy when comparable groups of subjects are available. The comparison may be with a procedure previously generally accepted as valuable, or with a placebo, or both. Consent must be obtained from the individual subjects; when obtained by a member of the investigating team, it should be obtained before randomisation if that is part of the method.

4.5 Because of the ethical problems which may arise, controlled clinical trials should always be approved and supervised by a properly constituted ethical committee. Any doctor must remain free to remove a patient under his care from such a trial, or to give additional treatment at any time if he feels it to be in the patient's best interest. Any patient must also remain free to withdraw from such a trial.

Research on Children

4.6 Investigators who plan projects which require research on children should pay attention to the following points :

(a) The investigator must ask himself if the project can only be carried out with the use of children. The risks must be properly assessed and weighed against the benefits, and the investigator should be prepared to defend and justify the ethics of the research to colleagues and to the local ethical committee.

(b) The project should be submitted to the local ethical committee for approval. Adequate background information must be provided to allow the scientific merit of the proposal to be judged as well as the ethics. The investigator should indicate the method he will use to obtain consent ie, from the parents and/or the general practitioner, or consultant in charge of the case.

(c) For pregnant women, infants, and children under 10 years of age the requirements for informed consent should be particularly stringent. Parents should be aware of their right to withdraw consent at any time if reflection or experience gives them cause for concern. It may be appropriate to prepare a brief written statement about the nature and purpose of the project which can be incorporated in the consent form, a copy of which should be retained by the parents.

Research on Prisoners

4.7 Consent obtained by undue influence is valueless. A prisoner might expect benefits from agreeing to participate in a research procedure or controlled trial, even if these had not been offered. It is, therefore, unethical to carry out a research procedure on a prisoner that is of no direct benefit to the affected individual.

Research in Occupational Medicine

4.8 A doctor in occupational medicine may be called upon to undertake research upon workers in a particular industry for the purpose of statutory investigations (see also 10.7).

ъ

Clinical trials of new drugs

4.9 New drugs are assessed at various stages in their development by the Committee on Safety of Medicines (CSM). Hospital doctors and general practitioners may be asked to take part in a clinical trial. They will not be acting unethically if they agree to do so provided they are certain that the trial is necessary and that it will be well organised and executed (see also 2.6).

4.10 The standard protocol for the introduction of a new drug has a number of stages. Once the drug has been synthesized and preliminary investigations suggest that it has pharmacological activity, a programme of chemical, pharmaceutical, and animal investigations is started. Data on these investigations, as well as controlled human pharmacological studies, are submitted to the CSM in an application for permission to undertake clinical trials (the *Clinical Trials Submission*).

4.11 If the CSM is satisfied with the data, permission is granted for a limited number—usually three or four—of controlled studies in patients. After analysing the results, together with any other preclinical investigations, the CSM allows further clinical trials with more patients.

4.12 Finally, a submission containing all the data is put to the CSM for permission to market the drug (the *Marketing or Product Licence Submission*). From synthesis to marketing rarely takes less than four years. Various types of clinical trials are undertaken in hospitals and in general practice during the earlier stages and when a drug is marketed. General practice studies are often the final step before a marketing submission is made, and more are usually performed when the drug is freely available. These studies are carried out not only to identify the drug's main indications, but also other factors such as efficacy, patient compliance and adverse reactions.

5 Ethical Dilemmas

5.1 This chapter is concerned with the application of general ethical principles, although a consensus has not yet been reached on the problems discussed.

Screening

5.2 Presymptomatic screening involves a departure from the traditional doctor-patient relationship and therefore has ethical implications. Has the medical profession any responsibility for "discovering" illness as distinct from responding to it when it presents itself? People believing themselves to be ill and presenting for treatment are only a proportion of the ill people within the community. Some are unwell but do not seek medical help; others do not know that they are ill. The ethical dilemma lies in the fact that screening could reveal many sick persons who do not at present seek medical help.

5.3 Before embarking on a screening programme a doctor must satisfy himself that:

(a) the population wishes to know whether or not it has the disease for which he is screening.

(b) the screening techniques he will use are reliable and will not give an unacceptable level of false negatives or false positives.

(c) medical science has the ability, and the population the financial resources, to treat the disease discovered.

5.4 In considering the financial implications the doctor should remember that it will be some time before the cost of the screening programme is offset by the benefits accrued from earlier diagnosis of the disease.

Termination of pregnancy (abortion)

5.5 The general principles enunciated in the Statement on Therapeutic Abortion by the World Medical Association in 1970, known as the Declaration of Oslo (reproduced in Chapter 11) are broadly applicable to practice in the United Kingdom. However, legislation in different countries varies and the Abortion Act 1967 has created problems for the doctor.

5.6 Because risk of injury to the health of a woman is statistically smaller if the pregnancy is terminated in the early months than if it is allowed to go to term, some people argue that abortion is justified if the woman requests it. But she needs a doctor to do it and the Act contains a "conscientious objection" clause by which the doctor can refuse to participate in treatment, though he has a duty to allow his patient access to alternative medical advice, if she wants it. There are three other problems arising from the 1967 Act and these are outlined in paragraph 5.7 to 5.9.

5.7 The patient's immediate wishes may conflict with the doctor's judgment of her best long-term interests. If so, the doctor should be prepared to make arrangements for the patient to obtain a second opinion.

5.8 If a girl under the age of 16 requests termination without her parents' knowledge, the doctor may feel conflict between his duty to confidentiality and his responsibilities to the girl's parents or guardian. This cannot be resolved by any rigid code of practice. The doctor should attempt to persuade the girl to allow him to inform her parents or guardian, but what he decides to do will depend upon his judgment of what is in the best interests of the patient.

5.9 The Abortion Act 1967 specifically states that "nothing in the Act shall affect the provisions of the Infant Life (Preservation) Act 1929". This Act makes reference to a child "capable of being born alive". It further states that if a woman has been pregnant for 28 28

.

.

τ

weeks or more it shall be prima facie proof that her child was capable of being born alive. However, it does not state that a child born before 28 weeks is not capable of being born alive and in fact such premature babies have sometimes survived. The doctor should recommend or perform termination after 20 weeks only if he is convinced that the health of the woman is seriously threatened, or if there is good reason to believe that the child will be seriously handicapped. If the doctor is uncertain he should always consult other colleagues, follow his own conscience, and act in the best interests of his patient.

Severely malformed infants

5.10 Though many doctors may be involved in the care of severely malformed infants, one doctor must assume leadership. The doctor's leadership does not detract from the necessity for a clear understanding as to who is finally responsible for decisions about whether the child should be treated or not. Adult patients can make their own decisions, but for an infant the parents must ultimately decide. The responsible physician must help the parents to understand the choices. They may wish to consult other doctors they know and trust, such as their general practitioner, who will assist the family in their decision.

5.11 The parents must never be left with the feeling that they are having to make these decisions without help. The doctor must attend primarily to the needs and rights of the individual infant, but in this situation he must have concern for the family as a whole.

5.12 The doctor must find a just and humane solution for the infant and the family, to which consultation with hospital colleagues, the general practitioner, nurses and social workers may contribute.

Artificial insemination by donor semen

5.13 Artificial insemination using semen from a donor raises a number of ethical problems. The doctor has a professional duty to consider the circumstances, in so far as they can be foreseen, of the child born as a result of successful insemination. He cannot act merely as a technician; he should be satisfied that the people concerned have considered all the implications (see 10.6).

Genetic counselling and investigation

5.14 The right to privacy in genetic counselling and research ma be questioned because the individual affected may not be the onl one who can benefit from medical advice. The problem occurs when one member of a family is found to be carrying an abnormal gene but is reluctant to allow this knowledge to be disseminated to othe family members. Is it the individual or the group that is entitled to benefit from this information? Doctors must respect confidential in formation about individuals, but should they withhold information from people who can benefit medically from it? These question can only be defined in terms of the individual, the group and society Certainty about an individual's genotype might affect his attitude to life, and society's attitudes to him, with the possibility of con siderable medical, economic and social repercussions.

5.15 The importance of such information probably outweighs the importance of complete individual medical confidentiality, providing that the information is kept to the medical profession and to those entitled to it because of their potential carrier state. Consideration must be given to informing the spouse, or potential spouse of a carrier, because he may bear some responsibility for passing such genes on to future generations.

Euthanasia

5.16 The literal meaning of euthanasia—"gentle and easy death" carries no ethical difficulties for a doctor. Indeed, the doctor has a responsibility to ensure that his patient dies with dignity and as little suffering as possible. The second meaning—"mercy killing"—calls fo further comment. The position is now complicated by the applica tion of "compulsory", "voluntary", "active" and "passive" to eutha nasia. In no country is euthanasia legal. Voluntary euthanasia bill were defeated in Parliament in 1936, 1969 and 1976.

5.17 Compulsory euthanasia—meaning a decision by society tha an individual, either against his will or without being able to con sent, should have his life terminated—is totally abhorrent to the medical profession.

5.18 Voluntary euthanasia—in which an individual, either in ad vance or at the time but in full control of his faculties, expresses a wish that in certain circumstances his life should be terminated does have followers and there are associations for its promotion.

5.19 The distinction between *active* euthanasia, in which drugs are 30

given, or other procedures carried out to cause death, and *passive* euthanasia, in which drugs or other procedures which might prolong life are withheld, generally applies to voluntary euthanasia. Some people regard passive euthanasia as simply not interfering with the course of nature. The argument may be complicated by the ethics of giving drugs, such as analgesics, in increasing doses and thus indirectly shortening life.

5.20 Doctors vary in their approach to passive euthanasia but the profession condemns legalised active voluntary euthanasia.

Brain death

5.21 In October 1976 the Conference of Medical Royal Colleges and their Faculties in the United Kingdom published a report expressing the opinion that "brain death" could be diagnosed with certainty. A subsequent report by the Conference of 15 January 1979 concluded that the identification of brain death means that the patient is dead, whether or not the function of some organs, such as a heart beat, is still maintained by artificial means (see Chapter 11). Termination of the artificial support, therefore, is not an act of euthanasia.

Tissue transplantation

5.22 The profession is satisfied that the interests of live adult donors are adequately safeguarded by codes covering investigative and surgical procedures. Written consent should be obtained from the donor after a full explanation of the procedure involved and the possible consequences to him. The donor may also be advised to discuss the procedure with relatives, religious advisers, or anyone close to the patient, and these advisers should be able to meet the doctors if they wish.

5.23 There are probably no circumstances in which a child can be considered a suitable donor of non-regenerative tissue. There is no legal certainty about a parent's right to give consent on behalf of the child, but if this exists that right cannot extend to any procedure which is not in the child's best interests.

5.24 Bone marrow transplantation is an example of the donation of regenerative material. In many cases tissue comparability and the natural history of the disease means that the only suitable donor will be a child. In cases where a doctor considers the discomfort to a donor is minimal, it is not unethical to perform a bone marrow

be handled ethically in the context of a compassionate and objective assessment of the individuals and families concerned.

5.25 For the transplant of unpaired organs, the only possible donor is a dead person. Death may be certified after brain death, and the decision that brain death has occurred should be made by two or more doctors unconnected with the transplantation. One of these doctors should have been qualified for five years or more.

Artificial feeding

5.26 The question of whether or not a prisoner should ever be fed artificially if he refuses nourishment illustrates an important principle. The Declaration of Tokyo says that "Where a prisoner refuses nourishment and is considered by the doctor as capable of forming an unimpaired and rational judgment concerning the consequences of such a voluntary refusal of nourishment, he or she shall not be fed artificially. The decision as to the capacity of the prisoner to form such a judgment should be confirmed by at least one other independent doctor. The consequences of the refusal of nourishment shall be explained by the doctor to the prisoner." (The full text of the Declaration is reproduced in Chapter 11.)

5.27 This categorical repudiation of forcible feeding of a prisoner who is lucid at the outset of a hunger strike overlooks some difficult medical and ethical problems. Whether all prisoners slowly dying of self-imposed starvation remain lucid to the moment of death seems questionable. The ethics of forcible feeding may be regarded as a special case of the much discussed question of "the right to die". In whatever context this problem may be considered, the physician is confronted by two conflicting ethical imperatives : his duty to do all in his power to preserve life, and his obligation to respect the right of a rational patient to refuse even a life-saving intervention. Different physicians might resolve this ethical dilemma in different ways, and might be influenced by such factors as the age, personality, and family status of prisoners, and the length of their prison sentence (see also 7.15).

Suicide attempts

5.28 If a physician or other health worker may be a passive spectator of slow suicide by starvation, does the same apply to suicide by 32 other means, such as the severance of blood vessels, swallowing of foreign bodies, or attempted hanging? No. Because of the protracted nature of death by self starvation, a doctor has time to satisfy himself that the subject fully understands the consequences of his act. The other methods of suicide present as acute emergencies, and the doctor has to act without having time to discuss the implications with the subject. In these cases a doctor must assume that after rational discussion the subject would not wish to die.

Reduction of services to patients

ſ

5.29 The obligation not to damage care for actual patients and to refuse to work under inadequate conditions is strengthened by the doctor's necessary authority as the person identifiably responsible for the management of the patient's illness.

5.30 The doctor must decide whether or not conditions are adequate for him to provide care of patients. Refusal by a doctor to work for patients on the grounds that adequate conditions are lacking is not industrial action but the performance of his duties. He does not stop his work by refusing to proceed with the care of patients, since it is part of his practice continuously to exercise his judgment as to the adequacy of conditions for diagnostic and therapeutic work. Such refusals to proceed, so far from being action *against* patients, as they are sometimes perceived as being, in fact constitute action on behalf of the patient (see also 6.2).

5.31 If a doctor is in dispute over his pay and conditions of employment the dilemma he faces is entirely different from the problems associated with inadequate conditions for his care and treatment of patients. The ethical obligations and responsibility of a doctor towards patients under his active clinical care are unchanged. The individual doctor's primary ethical obligation is to his patient, and only on those terms can he be employed by others. In a free society it must remain an essential part of any contract between the State and doctors that this ethical obligation is respected by both.

5.32 Those who maintain that it is always unethical for a professional man to withdraw his services, which in the view of many is the only effective weapon available to him when persuasion fails, are in danger of accepting for doctors a position of subservience to their employers that would eventually preclude them from maintaining their professional standards. The desire not to harm patients by direct action may then result in harming them by doing nothing.

С

5.33 It is difficult to reach any conclusion other than that the State and the profession have a peculiar obligation to one another. The profession should not require the State to renegue on its social responsibilities and the State should not require doctors to renegue on their ethical responsibilities.

5.34 The dilemma that exists and seems likely to persist is that the two sets of responsibilities are occasionally incompatible, if not in direct conflict. For example, the profession may justifiably think that it has an ethical responsibility to provide the best available treatment, while the State may regard itself as being responsible to the community to limit the resources available to the National Health Service on criteria other than the needs of patients. With this type of conflict one or other view cannot be sustained, and each individual is thrown back on his own ethic to determine what action he will take.

5.35 Doctors hold widely differing views about withdrawal of their services. Some think that in no circumstances is it "ethical" for them to withdraw any part of their services; others say that this is the only effective weapon that they can use to enforce their legitimate demands (with various opinions within the latter on what constitutes "legitimate" demands).

5.36 Withdrawal of services from a monopoly employer has much greater consequences for the community than withdrawal of services from a near-monopoly employer or from one of a number of competing employers, since in the former case no alternative exists to provide even an emergency supply. Within a monopoly NHS doctors could not treat patients outside it, and would therefore find themselves totally prevented by their ethical responsibilities from even a temporary withdrawal of services. Such a situation would present the ethical dilemma at its most critical.

5.37 In a near-monopoly situation the profession could, at least in theory, withdraw from its employer all services other than an emergency service and could provide, for the treatment of other patients, a service on another basis.

5.38 As in so many ethical dilemmas, differences of interpretation arise from disagreements on how far the immediate interests of patients can be sacrificed to their long-term interests. Assuming that withdrawal of services, to be effective, necessarily involves some element contrary to the interests of patients, then clearly what is ethically acceptable depends on the degree of disadvantage to patients that would result from the action.

Allocation of resources

5.39 Within the National Health Service resources are finite, and this may restrict the freedom of the doctor to advise his patient, who will usually be unaware of the limitation. This situation infringes the ordinary relationship between patient and doctor, described in Chapter 2. Some of the situations which may arise are discussed briefly.

5.40 The resources made available to the NHS by Parliament can never be infinite. Patients will seek advice in situations where the doctor believes treatment to be desirable; however, because of limitation of resources, such treatment may not be available at that time or place within the NHS. The doctor has a duty to explain the position to the patient, including an assessment of any medical implications of delay, unless it is not in the patient's interests to be made aware of the risks of delay. Should the patient request a second opinion, or an opinion in different circumstances, the doctor should assist him in obtaining such an opinion.

5.41 If, as a result of resources restriction, the overall conditions in which a doctor is required to practice within the NHS fall below a minimal level of acceptability to the doctor, he may feel that it would be unethical to continue to advise patients in a situation where his ability to offer treatment is curtailed through no fault of his own. As the resources available within the NHS are limited, the doctor has a general duty to advise on their equitable allocation and efficient utilisation. This duty is subordinate to his professional duty to the individual who seeks his clinical advice.

Individual responsibility for health

5.42 The question must also be asked, does society wish to encourage the individual to rely on his doctor or to encourage greater individual responsibility for health? If the patient is accurately and responsibly informed, the trend towards increasing individual responsibility for personal health should be encouraged, so that through education the individual will be more selective as to when he consults his doctor. But when he does he must be able to have absolute confidence in the ability of his doctor and the confidentiality of the consultation.

Relationships Between Doctors and Groups

ł

6 The Doctor and Other Groups in Society

Social change and multidisciplinary care

6.1 The doctor, traditionally a person of authority, now has his opinions questioned by individuals and groups with increased medical knowledge, with the result that the ethical implications of his actions are under scrutiny as never before.

6.2 Conflict between non-medical staff and their employers may disrupt the medical care of sick people. The doctor is not under any obligation to take new patients under his care, and should not do so unless he is satisfied that he can treat them properly. He must look after the patients already under his care as well as possible in the circumstances, unwillingly accepting that the actions of others may impede him. If, however, a doctor believes that he cannot look after a patient safely then he should tell his patient and try to arrange for alternative medical care.

6.3 Another change of attitude with ethical implications concerns claims by non-medically qualified people, that doctors should not have sole authority over diagnosis, referral, treatment, the granting of access to resources, and rehabilitation. This development has deep significance for patients, for all the health professions, and for the health services.

Paramedical Professions and Professions Supplementary to Medicine

6.4 The professions must find ways of protecting the right of the individual to confidential communication with any professional person he chooses. A doctor may trust the person to whom he discloses information either because he knows him personally, or because his profession is subject to similar ethical standards with adequate sanctions, as are nurses and members of the professions supplementary to medicine, by virtue of their registration with the General Nursing Council and the Council for Professions Supplementary to Medicine. 6.5 When working with a member of one of the other professions, a doctor's duty is to reveal only sufficient information about a

patient for the patient's clinical care. The doctor remains responsible to the patient for the confidentiality of that information after he has given it. In deciding whether or not, or how much information to disclose, the doctor must also consider the recipient's standing within his profession.

6.6 The doctor must not have a financial relationship with other practitioners in a professional relationship with the same patient. Such a relationship, particularly if fees are shared, may influence or appear to influence the medical practitioner's treatment of his patients.

Improper Delegation of Medical Duties

6.7 In its booklet Professional Conduct and Discipline (January 1979), the General Medical Council stated :

"The Council recognises and welcomes the growing contribution made to health care by nurses and other persons who have been trained to perform specialised functions, and it has no desire either to restrain the delegation to such persons of treatment or procedures falling within the proper scope of their skills or to hamper the training of medical and other health students. But a doctor who delegates treatment or other procedures must be satisfied that the person to whom they are delegated is competent to carry them out. It is also important that the doctor should retain ultimate responsibility for the management of his patients because only the doctor has received the necessary training to undertake this responsibility.

For these reasons a doctor who improperly delegates to a person who is not a registered medical practitioner functions requiring the knowledge and skill of a medical practitioner is liable to disciplinary proceedings. Accordingly the Council has in the past proceeded against those doctors who employed assistants who were not medically qualified to conduct their practices. It has also proceeded against doctors who by signing certificates or prescriptions or in other ways have enabled persons who were not registered medical practitioners to treat patients as though they were so registered." (See also 9.27.)

Communication

6.8 The practice of medicine necessitates frequent communication with other professions. This is increasingly the case and the physician has at all times a "duty of clarity". Whether engaged in dis-38 cussion in the multidisciplinary forum, telephoning instructions to a ward, or writing a prescription or other therapeutic note, the doctor should aim to eliminate ambiguity, doubt or illegibility. Clear messages diminish the possibility of mistakes and harm to patients.

Nurses

6.9 Nurses are conscious of their own professional status and nursing expertise. It is essential for the well-being of the patient, however, that the doctor be accepted as the leader of the health care team, ultimately responsible for all that happens to the patient. The Royal College of Nursing issued a discussion document setting out a code of professional conduct for nurses in November 1976. The code states that in the case of medical treatment nurses are under an obligation to carry out a doctor's instructions, except where they have a good reason to believe that harm will be caused to the patient by so doing. In cases in which nurses' continuous contact with the patient has given them a different insight into the patient's medical needs, they are under a moral obligation to communicate this to the doctor in charge of the case.

6.10 A nurse may on occasion be more aware of the needs of a patient than a doctor, and the relationship between nurses and doctors should be based upon respect for each other's area of expertise within the framework of ultimate responsibility.

6.11 It must be reiterated that it is unethical for a doctor to delegate work unless he has satisfied himself of the competence of the person concerned. The competence of a nurse may vary considerably according to the type of training undertaken, and the experience gained during training.

Professions supplementary to medicine

6.12 At the moment, the Professions Supplementary to Medicine include Chiropodists, Dietitians, Medical Scientific Officers (formerly Laboratory Technicians), Occupational Therapists, Orthoptists, Physiotherapists, Radiographers and Remedial Gymnasts. Under the *Professions Supplementary to Medicine Act 1960*, each of the professions has a Board and a disciplinary committee. There is a co-ordinating council for the Professions Supplementary to Medicine. Within the NHS the members of these professions, with the exception of chiropodists, treat only those patients referred by registered medical practitioners. 6.13 The Disciplinary Statement of each Board underlines the maintenance of high standards of professional conduct. A doctor should make sure that the people to whom he refers patients are registered, or in approved training in their profession, that he refers patients properly to them, and retains final authority for the continuation or otherwise of the therapy.

6.14 Information given to a doctor by another professional must be treated as confidential. But co-operation between doctors and other professionals must be based on adequate knowledge.

6.15 While not hampering the undergraduate and postgraduate training of medical and other health care students, the medical practitioner can only delegate treatment and other procedures to a person reasonably believed to be competent to carry them out, and must retain ultimate responsibility for the patient's overall management because only the doctor in clinical charge has received the necessary training to undertake this responsibility.

Pharmacists

6.16 Retail pharmacists have always given informal advice to patients. In rural dispensing practices general practitioners undertake much of the work usually done by a pharmacist. It would be unethical for a doctor to ask a pharmacist to undertake work beyond his competence, but he should recognise the pharmacist's special knowledge of drugs and of their side effects and interactions.

6.17 Collusion between doctors and pharmacists for financial gain is reprehensible. A doctor should not arrange a commission from a pharmacist, nor should he hold a financial interest in any pharmacy in the area of his practice. Professional cards should not be handed to pharmacists for distribution. It is undesirable that messages for a doctor be received or left at pharmacies.

6.18 The Pharmaceutical Society has said that a pharmacist should not recommend a doctor or medical practice unless asked to do so. A pharmacist should have no financial interest in the professional work of any doctor, or give people the impression that he has.

Osteopathy

6.19 Manipulation and osteopathy are not synonymous. The former represents a manual treatment that has been widely employed for fractures, dislocations, joint adhesions, hernia, or abnormal intra-40 uterine presentation of the fetus, no less than in spinal disorders. The practice of manipulation does not involve acceptance of any particular theory of the causation of disease; osteopathy does. Because such theories are incompatible with scientific medicine, it is clearly impossible for a doctor to collaborate with an osteopath, or to use such services for his patient while maintaining effective control of the treatment.

Ministers of religion

6.20 Active collaboration between the medical profession and the clergy can be of great value. A priest, of any faith, can as a result be in a good position to help the patient. Patients' spiritual needs vary greatly and their wishes must be of paramount importance. Priests who work in hospitals gain special experience in dealing with health professionals. The patient's own priest has special knowledge of his family and social background from which the doctor can benefit, especially for long stay patients, in cases of terminal illness, and of bereavement.

Social workers

6.21 Social workers, like some other groups, have evolved no effective sanctions to safeguard confidentiality, and there is currently no compulsion on social workers to register with a disciplinary body. The British Association of Social Workers has an ethical code, and is moving towards registration and the setting up of a disciplinary council.

6.22 Confidentiality presents little real difficulty in working relations between doctors and social workers, provided that there is personal confidence between the professionals concerned. However, as the BASW ethical code is not supported by sanctions of the nature exercised by the GMC, GNC or the Council for Professions Supplementary to Medicine, the doctor must bear in mind that he has responsibility for any disclosures he makes.

7 The Doctor and the State

7.1 Article 25(i) of the United Nations Declaration of Human Rights refers to the basic right of an individual to the provision of

minimum standards of health care. This, and the World Medical Association Declarations, are attempts to develop supra-national principles out of "natural" laws. Article 25(i) has now been overtaken by Article 12 of the United Nations Covenant on Economic, Social and Cultural Rights. This came into force on 3 January 1976 and has been ratified, or is adhered to, by over 50 nations. Unlike the older Declaration, this covenant is legally binding on those nations and is of the nature of positive as opposed to natural law. Most countries have additional positive legislation which to a greater or lesser extent provides for and regulates the delivery of health care.

7.2 International agreements and declarations may be global or applicable to a smaller group of countries. Some international ethical declarations and codes are set out in Chapter 11. The Council of Europe is active through the work of the Human Rights Commission at Strasbourg. The European Convention of Human Rights under which the Commission works allows the examination of cases brought by a Member country. The judgments made by the Commission have had considerable influence on the states in question and on doctors working within those states.

7.3 In the UK the State employs or remunerates about 9 out of every 10 working doctors. The ideal personal doctor service, described in Chapter 1 as the normal therapeutic doctor-patient relationship, can exist only when the limits to it set by the State are so wide that in day-to-day practice there are no practical constraints.

The European states

7.4 The Directives relating to the free movement of doctors in the EEC impose on a doctor who migrates the duty to conform to the ethical code of the host country. There are some aspects of medical ethics which are not absolutely identical in the countries of the EEC, and the UK style of practice is by no means universal. Within the European Community the "Continental" legal system is codified and common law has much less significance. But in interpreting the law no one can escape the clear intent of the law as outlined in the preamble to the legislation.

7.5 Other EEC countries may regulate areas of medical practice not normally the concern of the General Medical Council, such as the conditions of contract between a doctor and a hospital, or the conditions under which doctors may form a group. 7.6 A notable exception to the other six members of the original Community is the Netherlands, where there is no detailed legal code. The law gives the doctor the duty to conduct himself so as to retain the confidence of his patients, to ensure his professional competence, and to observe professional secrecy except where the law provides for disclosure.

7.7 The very rigid application of the principles of confidentiality, or secrecy, is a marked feature of all the ethical systems in the six countries of the original EEC. Whereas a UK doctor may refuse to disclose information about his patients only at the discretion of the court (see 1.17), in the original EEC countries medical secrecy is firmly protected by law. The UK doctors are regarded by their European colleagues as having gone a long way towards abandoning the "absolute secrecy" which they defend. Indeed to breach confidentiality is a criminal offence in some countries; this shows the importance attached to it. There exist in all countries certain derogations from this principle of absolute secrecy, but codes which superficially appear similar may have significant differences. For example, the Belgian code does not permit the doctor to be released from his duty to safeguard secrecy even when the patient has expressly given his permission Other principles upon which the European codes are based include :

7.8 In relation to the general principles underlying medical practice :

(a) Respect for life.

Γ

(b) Equality of patients regardless of religion, race or reputation.

(c) The obligation to provide emergency care and to ensure the continuity of care.

(d) Regard for the independence of the profession.

(e) Respect for the dignity of the profession which must not be undermined.

(f) The prohibition of all commercial practices and all activity incompatible with the dignity of the profession.

(g) Professional secrecy.

7.9 In relation to social security systems :

(a) Free choice of doctor by the patient.

(b) Freedom of the doctor to prescribe.

(c) Direct negotiations between doctor and patient concerning fees.

(d) Direct payment of fees by the patient to the doctor.

Torture and other cruel, inhuman or degrading treatment or punishment

7.10 In no circumstances may a doctor do anything to weaken the physical or mental resistance of a human being, except for strictly therapeutic indications in the clinical interest of the patient.

7.11 Beyond the Declaration of Tokyo and the International Code of Medical Ethics (both reproduced in Chapter 11) a doctor has a special duty to individuals which, in this matter, transcends national interest and security. Doctors having knowledge of any activities covered by the Declaration of Tokyo have a positive obligation to make those activities publicly known (see also 5.26).

Torture

7.12 Within every human being is knowledge and fear of pain, the fear of helplessness before unrestrained cruelty. Torture, the deliberate infliction of pain by one human being on another, is a special horror.

7.13 The whole medical profession carries a responsibility for refusing to condone, co-operate with, or participate in any form of torture. Expression of this conviction by the whole profession supports individual doctors who refuse to collaborate in torture.

7.14 It is unethical for a doctor to carry out an examination on a person before that person is interrogated under duress or torture. Even though the doctor takes no part in the interrogation or torture, his examination of the patient prior to interrogation could be interpreted as condoning it.

7.15 Whether or not a doctor should treat the effects of torture depends on whether the patient wants the doctor's help. The doctor himself must be prepared to use all his skills to help a patient, whatever the cause of the injuries. But if the victim of torture prefers to die, the doctor must respect the patient's wishes (see also 5.27 concerning the right to die).

Punishment

7.16 Close confinement and reduction of diet are punishments allowed by the United Nations Standard Minimum Rules for the treatment of prisoners.

7.17 A doctor may state what components a basic diet needs to contain. If confinement and reduction of diet is controlled, and is not calculated to damage health, it is not considered to be a cruel and inhuman punishment. 7.18 If any diet is so restricted that medical monitoring is necessary it is inhuman, and no doctor should be associated with it. If a doctor is asked to examine a prisoner who is subjected to close confinement or reduction of diet, the doctor must decide whether the procedure is excessive and dangerous to the prisoner's health. If so, the doctor should make a written report and then refuse to be further associated with the procedure.

7.19 Corporal punishment and incarceration in a dark cell are both prohibited punishments under the Standard Minimum Rules and a doctor would be acting unethically if he certified a prisoner as fit to undergo either procedure. Attendance at the corporal punishment of a prisoner is unethical.

7.20 It is unethical for a doctor to administer a drug to a prisoner for any purpose other than for his clinical care. Individual restraint, in contrast to the restraint imposed by confinement in a prison, may be necessary for violent prisoners who are a threat to other prisoners, their guardians, or themselves. A doctor may give medical advice on individual restraint where the doctor judges that the clinical condition of a prisoner makes restraint necessary.

7.21 The presence of a doctor during the interrogation of a prisoner is unethical. Armed Forces doctors may undertake medical monitoring of personnel who have agreed, as an informed voluntary act, to be trained in techniques of resistance to intensive interrogation (see also 2.11-2.14 concerning the role of Armed Forces doctors).

8 The Doctor and the Media

8.1 Increasing public interest in health matters has brought doctors more and more into contact with the media. It is therefore essential that doctors should be aware of the ethics involved in dealing with the media.

8.2 Those doctors able to comment authoritatively on medical subjects should be prepared to do so in order that the public may be informed. Those doctors able to help the public with information should regard talking to the media as an extension of their medical practice.

8.3 A doctor has the responsibility to ensure that when a subject under discussion is controversial within the medical profession, the producer or editor of a programme is made aware of that fact. 8.4 It is unacceptable for a doctor publicly to discuss his own ability in a particular field in such a way as to imply that his methods are superior to those of other doctors.

Identification of the doctor

8.5 It is acceptable for the doctor's identity to be revealed in the following circumstances:

-when it does not add to his professional stature;

-when it is in the public interest;

-when he is speaking on behalf of an identifiable section of the profession;

---when using media primarily aimed at doctors.

8.6 A doctor may use his own name in connection with subjects other than medicine. When discussing a medical subject, he may be named only if he confines himself to general terms, avoiding discussion of individual cases.

8.7 In the field of general health education the name and relevant qualifications of the doctor may be given to lend added authority.

8.8 Doctors making statements on behalf of known organisations may be named when this is in the public interest. However, a doctor must not exploit the media to promote any organisation in which he has a financial interest (see also 9.17).

8.9 No doctor should enter into correspondence with an individual member of the lay public as a result of any publicly gained by the doctor.

Etiquette, Professional Discipline, the Law and Codes of Practice

9 The Doctor in Practice

Setting up in practice

9.1 A doctor may set up in general practice by appointment to an NHS practice vacancy, by purchasing the goodwill of an existing private practice, by entering into an established partnership, or by putting up his "Plate". There is an obligation on a doctor not to damage the practice of a colleague, particularly one with whom he has recently been engaged in a professional association.

9.2 A consultant commencing practice in a particular specialty should not make any public announcement. He may properly notify his colleagues of his availability for private consultations by sending a sealed letter to those practitioners whom he might normally expect to be interested. A general practitioner who may need to notify his patients of a change of address, or of surgery hours, may send a sealed circular letter to the patients of the practice. The circular should be addressed to those patients who are on the practice books and are not known to have transferred themselves to another doctor. A suitable notice may be placed inside the waiting room of the surgery. Neither the press nor any other form of public communication should be used for the purpose of making an announcement. 9.3 The usual format for a letter announcing a change of practice includes only the following information :

(a) The name of the practitioner.

(b) Medical qualifications (degrees or diplomas).

(c) Title of the main specialty in the case of a consultant who is altering his practice.

(d) Brief details of the new surgery address and consulting hours if a general practitioner is altering his arrangements.

(e) A consultant may also wish to include his home address and telephone number and the address and telephone number of the main consulting premises where private appointments can be arranged.

Premises

9.4 The sharing of premises with members of allied professions, including the professions supplementary to medicine, has been discouraged for many years. This attitude is based on the need to prevent any infringement of the principle of free choice by the patient. Advances in clinical medicine have brought changes in the structure of medical practice, and the present trend is towards closer integration of the various disciplines contributing to patient care.

9.5 There is no objection to a surgery being located in a large building such as an office block, provided the doctor's rooms are entirely self-contained so that the patients do not pass through the premises of other tenants on their way to or from the surgery. Doctors may practise from the same building as members of other health care professionals, if the professional premises are separate and have separate entrances and addresses. The location of surgeries in hotels or in other buildings which are extensively used by the general public for commercial purposes should be avoided.

9.6 The sharing of premises by general practitioners with specialists is acceptable, provided there is no direction of patients, either explicitly or implicitly, which would restrict the patients' potential freedom of choice. This proviso also applies to general practitioners whose premises are part of an area health authority's centre, from which members of the professions supplementary to medicine also practise.

Notice boards, door plates and signposts

9.7 The GMC booklet Professional Conduct and Discipline (1979) states :

"Advertising may arise from notices or announcements displayed, circulated or made public by a doctor in connection with his own practice if such notices or announcements materially exceed the limits customarily observed by the profession in this country."

9.8 It is important that the public should be informed of the location of a doctor's premises. In choosing the wording and size of a sign the doctor should consider the following criteria :

- (a) A sign or doorplate should be unostentatious in size and form.
- (b) A plate should not carry more than the doctor's name, qualifications and, in small letters, his surgery hours.
- (c) In an area where a substantial proportion of the community

normally uses another language, it is acceptable for the information on the doctor's plate to be repeated in that language.

(d) No notices or signposts should be larger, or repeated more frequently than is necessary to indicate to patients the location of the premises.

(e) Notices or signposts should not be used to draw public attention to the services of one practice at the expense of others.

Titles of Health Centres or Group Practices

9.9 The GMC booklet Professional Conduct and Discipline (1979) states:

"In selecting a name for a health centre or a medical centre, or indeed a collective title for a group or partnership it is desirable to avoid a name which could be interpreted as implying that the services provided in that centre or by that partnership have received some official recognition not extended to other local doctors. For this reason terms such as 'Medical Centre' or 'Health Centre' should not be used in a manner which might imply that doctors using the centre or practising in the partnership enjoy some special status in a particular place or area."

9.10 It is the doctor's responsibility to observe these criteria when he works in premises such as health centres provided by an area health authority. If a doctor contemplates working, or practising from such premises, he should satisfy himself that they are observed by the responsible authority.

Directories and Lists of Doctors

9.11 An entry of a doctor's name in a telephone directory should appear in the ordinary small type. The doctor should neither request nor allow any entry in a special typeface, or any description other than higher qualifications or, in the case of a consultant, his specialty. 9.12 Names of all doctors in any area are listed in the telephone directory's yellow pages under "Physicians and Surgeons". The list does not tend to advertise one doctor's availability or skills at the expense of another's, and is acceptable. For the same reason, it is permissible for a doctor's name to be included in a handbook of local information, provided that the list is open to the whole of the profession in the area, that publication of the names is not dependent on the payment of a fee, and that the names are included under a single heading without any indication of specialties.

Canvassing

9.13 Canvassing for the purpose of obtaining patients, whether done directly or through an agent, and association with or employment by persons or organisations which canvass, is unethical.

Certificates and statements

9.14 Doctors are relied upon to issue certificates for a variety of purposes on the assumption that the truth of the certificate can be accepted without question. A doctor must exercise care in issuing certificates and similar documents, and should not include in them statements which he has not taken appropriate steps to verify.

The Doctor's Signature

9.15 In general terms a doctor should be aware that his signature on a document, and that may mean a humble urine microscopy culture and sensitivity report, validates the information or opinion contained in the document. However, signing routine forms produced by a mechanical haematological counter means only that the doctor is satisfied that the equipment is operating within satisfactory quality control limits. His signature is valueless as far as the information on an individual form is concerned, for he has no knowledge of the particular specimen.

9.16 If a doctor in civilian practice or serving with the Armed Forces feels unable to sign a certificate indicating fitness for a prospective event, it is proper for him to record that, at the time of his examination, the subject was or was not healthy.

Commercial enterprises and connections

9.17 A doctor should not associate himself with commerce in such a way as to let it influence, or appear to influence, his attitude towards the treatment of his patients. He should not allow a business to add to his professional status. There should be no direct association of a medical practitioner with any commercial enterprise engaged in the manufacture or sale of any substance which is claimed to be of value in the prevention or treatment of disease, and which is recommended to the public in such a fashion as to be calculated to encourage the practice of self-diagnosis or self-medication, or is of undisclosed nature or composition. A doctor should refrain from writing a testimonial on a commercial product unless he can guarantee that his opinion will not be published without his consent.

Undisclosed sharing of fees (dichotomy)

9.18 The secret division by two or more doctors of fees on a basis of commission, or some other defined method, is a practice that has brought the profession into disrepute on a number of occasions. Any undisclosed division of professional fees, save in a medical partnership publicly known to exist, is unethical.

Attendance upon colleagues

9.19 Every effort should be made to maintain the traditional practice of the medical profession whereby attendance by one doctor upon another or upon his dependants is without direct charge.

Advertising and publicity

9.20 The BMA Report on Advertising and the Medical Profession (1974) commenced with the following paragraph :

"The word 'advertising' must be taken in its broadest sense to include all those ways by which a doctor is made publicly known either by himself or others, without objection on his part, in a manner which can fairly be regarded as for the purpose of obtaining patients or promoting his own financial advantage."

9.21 In its booklet Professional Conduct and Discipline (1979) the General Medical Council states :

"The medical profession in this country has long accepted the tradition that doctors should refrain from self-advertisement. In the Council's opinion advertising is not only incompatible with the principles which should govern relations between members of a profession but could be a source of danger to the public. A doctor successful at achieving publicity may not be the most appropriate doctor for a patient to consult. In extreme cases advertising may raise illusory hopes of a cure.

The publication in any form of matter commending or drawing attention to the professional attainments or services of one or more doctors can raise a question of advertising. This becomes a professional offence if the doctor or doctors concerned have either personally arranged for such publication or have instigated or sanctioned or acquiesced in such publication by others, and have done so for the purpose of obtaining patients or otherwise promoting their own professional advantage or financial benefit." "Advertising may arise from notices or announcements displayed, circulated or made public by a doctor in connection with his own practice, if such notices or announcements materially exceed the limits customarily observed by the profession in this country."

9.22 The booklet also contains specific guidelines on questions of advertising arising from relationships between doctors and organisations providing clinical, diagnostic, or medical advisory services. 9.23 The question of advertising may also arise in a number of other contexts such as books by doctors, articles or letters or other items written by or about them in newspapers or magazines, and talks or appearances by doctors on broadcasting or television (these subjects are covered in Chapter 8).

Advertisement of Nursing Homes and Institutions

9.24 Advertising in the lay press of nursing homes and kindred institutions, where medical advice or treatment is not provided, is a long-standing and acceptable custom. There is no objection to the practice of institutions professing to provide medical advice or treatment advertising in the medical press, or in other publications primarily intended for the medical profession. Such advertisements may include the names and qualifications of the resident and attending medical officers, but there should be no laudatory statement of the form of treatment given or the address of the consulting rooms or of the hours of a member of the medical staff at which he sees private patients.

9.25 If a doctor has a financial interest involving his possible financial gain in any institution to which he refers a patient it is desirable that he should disclose this fact to the patient.

Systems or Methods of Treatment

9.26 It is unethical for a doctor to be associated with any system or method of treatment which is not used under medical control and which is advertised in the public press.

The doctor and his colleagues

Doctors in Training

9.27 It is unethical to delegate any work to another doctor unless he is suitably qualified and experienced to undertake that work (for the General Medical Council's view, see 6.7 and 6.11). This principle applies to cross cover between specialties, to delegation to 52 locums, and to delegation to junior staff within the same specialty. It applies to doctors working in general practice and, in so far as they are in personal working contact with people, to trainees in community medicine.

9.28 Provisional registration carries the same prescribing authority as full registration within the hospital where the doctor is employed. A fully registered practitioner is responsible for his actions to each patient. Principals in general practice and area health authorities are responsible for the acts and omissions of those they employ.

9.29 A registered medical practitioner in training has a responsibility to his consultant or general practitioner trainer to take account of their advice to him. If he believes that the general advice he has been given is inapplicable to a particular situation or is not in the best interests of an individual patient he should seek further specific advice. If necessary he should ask the consultant or general practitioner to take back their delegated authority and take over the management of the patient's illness personally.

9.30 In other words, the primary responsibility of a junior doctor in a training post is to the patient and he should decline to do anything that he believes is not in the patient's best interests.

Deputising Arrangements

9.31 Many requests for medical care are made outside normal working hours, but a doctor cannot be on duty continuously without detriment to the quality of his work and his health. Deputising arrangements must not jeopardise the welfare of the patient, so for deputising to be ethically acceptable two conditions must be satisfied. The doctor, who has been chosen and accepted by the patient, should ensure as far as practicable that the deputy is experienced, competent, conscientious and in other respects suitable to carry out the delegated responsibilities of the regular doctor. The patient's doctor must also ensure that communication and record systems are sufficient to permit proper treatment both during and after the deputising period.

9.32 In hospital practice it is the responsibility of the consultant to acquaint himself with the competence of his staff and to allow them to deputise only within their competence.

9.33 General practitioners who use a deputising service are effectively unable to exercise any direct choice of deputy and must rely on the management of the service to choose staff of appropriate competence. They have a duty, however, to inform the management of untoward incidents so that action can be taken to avoid any re-

currence. Some deputising services are controlled solely by doctors, but most are controlled jointly by a commercial organisation and the profession. It has been customary in the past, and obligatory since 1978, for there to be a professional advisory committee in connection with each deputising service to ensure maintenance of clinical and organisational standards, and this should help principals using such services to feel satisfied that the deputies will be of an adequate standard.

Intra-Professional Disagreements

9.34 From time to time doctors working together in a practice or in the same locality find themselves in disagreement. It is important that disputes be resolved quickly and amicably within the profession itself. If animosities are allowed to fester they not only embitter local practice, but also damage the reputation of the profession.

9.35 Most of these problems concern relationships based upon the traditions of the profession. Members of the BMA may obtain advice from their local division, or from the Association's Central Ethical Committee.

9.36 The ethical machinery of the BMA consists of the Central Ethical Committee itself, which is a standing committee of the Council, local ethical committees appointed by BMA divisions, and detailed uniform rules of procedure for the investigation of complaints. Normally the division will investigate a complaint in accordance with the rules, but if it does not wish to deal with any specific problem reference may be made to the Central Ethical Committee.

10 The Doctor and the Law

10.1 There is a close relationship between ethical and legal responsibilities. Though the ethical code does not, as in the civil law countries, form a branch of substantive law, there are a number of occasions when the ethical practice and the legal "standard of care" are inseparable (see also 7.4).

10.2 Before the passing of the National Health Service Act 1946 medical law in England was dominated by the contractual relationship of doctor and patient. Apart from a number of specific statutory duties, such as the reporting of certain infectious diseases, doctors and surgeons tended to provide their services under direct contract to the patient. The jurisprudence which developed around 54

the practice of medicine was largely derived from the law of contract. The Act of 1946 greatly modified this contractual relationship.

10.3 The National Health Services Acts consolidated in the Act of 1977 charge the Secretary of State with the overall responsibility to provide hospital, medical, and other allied services. The operation of the necessary supporting administrative structure and the changes brought by frequent parliamentary interventions, in addition to the flow of circulars from the Health Departments, account for the complexity of modern medical law.

ı.

10.4 This process has not in any way diminished the "legal standard" of patient care which is still best expressed as a duty to exercise reasonable care and skill. The position of the doctor in NHS practice, however, cannot now be considered in isolation from his contractual obligations to the employing authority or Family Practitioner Committee, as the case may be.

10.5 The right to carry on medical practice is closely regulated under the Medical Acts 1858 to 1978. Until 1969 the General Medical Council had the power to erase from the *Register* the name of any fully or provisionally registered practitioner judged by the Disciplinary Committee of the Council to have been guilty of "infamous conduct in a professional respect". Undoubtedly this could have included a failure to conform to the ethical standards of the profession. *The Medical Act 1969* substituted the phrase "serious professional misconduct" for the expression quoted above.

10.6 Several matters in the general field of medical law have attracted special interest. There is the difficult question of compensation for damage resulting from the use of vaccines administered as a matter of public policy. Damage caused to a patient by the administration of a drug is at present controlled by the law of negligence. If the drug in question was being used in an approved clinical trial in an NHS hospital, and if the patient or subject was a genuine volunteer, then the Department of Health and Social Services has indicated that it would view an application for compensation sympathetically. Children born as a result of artificial insemination by donor are illegitimate in the eyes of the law : the BMA is currently pressing for legislation to be prepared to enable children born as a result of AID, to which the husband of the mother has consented, to be defined as legitimate from the moment when conception is confirmed (see also 5.13).

10.7 In occupational medicine the doctor is particularly likely to come into professional contact with workers under statutory and regulatory direction. The Council of Ministers of the EEC wants to harmonise and improve the protective measures applying to workers in certain industries. A recent council directive, for example, attempts to improve the medical surveillance of workers in the vinyl chloride monomer and vinyl chloride polymer industry. Among other things, the directive prescribes that employers shall keep a register of workers who may be exposed to vinyl chloride monomer, with particulars of the type and duration of work and the exposure to which they have been subjected. The register is to be held by a doctor and a worker will be able, on request, to note the details about himself in the register.

10.8 A later article in the directive says that employers shall be required to ensure that the relevant workers are examined by a doctor both on recruitment or before taking up their activities, and subsequently. It is left to the member states of the EEC to determine how the registers and medical records are to be used for study and research purposes (see also 1.20 for a discussion of medical records systems).

11 Ethical Codes, and Resolutions of BMA Annual Representative Meetings

At the end of this chapter we set out a number of major resolutions on ethical matters passed by the Representative Body of the British Medical Association. Before reading these, however, we believe that readers in the UK will find considerable historical and comparative interest in the text of the Hippocratic Oath, and major ethical pronouncements of the World, the Commonwealth, and the Canadian Medical Associations respectively.

The Hippocratic Oath

The methods and details of medical practice change with the passage of time and the advance of knowledge. However, many fundamental principles of professional behaviour have remained unaltered through the recorded history of medicine. The Hippocratic Oath was probably written in the 5th Century BC and was intended to be affirmed by each doctor on entry to the medical profession. In translation it reads as follows :

I swear by Apollo the physician, and Aesculapius and Health, and

All-heal, and all the gods and goddesses, that, according to my 56

ability and judgment, I will keep this Oath and this stipulationto reckon him who taught me this Art equally dear to me as my parents, to share my substance with him, and relieve his necessities if required; to look upon his offspring in the same footing as my own brothers, and to teach them this Art, if they shall wish to learn it, without fee or stipulation; and that by precept, lecture and every other mode of instruction, I will impart a knowledge of the Art to my own sons, and those of my teachers, and to disciples bound by a stipulation and oath according to the law of medicine, but to none other. I will follow that system of regimen which, according to my ability and judgment, I consider for the benefit of my patients, and abstain from whatever is deleterious and mischievous. I will give no deadly medicine to anyone if asked, nor suggest any such counsel; and in like manner I will not give to a woman a pessary to produce abortion. With purity and with holiness I will pass my life and practise my Art. I will not cut persons labouring under the stone, but will leave this to be done by men who are practitioners of this work. Into whatever houses I enter, I will go into them for the benefit of the sick, and will abstain from every voluntary act of mischief and corruption; and, further, from the seduction of females, or males, of freemen or slaves. Whatever, in connection with my professional practice, or not in connection with it, I see or hear, in the life of men, which ought not to be spoken of abroad, I will not divulge, as reckoning that all such should be kept secret. While I continue to keep this Oath unviolated, may it be granted to me to enjoy life and the practice of the Art, respected by all men, in all times. But should I trespass and violate this Oath, may the reverse be my lot.

The World Medical Association

International Code of Medical Ethics

One of the first acts of the World Medical Association, when formed in 1947, was to produce a modern restatement of the Hippocratic Oath, known as the Declaration of Geneva, and to base upon it an International Code of Medical Ethics which applies both in times of peace and war. The Declaration of Geneva, as amended by the 22nd World Medical Assembly, Sydney, Australia, in August 1968, reads:

At the time of being admitted as a Member of the Medical Profession:

I solemnly pledge myself to consecrate my life to the service of humanity;

I will give to my teachers the respect and gratitude which is their due;

I will practise my profession with conscience and dignity;

The health of my patient will be my first consideration;

I will respect the secrets which are confided in me, even after the patient has died;

I will maintain by all the means in my power, the honour and the noble traditions of the medical profession;

My colleagues will be my brothers;

I will not permit considerations of religion, nationality, race, party politics or social standing to intervene between my duty and my patients;

I will maintain the utmost respect for human life from the time of conception; even under threat, I will not use my medical knowledge contrary to the laws of humanity.

I make these promises solemnly, freely and upon my honour.

The English text of the International Code of Medical Ethics is as follows:

Duties of Doctors in General

A DOCTOR MUST always maintain the highest standards of professional conduct.

A DOCTOR MUST practise his profession uninfluenced by motives of profit.

THE FOLLOWING PRACTICES are deemed unethical :

(a) Any self advertisement except such as is expressly authorised by the national code of medical ethics.

(b) Collaborate in any form of medical service in which the doctor does not have professional independence.

(c) Receiving any money in connection with services rendered to a patient other than a proper professional fee, even with the knowledge of the patient.

ANY ACT OR ADVICE which could weaken physical or mental resistance of a human being may be used only in his interest.

A DOCTOR IS ADVISED to use great caution in divulging discoveries or new techniques of treatment.

A DOCTOR SHOULD certify or testify only to that which he has personally verified.

Duties of Doctors to the Sick

A DOCTOR MUST always bear in mind the obligation of preserving human life.

A DOCTOR OWES to his patient complete loyalty and all the resources of his science. Whenever an examination or treatment is beyond his capacity he should summon another doctor who has the necessary ability.

A DOCTOR SHALL preserve absolute secrecy on all he knows about his patients because of the confidence entrusted in him.

A DOCTOR MUST give emergency care as a humanitarian duty unless he is assured that others are willing and able to give such care.

Duties of Doctors to Each Other

A DOCTOR OUGHT to behave to his colleagues as he would have them behave to him.

A DOCTOR MUST NOT entice patients from his colleagues.

A DOCTOR MUST OBSERVE the principles of "The Declaration of Geneva" approved by the World Medical Association.

Subsequently, the World Medical Association has considered and published material on a number of ethical matters.

Discrimination in Medicine

The following motion on the subject of Discrimination in Medicine was adopted by the World Medical Association in 1973 :

"WHEREAS: The Declaration of Geneva, adopted and published by the World Medical Association, states, *inter alia*, that, 'I (a medical practitioner) WILL NOT PERMIT considerations of religion, nationality, race, party politics or social standing to intervene between my duty and my patient';

THEREFORE, BE IT RESOLVED by the 27th World Medical Assembly meeting in Munich, that the World Medical Association vehemently condemns colour, political and religious discrimination of any form in the training of medical practitioners and in the practice of medicine and in the provision of health services for the peoples of the world."

Human Experimentation

In 1964, the World Medical Association drew up a code of ethics on human experimentation. This code, known as the Declaration of Helsinki, was revised in 1975 as follows :

It is the mission of the medical doctor to safeguard the health of the people. His or her knowledge and conscience are dedicated to the fulfilment of this mission.

The Declaration of Geneva of the World Medical Association binds the doctor with the words, "The health of my patient will be my first consideration", and the International Code of Medical Ethics declares that "Any act or advice which could weaken physical or mental resistance of a human being may be used only in his interest."

The purpose of biochemical research involving human subjects must be to improve diagnostic, therapeutic and prophylactic procedures and the understanding of the aetiology and pathogenesis of disease.

In current medical practice most diagnostic, therapeutic or prophylactic procedures involve hazards. This applies *a fortiori* to biomedical research.

Medical progress is based on research which ultimately must rest in part on experimentation involving human subjects.

In the field of biochemical research a fundamental distinction must be recognised between medical research in which the aim is essentially diagnostic or therapeutic for a patient, and medical research, the essential object of which is purely scientific and without direct diagnostic or therapeutic value to the person subjected to the research.

Special caution must be exercised in the conduct of research which may affect the environment, and the welfare of animals used for research must be respected.

Because it is essential that the results of laboratory experiments be applied to human beings to further scientific knowledge and to help suffering humanity, the World Medical Association has prepared the following recommendations as a guide to every doctor in biomedical research involving human subjects. They should be kept under review in the future. It must be stressed that the standards as drafted are only a guide to physicians all over the world. Doctors are not relieved from criminal, civil and ethical responsibilities under the laws of their own countries.

I Basic Principles

(1) Biomedical research involving human subjects must conform to generally accepted scientific principles and should be based on adequately performed laboratory and animal experimentation and on a thorough knowledge of the scientific literature.

(2) The design and performance of each experimental procedure involving human subjects should be clearly formulated in an experimental protocol which should be transmitted to a specially appointed independent committee for consideration, comment and guidance.

(3) Biomedical research involving human subjects should be conducted only by scientifically qualified persons and under the supervision of a clinically competent medical person. The responsibility for the human subject must always rest with the medically qualified person and never rest on the subject of the research, even though the subject has given his or her consent.

(4) Biomedical research involving human subjects cannot legitimately be carried out unless the importance of the objective is in proportion to the inherent risk to the subject.

(5) Every biomedical research project involving human subjects should be preceded by careful assessment of predictable risks in comparison with foreseeable benefits to the subject or to others. Concern for the interests of the subject must always prevail over the interests of science and society.

(6) The right of the research subject to safeguard his or her integrity must always be respected. Every precaution should be taken to respect the privacy of the subject and to minimize the impact of the study on the subject's physical and mental integrity and on the personality of the subject.

(7) Doctors should abstain from engaging in research projects involving human subjects unless they are satisfied that the hazards involved are believed to be predictable. Doctors should cease any investigation if the hazards are found to outweigh the potential benefits.

(8) In publication of the results of his or her research, the doctor is obliged to preserve the accuracy of the results. Reports of experimentation not in accordance with the principles laid down in this Declaration should not be accepted for publication.

(9) In any research on human beings, each potential subject must be adequately informed of the aims, methods, anticipated benefits and potential hazards of the study and the discomfort it may entail. He or she should be informed that he or she is at liberty to abstain from participation in the study and that he or she is free to withdraw his or her consent to participation at any time. The doctor should then obtain the subject's freely-given informed consent, preferably in writing.

(10) When obtaining informed consent for the research project

the doctor should be particularly cautious if the subject is in a dependent relationship to him or her or may consent under duress. In that case the informed consent should be obtained by a doctor who is not engaged in the investigation and who is completely independent of this official relationship.

(11) In case of legal incompetence, informed consent should be obtained from the legal guardian in accordance with national legislation. Where physical or mentail incapacity makes it impossible to obtain informed consent, or when the subject is a minor, permission from the responsible relative replaces that of the subject in accordance with national legislation.

(12) The research protocol should always contain a statement of the ethical considerations involved and should indicate that the principles enunciated in the present Declaration are complied with.

II Medical Research Combined with Professional Care (Clinical Research)

(1) In the treatment of the sick person, the doctor must be free to use a new diagnostic and therapeutic measure, if in his or her judgment it offers hope of saving life, re-establishing health or alleviating suffering.

(2) The potential benefits, hazards and discomfort of a new method should be weighed against the advantages of the best current diagnostic and therapeutic methods.

(3) In any medical study, every patient—including those of a control group, if any—should be assured of the best proven diagnostic and therapeutic method.

(4) The refusal of the patient to participate in a study must never interfere with the doctor-patient relationship.

(5) If the doctor considers it essential not to obtain informed consent, the specific reasons for this proposal should be stated in the experimental protocol for transmission to the independent committee (I.2).

(6) The doctor can combine medical research with professional care, the objective being the acquisition of new medical knowledge, only to the extent that medical research is justified by its potential diagnostic or therapeutic value for the patient.

III. Non-Therapeutic Biomedical Research Involving Human Subjects

(Non-clinical Biomedical Research)

(1) In the purely scientific application of medical research carried 62

out on a human being, it is the duty of the doctor to remain the protector of the life and health of that person on whom biomedical research is being carried out.

- (2) The subjects should be volunteers—either healthy persons or patients for whom the experimental design is not related to the patient's illness.
- (3) The investigator or the investigating team should discontinue the research if in his/her or their judgment it may, if continued, be harmful to the individual.

(4) In research on man, the interest of science and society should never take precedence over considerations related to the wellbeing of the subject.

Therapeutic Abortion

In 1970 the World Medical Association drew up a Statement on Therapeutic Abortion. This code, known as the Declaration of Oslo, states :

(1) The first moral principle imposed upon the doctor is respect for human life as expressed in a clause of the Declaration of Geneva: "I will maintain the utmost respect for human life from the time of conception".

(2) Circumstances which bring the vital interests of a mother into conflict with the vital interests of her unborn child create a dilemma and raise the question whether or not the pregnancy should be deliberately terminated.

(3) Diversity of response to this situation results from the diversity of attitudes towards the life of the unborn child. This is a matter of individual conviction and conscience which must be respected.
(4) It is not the role of the medical profession to determine the attitudes and rules of any particular state or community in this matter, but it is our duty to attempt to ensure the protection of our paients and to safeguard the rights of the doctor within society.

(5) Therefore, where the law allows therapeutic abortion to be performed, or legislation to that effect is contemplated, and this is not against the policy of the national medical association, and where the legislature desires or will accept the guidance of the medical profession the following principles are approved :

(a) Abortion should be performed only as a therapeutic measure.

(b) A decision to terminate pregnancy should normally be approved in writing by at least two doctors chosen for their professional competence.

(c) The procedure should be performed by a doctor competent to do so in premises approved by the appropriate authority.

(6) If the doctor considers that his convictions do not allow him to advise or perform an abortion, he may withdraw while ensuring the continuity of (medical) care by a qualified colleague.

(7) This statement, while it is endorsed by the General Assembly of the World Medical Association, is not to be regarded as binding on any member association unless it is adopted by that member association.

The following Resolutions on "Medical Secrecy" and on "Computers in Medicine" were adopted by the World Medical Association in 1973 :

Medical Secrecy

"WHEREAS : The privacy of the individual is highly prized in most societies and widely accepted as a civil right; and

WHEREAS: The confidential nature of the patient-doctor relationship is regarded by most doctors as extremely important and is taken for granted by the patient; and

WHEREAS: There is an increasing tendency towards an intrusion on medical secrecy;

THEREFORE BE IT RESOLVED that the 27th World Medical Assembly reaffirm the vital importance of maintaining medical secrecy not as a privilege for the doctor, but to protect the privacy of the individual as the basis for the confidential relation between the patient and his doctor; and ask the United Nations, representing the people of the world, to give to the medical profession the needed help and to show ways for securing this fundamental right for the individual human being."

Computers in Medicine

"BE IT RESOLVED that the 27th World Medical Assembly—

(1) draw the attention of the peoples of the world to the great advances and advantages resulting from the use of computers and electronic data processing in the field of health, especially in patient care and epidemiology;

(2) request all national medical associations to take all possible steps in their countries to assure that medical secrecy, for the sake of the patient, will be guaranteed to the same degree in the future as in the past;

(3) request member countries of WMA to reject all attempts 64

having as a goal legislation authorising any procedures to electronic data processing which could endanger or undermine the right of the patient for medical secrecy;

(4) express the strong opinion that medical data banks should be available only to the medical profession and should not, therefore, be linked to other central data banks; and

(5) request Council to prepare documents about the existing possibilities of safeguarding legally and technically the confidential nature of stored medical data."

Torture and Other Cruel, Inhuman or Degrading Treatment or Punishment

In 1975 the World Medical Association adopted the following guidelines for medical doctors concerning Torture and Other Cruel, Inhuman or Degrading Treatment or Punishment in relation to Detention and Imprisonment (Declaration of Tokyo):

Preamble

It is the privilege of the medical doctor to practise medicine in the service of humanity, to preserve and restore bodily and mental health without distinction as to persons, to comfort and to ease the suffering of his or her patients. The utmost respect for human life is to be maintained even under threat, and no use made of any medical knowledge contrary to the laws of humanity.

Declaration

(1) The doctor shall not countenance, condone or participate in the practice of torture or other forms of cruel, inhuman or degrading procedures, whatever the offence of which the victim of such procedures is suspected, accused or guilty, and whatever the victim's beliefs or motives, and in all situations, including armed conflict and civil strife.

(2) For the purpose of this Declaration, torture is defined as the deliberate, systematic or wanton infliction of physical or mental suffering by one or more persons acting alone or on the orders of any authority, to force another person to yield information, to make a confession, or for any other reason.

(3) The doctor shall not provide any premises, instruments, substances or knowledge to facilitate the practice of torture or other forms of cruel, inhuman or degrading treatment or to diminish the ability of the victim to resist such treatment.

(4) The doctor shall not be present during any procedure during

which torture or other forms of cruel, inhuman or degrading treatment is used or threatened.

(5) A doctor must have complete clinical independence in deciding upon the care of a person for whom he or she is medically responsible.

(6) Where a prisoner refuses nourishment and is considered by the doctor as capable of forming an unimpaired and rational judgment concerning the consequences of such a voluntary refusal of nourishment, he or she shall not be fed artificially. The decision as to the capacity of the prisoner to form such a judgment should be confirmed by at least one other independent doctor. The consequences of the refusal of nourishment shall be explained by the doctor to the prisoner.

(7) The World Medical Association will support, and should encourage the international community, the national medical associations and fellow doctors, to support the doctor and his or her family in the face of threats or reprisals resulting from a refusal to condone the use of torture or other forms of cruel, inhuman or degrading treatment.

(8) The doctor shall in all circumstances be bound to alleviate the distress of his fellow men, and no motive—whether personal, collective or political—shall prevail against this higher purpose.

Statements on Death

The World Medical Association formulated a Statement on Death in 1968. Known as the Declaration of Sydney, it reads :

(1) The determination of the time of death is in most countries the legal responsibility of the physician and should remain so. Usually he will be able without special assistance to decide that a person is dead, employing the classical criteria known to all physicians.

(2) Two modern practices in medicine, however, have made it necessary to study the question of the time of death further: (i) the ability to maintain by artificial means the circulation of oxygenated blood through tissues of the body which may have been irreversibly injured and (ii) the use of cadaver organs such as heart or kidneys for transplantation.

(3) A complication is that death is a gradual process at the cellular level with tissues varying in their ability to withstand deprivation of oxygen. But clinical interest lies not in the state of preservation of isolated cells but in the fate of a person. Here the point of

death of the different cells and organs is not so important as the certainty that the process has become irreversible by whatever techniques of resuscitation that may be employed.

(4) This determination will be based on clinical judgment supplemented if necessary by a number of diagnostic aids of which the electroencephalograph is currently the most helpful. However, no single technological criterion is entirely satisfactory in the present state of medicine nor can any one technological procedure be substituted for the overall judgment of the physician. If transplantation of an organ is involved, the decision that death exists should be made by two or more physicians and the physicians determining the moment of death should in no way be immediately concerned with the performance of the transplantation.

(5) Determination of the point of death of the person makes it ethically permissible to cease attempts at resuscitation and in countries where the law permits, to remove organs from the cadaver provided that prevailing legal requirements of consent have been fulfilled.

The following Memorandum was issued by the Honorary Secretary of the Conference of Medical Royal Colleges and their Faculties in the United Kingdom on 15 January 1979:

(1) In October 1976 the Conference of Royal Colleges and their Faculties (UK) published a report unanimously expressing the opinion that "brain death", when it had occurred, could be diagnosed with certainty. The report has been widely accepted. The conference was not at that time asked whether or not it believed that death itself should be presumed to occur when brain death takes place or whether it would come to some other conclusion. The present report examines this point and should be considered as an addendum to the original report.

(2) Exceptionally, as a result of massive trauma, death occurs instantaneously or near-instantaneously. Far more commonly, death is not an event : it is a process, the various organs and systems supporting the continuation of life failing and eventually ceasing altogether to function, successively and at different times. (3) Cessation of respiration and cessation of the heart beat are examples of organic failure occurring during the process of dying, and since the moment that the heart beat ceases is usually detectable with simplicity by no more than clinical means, it has for many centuries been accepted as the moment of death itself, with-

out any serious attempt being made to assess the validity of this assumption.

(4) It is now universally accepted, by the lay public as well as by the medical profession, that it is not possible to equate death itself with the cessation of the heart beat. Quite apart from the elective cardiac arrest of open-heart surgery, spontaneous cardiac arrest followed by successful resuscitation is today a common-place and although the more sensational accounts of occurrences of this kind still refer to the patient being "dead" until restoration of the heart beat, the use of the quote marks usually demonstrates that this word is not to be taken literally, for to most people the one aspect of death that is beyond debate is its irreversibility.

(5) In the majority of cases in which a dying patient passes through the processes leading to the irreversible state we call death, successive organic failures eventually reach a point at which brain death occurs and this is the point of no return.

(6) In a minority of cases brain death does not occur as a result of the failure of other organs or systems but as a direct result of severe damage to the brain itself from, perhaps, a head injury or a spontaneous intracranial haemorrhage. Here the order of events is reversed : instead of the failure of such vital functions as heart beat and respiration eventually resulting in brain death, brain death results in the cessation of spontaneous respiration; and this is normally followed within minutes by cardiac arrest due to hypoxia. If, however, oxygenation is maintained by artificial ventilation the heart beat can continue for some days, and haemoperfusion will for a time be adequate to maintain function in other organs, such as the liver and kidneys.

(7) Whatever the mode of its production, brain death represents the state at which a patient becomes truly dead, because by then all functions of the brain have permanently and irreversibly ceased. It is not difficult or illogical in any way to equate this with the concept in many religions of the departure of the spirit from the body.

(8) In the majority of cases, since brain death is part of or the culmination of a failure of all vital functions, there is no necessity for a doctor specifically to identify brain death individually before concluding that the patient is dead. In a minority of cases in which it is brain death that causes failure of other organs and systems, the fact that these systems can be artificially maintained even after brain death has made it important to establish a diagnostic

68

routine which will identify with certainty the existence of brain death.

Conclusion

(9) It is the conclusion of the conference that the identification of brain death means that the patient is dead, whether or not the function of some organs, such as a heart beat, is still maintained by artificial means.

The Commonwealth Medical Association

The following Ethical Code of the Commonwealth Medical Association was approved at its meeting in Jamaica in 1974 :

(1) The doctor's primary loyalty is to his patient.

(2) His vocation and skill shall be devoted to the amelioration of symptoms, the cure of illness, and the promotion of health.

(3) He shall respect human life and studiously avoid doing it injury.

(4) He shall share all the knowledge he may have gained with his colleagues without any reserve.

(5) He shall respect the confidence of his patient as he would his own.

(6) He shall by precept and example maintain the dignity and ideals of the profession, and permit no bias based on race, creed or socio-economic factors to affect his professional practice.

Note: The word "patient" used in this Code embraces the prisoner or other persons whom a doctor might be called upon to attend at another's bidding.

The Canadian Medical Association

The Canadian Medical Association has drafted a national code of conduct for doctors and this is reproduced for interest :

Code of Ethics

Principles of Ethical Behaviour for all physicians, including those who may not be engaged directly in clinical practice.

(1) Consider first the well-being of the patient.

(2) Honour your profession and its traditions.

(3) Recognise your limitations and the special skills of others in the prevention and treatment of disease.

(4) Protect the patient's secrets.

(5) Teach and be taught.

(6) Remember that integrity and professional ability should be your only advertisement.

(7) Be responsible in setting a value on your services.

Guide to the Ethical Behaviour of Physicians

A physician should be aware of the traditional standards established by his forebears and act within the general principles which have governed their conduct.

The Oath of Hippocrates represented the desire of the members of that day to establish for themselves standards of conduct in living and in the practice of their art. Since then the principles established have been retained as our basic guidelines for ethical living with the profession of medicine.

The International Code of Ethics and the Declaration of Geneva (1948) developed and approved by the World Medical Association, have modernised the ancient codes. They have been endorsed by each member organisation, including the Canadian Medical Association, as a general guide having worldwide application.

The Canadian Medical Association accepts the responsibility of delineating the standard of ethical behaviour expected of Canadian physicians.

An interpretation of these principles is developed in the ensuing pages, as a guide for individual physicians and provincial authorities.

Responsibilities to the Patient

An Ethical Physician

Standard of Care

(1) will practise the art and science of medicine to the best of his ability;

(2) will continue his education to improve his standard of medical care;

Respect for Patient

(3) will ensure that his conduct in the practice of his profession is above reproach, and that he will take neither physical, emotional nor financial advantage of his patients;

Patient's Rights

(4) will recognise his limitations and, when indicated, recommend to the patient that additional opinions and services be obtained;
(5) will recognise that the patient has the right to accept or reject any physician and any medical care recommended to him. The patient, having chosen his physician, has the right to request of 70 that physician opinions from other physicians of the patient's choice;

(6) will keep in confidence information derived from his patient, or from a colleague, regarding a patient and divulge it only with the permission of the patient except when the law requires him to do so;

(7) when acting on behalf of a third party will assure himself that the patient understands the physician's legal responsibility to the third party before proceeding with the examination;

(8) will recommend only those diagnostic procedures which he believes necessary to assist him in the care of the patient, and therapy which he believes necessary for the well-being of the patient. He will recognise his responsibility in advising the patient of his findings and recommendations;

(9) will on the patient's request, assist him by supplying the information required to enable the patient to receive any benefits to which the patient may be entitled;

(10) will be considerate of the anxiety of the patient's next-of-kin and co-operate with him in the patient's interest;

Choice of Patient

(11) will recognise that he has a responsibility to render medical services to any person regardless of colour, religion or political belief;

(12) shall, except in an emergency, have the right to refuse to accept a patient;

(13) will render all assistance in his power to any patient, where an urgent need for medical care exists;

(14) will, when the patient is unable, and an agent unavailable, to give consent, render such therapy as he believes to be in the patient's interest;

Continuity of Care

(15) will, when he has accepted professional responsibility for an acutely ill patient, continue to provide his services until they are no longer required, or until he has arranged for the services of another suitable physician. In any other situation he may withdraw from his responsibility for the care of any patient provided that he gives the patient adequate notice of his intention;

Personal Morality

(16) when his morality or religious conscience alone prevents him from recommending some form of therapy will so acquaint the patient;

Clinical Research

(17) will, before initiating any clinical research involving human beings, ensure that such clinical research is appraised scientifically and ethically, and approved by a responsible committee, and is sufficiently planned and supervised that the individuals are unlikely to suffer any harm. He will ascertain that the previous research and the purpose of the experiment justify this additional method of investigation. Before proceeding he will obtain the consent of those individuals or their agents, and will do so only after explaining the purpose of the clinical research and any possible health hazard which he can foresee;

The Dying Patient

(18) will allow death to occur with dignity and comfort when death of the body appears to be inevitable;

(19) may support the body when clinical death of the brain has occurred, but need not prolong life by unusual or heroic means;

Transplantation

(20) may, when death of the brain has occurred, support cellular life in the body when some parts of the body might be used to prolong or improve the health of others;

(21) will recognise his responsibility to a donor of organs to be transplanted and will give to the donor or his relatives full disclosure of his intent and the purpose of the procedure; in the case of a living donor, he will also explain the risks of the procedure;

(22) will refrain from determining the time of death of the donor patient when he will be a participant in the performance of the transplant procedure or when his association with any proposed recipient might influence his judgment;

(23) who determined the time of death of the donor may, subsequent to the transplant procedure, treat the recipient;

Fees to Patients

(24) in determining his fee to the patient, will consider his personal service and the patient's ability to pay and will be prepared to discuss his fee with his patient.

Responsibilities to the Profession An Ethical Physician

Personal Conduct

(1) will recognise that the profession demands of him integrity and dedication to its search for truth and its service to mankind; (2) will recognise that self discipline of the profession is a privilege and that he has a responsibility to merit the retention of this privilege;

(3) will conduct himself beyond reproach and will report to the appropriate body of his peers, conduct by a confrere which he considers unbecoming to the profession;

(4) will conduct himself in such a manner as to merit the respect of the public for members of the medical profession;

(5) will avoid impugning the reputations of his confreres;

Contracts

(6) will, when aligning himself in practice with other physicians, insist that they maintain the standards enunciated in this Code of Ethics and the Guide to the Ethical Behaviour of Physicians;

(7) will only enter into a contract, regarding his professional services, which allows fees derived from physicians' services to be controlled by the physicians rendering the services;

(8) will enter into a contract with an organisation only if it will allow him to maintain his professional integrity;

(9) will only offer to a confrere a contract which has terms and conditions equitable to both parties;

Reporting Medical Research

(10) will first communicate to his confreres, through recognised, scientific channels, the results of any medical research in order that those confreres may establish an opinion of its merits, before he or they present it to the public;

Addressing the Public

(11) will recognise his responsibility to give the generally held opinions of the profession when interpreting scientific knowledge to the public and in presenting any personal opinion which is contrary to the generally held opinion of the profession, he will indicate he is doing so, and will avoid any attempt to enhance his own professional reputation;

Advertising

(12) will build a professional reputation based only on his ability and integrity, will avoid advertising in any form and make professional announcements according to local custom;

(13) will avoid advocacy of any product when he is identified as a member of the medical profession;

(14) will avoid the use of secret remedies;

ì

Consultation

(15) will request the opinion of an appropriate confrere acceptable to the patient when diagnosis or treatment is difficult or obscure, or when the patient requests it. Having requested the opinion of a confrere, he will make available all relevant information and indicate clearly whether he wishes his confrere to assume the continuing care of the patient during this illness;

(16) will, when his opinion has been requested by a confrere, report in detail his findings and recommendations to the attending physician, and may outline his opinion to the patient. He will continue with the care of the patient only at the specific request of the attending physician, and with the consent of the patient;

Patient Care

(17) will co-operate with those individuals who, in the opinion of the physician, may assist in the care of that patient;

(18) will make available to a confrere, on the request of the patient, a report of his findings and treatment of that patient;

(19) will provide medical services to a confrere and his dependent family without fee, unless specifically requested to render an account;

(20) will provide only minor or emergency services to himself or his immediate family and these without payment;

Financial Arrangements

(21) will avoid any personal profit motive in ordering drugs, appliances or diagnostic procedures from any facility in which he has a financial interest;

(22) will refuse to accept any commission or payment, direct or indirect, for any service rendered to his patient by other persons excepting only by his employees and professional colleagues with whom he has a formal partnership or similar agreement.

Responsibilities to Society

An ethical physician who acts under the principles of this Guide to the Ethical Behaviour of Physicians will find that he has fulfilled many of his responsibilities to society.

An Ethical Physician

(1) will strive to improve the standards of medical services in the community. He will accept his share of the profession's responsibility to society in matters relating to public health, health education, and legislation affecting the health or well-being of the community;

- (2) when a witness, will recognise his responsibility to assist the courts in arriving at a just decision;
- (3) will, in the interest of providing good and adequate medical care support the opportunity of his confreres to obtain hospital privileges in his community appropriate to their personal and professional qualifications.

"The complete physician is not a man apart and cannot content himself with the practice of medicine alone, but should make his contribution, as does any other good citizen, towards the well-being and betterment of the community in which he lives".

Ethical decisions of annual representative meetings

The general control and direction of the policy and affairs of the British Medical Association is vested in the Representative Body. Six hundred doctors, representing the medical profession in the United Kingdom, meet annually to debate matters of concern to the profession. Some decisions of the meetings of the Representative Body on ethical matters are listed below :

Certification

That this Meeting deplores the increased tendency to require specific diagnosis in non-statutory medical certificates. (1952)

That this Meeting strongly recommends practitioners not to issue "Duration Certificates" (ie certificates to insurance companies re the medical history of a person who has died soon after acceptance without a medical report—for a Life Assurance). (1962—reaffirmed 1964)

Child Health Service

That the care of the sick child remains primarily the responsibility of the general practitioner supported by his consultant colleagues. (1976)

Code of Conduct for Patients

That the attention of the Government be drawn to the need for continuous education of the public, both in youth and adult life, in the constructive and responsible use of the National Health Service. (1956)

Confidentiality of Medical Records

Wherever practicable, and particularly where disclosure of information may have an adverse psychological effect upon the patient, the practitioner who compiled the record or, if he is not available, one nominated by the hospital authority for the purpose, should be consulted on the wisdom of disclosing to the patient all of the confidential information contained therein, and should take the opportunity of reviewing the notes before they leave the hospital. (1955)

That this Meeting considers that wherever practicable the exchange of medical details concerning patients should take place only between doctors and deplores the increasing tendency to exchange confidential medical details with lay persons. (1955)

Medical records should be lent to the medical officers employed by government departments only when written consent has been given by or on behalf of the patient. (1955)

That this Meeting agrees with the principle that specialists and general practitioners should not comply with requests from lay officials of local authorities for reports, as such requests should be made through the Medical Officer of Health (now the appropriate community physician). (1968)

That medical information should be absolutely confidential between doctor and patient and should only be divulged to para-medical workers working in direct professional relationship with the doctor. (1969)

In all medical records, information should be regarded as held for the specific purpose of the continuing care of the patient, and should not be used, without appropriate authorisation by the responsible clinician or the consent of the patient, for any other purpose. (1977) That this Meeting believes that no doctor should be party to the recording or holding of clinical information on any computer system which cannot completely safeguard the confidentiality of such information and requires Government to introduce adequate legislative safeguards, before the implementation of any further computer system. (1978)

That this Meeting insists that access to identifiable information held in medical records should be restricted to the author and the person clinically responsible for the patient during the episode for which the data was collected (or their successor) unless specifically authorised by the clinician in the interests of the patient. (1978)

Euthanasia

That this Meeting affirms that the position of medical practitioners 76 who are in conscience opposed to euthanasia must be fully protected in future legislation should it occur and that no legal obligation in this respect should be allowed to be imposed unilaterally on any member of the profession at any time. (1977)

Freedom to Prescribe

That this Meeting protests in the strongest possible terms against any Government actions aimed at curtailing the freedom of a registered medical practitioner to prescribe—under suitable agreed safeguards —whether under the NHS or privately, whatever he thinks is best for his patient until and unless there is some absolutely overwhelming reason to the contrary which has been agreed between the profession as a whole and the Minister. (1956)

That this Representative Body will resist any attempt by Government to interfere with the doctor's right to prescribe the drug of his choice to his patient. (1976)

Medical Audit

That this Meeting instructs Council to investigate methods of audit within the profession and to report back. (1977)

Oral Contraceptives

That this meeting considers that the contraceptive pill should be available only on prescripion by a registered medical practitioner. (1976—reaffirmed 1977)

Press Announcements of New Drugs

That this Meeting deplores the publication in the popular press of extracts from medical articles and newspaper articles of an irresponsible character praising new drugs without illustrating any potential dangers. (1953)

Political and Religious Dissenters

That this Meeting condemns the practice of using medical men to certify political and religious dissenters as insane and to submit them to unnecessary investigation and treatment. (1973)

That this Representative Body deplores the continued abuse of medical skills and ethics for political ends in contravention of the principles of the Declaration of Geneva. (1976)

Professional Independence

That this Meeting agrees that the policy of the Association shall be :---

(i) Freedom of the doctor to choose his patient.

(ii) Freedom of the patient to choose his doctor.

(iii) Freedom for the doctor in his clinical assessment and therapy.

(iv) That the doctor be entitled to a fee from his patient where the payment made by the State is considered by the profession to be inadequate for the services rendered.

(v) Freedom for the patient to avail himself of all or any relevant services available within the framework of the Welfare State. (1967)

Professions Allied to Medicine

That while there is no objection to the employment by most medical practitioners of radiographers for the purpose of taking films, the responsibility for the interpretation of such films must rest with a radiologist or other qualified medical practitioner. (1939)

That this Representative Body reaffirms that with proper arrangements for supervision by a consultant, access to hospital physiotherapy departments for urgent treatment should be available to family doctors where local circumstances demand it. (1965)

Television Advertisements

78 ·

That the televising of advertisements for pharmaceutical products, either directly or indirectly by the Science Survey type of programme or by fictitious doctors giving fictitious advice, would be prejudicial to the best interests of medical practice in this country. (1954)

Bibliography

ABORTION, CONTRACEPTION AND STERILISATION

Abortion Act 1967 Chapter 87. London, HMSO, 1967.

Department of Health and Social Security, The Use of Fetuses and Fetal Material for Research. Chairman, Sir John Peel, Report of the Advisory Group. London, HMSO, 1972.

Indications for Termination of Pregnancy, Report by BMA Committee on Therapeutic Abortion. British Medical Journal, 1968, 1, 171–175.

Committee on the Working of the Abortion Act, *Report*. Chairman, Mrs. Justice Lane. Vol I-III, Cmnd 5579-I, 5579-II. London, HMSO, 1974.

Duncan, S L B, Ethical Problems in Advising Contraception and Sterilisation. Practitioner, 1979, 223, 237-242.

Gardner, R F, The Ethics of Abortion, Practitioner, 1979, 223, 244-248.

Seller, M, Congenital Abnormalities and Selective Abortions. Journal of Medical Ethics, 1976, 2 (3), 138-141.

Tunkel, V, Abortion: How Early, How Late, and How Legal? British Medical Journal, 1979, 2, 253-256.

CONSENT TO TREATMENT

Consent to Treatment (Legal Correspondent). British Medical Journal, 1979, 1, 1091-1092.

Clothier C M, The Law and the Juvenile Donor. Lancet, 1977, 1, 1356-1357.

Garnham, J C, Some Observations on Informed Consent in Non-therapeutic Research. Journal of Medical Ethics, 1975, 1 (3), 138-145.

Human Experimentation: Human Rights. Lancet, 1978, 2, 1352

Valid Parental Consent. Lancet, 1977, 1, 1346-1347.

Skegg, P D G, English Law Relating to Experimentation on Children. Lancet, 1977, 2, 754-755.

Vere D, Testing New Drugs: the Human Volunteer. Journal of Medical Ethics, 1978, 4 (2), 81–83.

EUTHANASIA

British Medical Association. The Problem of Euthanasia. Report of a Special Panel of the Board of Science and Education. London, BMA, 1971.

Campbell, A G M, Moral dilemmas in the care of the dying. Mimms Magazine, 1978, 2 (10), 623-629.

Campbell, A G M, and Duff, R S, Deciding the Care of Severely Malformed or Dying Infants. Journal of Medical Ethics, 1979, 5 (2), 65-67.

- Lawton, Lord Justice, Mercy Killing: the Judicial Dilemma. Journal of Royal Society of Medicine, 1979, 72, 460-461.
- Sweet, T, Good Care or Bad Law. Journal of the Royal Society of Medicine, 1979, 72, 461-464.
- Nicholson, R, Should the Patient be Allowed to Die? Journal of Medical Ethics, 1975, 1 (1), 5-9.

GENETICS

- Arnold, A, and Moseley, R, Ethical Issues Arising from Human Genetics. Journal of Medical Ethics, 1976, 2 (1), 12-17.
- Ellis, H L, Parental Involvement in the Decision to Treat Spina Bifida Cystica. British Medical Journal, 1974, 1, 369-372.
- Ethics of Selective Treatment of Spina Bifida. Report of a Working Party appointed under the auspices of the Newcastle Regional Hospital Board. Lancet, 1975, 1, 85-88.

INDUSTRIAL ACTION

- Strikes in the National Health Service. Journal of Medical Ethics, 1977, 3 (2), 55.
- Dworkin, G, Strikes and the National Health Service: Some Legal and Ethical Issues. Commentary by P Zacharias. Journal of Medical Ethics, 1977, 3 (2), 76-82.
- Discussion Document on Ethical Responsibilities of Doctors Practising in the National Health Service. Joint Working Party of the Conference of Medical Royal Colleges and Faculties in the United Kingdom and the British Medical Association. British Medical Journal, 1977, 1, 157-159.
- Royal College of Nursing (RCN Code of Professional Conduct: A Discussion Document. Journal of Medical Ethics, 1977, 3 (3), 115-123.

INSEMINATION, ARTIFICIAL

Artificial Insemination for All. British Medical Journal, 1979, 2, 458.

- British Medical Association ARM Debate: Legitimacy for AID Children. British Medical Journal Supplement, 1979, 2, 70.
- British Medical Association. Report of Panel on Human Artificial Insemination. Board of Science and Education. Annual Report of Council 1972, Appendix V. British Medical Journal Supplement, 1973, 2, 3-5.
- Cusine, D J, AID and the Law. Journal of Medical Ethics, 1975, 1 (1), 39-41.
- Cusine, D J, Medico-Legal Aspects of AID. IPPF Medical Bulletin, 1979, 13 (1), 1-2.
- Harrison, R F, and Wynn Williams, G, Human Artificial Insemination. British Journal of Hospital Medicine, 1973, 9 (6), 760-762.
- Short, R V, Focus: Current Issues in Medical Ethics. Journal of Medical Ethics, 1975, 1, 56-58.

PROFESSIONAL CONFIDENCE

- Barber, B, et al, Some Problems of Confidentiality in Medical Computing. Journal of Medical Ethics, 1976, 2 (2), 71-73.
- Home Office: Report of the Committee on Data Protection. Chairman, Sir Norman Lindop. Cmnd 7341. London, HMSO, 1978.
- Confidentiality. Tape recorded discussion. British Medical Journal, 1973, 1, 700-705.
- Diamond, B, Mcdical Confidentiality and the Law. World Medicine, 1979, 14 (9), 63-64.
- Thompson, Ian E, The Nature of Confidentiality. Journal of Medical Ethics, 1979, 5 (2), 57-64.
- Computers and Confidentiality in Medicine. World Medical Association Conference report. British Medical Journal, 1973, 2, 290-293.

TRANSPLANTATION

- Diagnosis of Brain Death. Statement issued by the Honorary Secretary of the Conferences of Medical Royal Colleges and their Faculties in the United Kingdom on 11 October 1976. British Medical Journal, 1976, 2, 1187-1188.
- Coroners and Transplants (Legal Correspondent). British Medical Journal, 1977, 1, 1418.
- Jenet, B, The Donor Doctor's Dilemma: Observations on the Recognition and Management of Brain Death. Journal of Mcdical Ethics, 1975, 1, 63– 66.
- Kennedy, I, The Donation and Transplantation of Kidneys: Should the Law be Changed? Journal of Medical Ethics, 1979, 5, 13-21.
- Knight, B, Law and Ethics in Transplantation. The Practitioner, 1976, 216, 471-474.
- Luksza, A R, Brain-dead Kidney Donor: Selection, Care and Administration, 1979, 1, 1316-1319.
- Sells, R A, Live Organs from Dead People. Journal of the Royal Society of Medicine, 1979, 72, 109-117.

GENERAL

- Dictionary of Medical Ethics. E. Duncan A S, et al. London, Darton Longman and Todd, 1977.
- Professional Conduct and Discipline. London, General Medical Council, January 1979.
- Taylor, J Leahy, The Doctor and the Law. London, Pitman Medical and Scientific Publishing Co Ltd, 1970.

Index

L

ABORTION: Therapeutic p9; p20 3.8; p28 5.5-5.9 Abortion Act 1967 p28 5.5-5.9 Age of fetus p29 5.9 Children and parental consent p28 5.8 Conscience and alternative care p28 5.6, 5.7 Infant Life (Preservation) Act 1929 p28 5.9 World Medical Association Statement on Therapeutic Abortion Oslo 1970 ch11 p63 ACCEPTANCE OF PATIENTS see under PATIENTS, Acceptance of ACTS OF PARLIAMENT Abortion Act 1967 p28 5.5 Family Law Reform Act 1969 p13 1.10 Infant Life (Preservation) Act 1929 p28 5.9 Medical Acts 1858 p10, p55 10.5; 1969, 1978 p55 10.5 Mental Health Act 1959 p13 1.13 National Health Service Acts 1946, 1977 p54 10.2; p55 10.3 Professions Supplementary to Medicine Act 1960 p39 6.12 ADVANCES IN MEDICINE Doctor patient relationship p11 1.3; p24 4.1-4.12 ADVERTISING Doctor in Practice Attendance upon colleagues p51 9.19 Canvassing p50 9.13 Directories and lists of doctors p49 9.11, 9.12

Notice boards, door plates and sign posts p48 9.7, 9.8 Notification of colleagues, consultants p47 9.2, 9.3 Notification to patients-change of address p47 9.3 Premises, location and sharing p48 9.4-9.6 Premises, titles p49 9.9, 9.10 Setting up in practice p47 9.1, 9.2 Testimonials for commercial products p50 9.17 Press and Broadcasting Media Authoritative comment on medical subjects p45 8.2-8.8 Ethics p45 8.1-8.9 Health education p46 8.7 Identification of doctors p46 8.5-8.9 Lay public, correspondence p46 8.9 Statements on behalf of known organisations p46 8.8 Reports/Resolutions British Medical Association ARM resolution 1954 ch11 p78 "Television Advertisements" British Medical Association Report "Advertising and the Medical Profession" 1974 p51 9.20General Medical Council "Professional Conduct and Discipline" 1979 p51 9.21 AID see INSEMINATION, Artificial by Donor ALTERNATIVE MEDICAL CARE see also INTRA-PROFESSIONAL RELATIONS

Abortion, conscientious objection p28 5.6, 5.7 Industrial action by non-medically qualified people p37 6.2 Referral of patients p17 2.7 ARMED FORCES Volunteers in experiments p12 1.8 ARMED FORCES MEDICAL OFFICERS Confidentiality p18 2.12 Doctors in specialised communities p18 2.9 Ethical responsibilities p18 2.11 Interrogation and punishment p19 2.14 Monitoring of volunteers trained in techniques of resistance to interrogation p45 7.21 Servicemen's families p19 2.13 Signing certificates of fitness p50 9.16 ARTIFICIAL FEEDING See FEEDING, Artificial ARTIFICIAL INSEMINATION BY DONOR (AID) see INSEMINATION, Artificial ASSAULT See CONSENT TO TREAT-MENT ASSIGNMENT OF PATIENTS see under PATIENTS ASSURANCE Life, examinations p11 1.4; p19 3.1; p20 3.3, 3.4 · . ATTENDANCE UPON COLLEAGUES see under DOCTOR(S) AUDIT See MEDICAL AUDIT BELGIUM Ethical code p43 7.7 BILLS, Parliament Euthanasia p30 5.16 BONE MARROW TRANSPLANTATION see under TISSUE TRANSPLANTATION BRAIN DEATH

Conference of Medical Royal Colleges and their Faculties

84

Reports. October, 1976; January 1979 p31 5.21 Doctors qualifications for deciding brain death p32 5.25 Termination of artificial support p31 5.21 Unpaired organs, transplantation p32 5.25 BRITISH ASSOCIATION OF SOCIAL WORKERS Ethical code p41 6.21, 6.22 BRITISH MEDICAL ASSOCIATION ARM ethical decisions ch11 p75 Central Ethical Committee, confidentiality p12 1.6(4); p15 1.20(c) see also p24 4.1-4.12 Formation pl0 Intra-professional disagreements, BMA ethical machinery p54 9.35, 9.36

CANADIAN MEDICAL ASSOCIATION Code of ethics ch11 p69 CANVASSING p50 9.13 CERTIFICATES AND STATEMENTS p50 9.14-9.16 CERTIFICATION British Medical Association ARM decision ch11 p75 CHEMISTS Collusion for profession gain p40 6.17-6.18 Improper delegation of duties to, . p40 6.16 Liaison with, p40 6.16 CHILDREN see also MINORS Abortion p28 5.8 Bone marrow transplantation, parental consent p31 5.24 British Medical Association ARM resolution Child Health Service ch11 p75 Consent to treatment p13 1.10-1.12

BMAL0000087_0080

Research on children p25 4.6 Severely malformed infants, care p29 5.10-5.12 Tissue transplantation, parental consent p31 5.23 CHIROPODISTS p39 6.12 CLERGY see RELIGION, Ministers of CLINICAL TRIALS SUBMISSION See DRUGS, Clinical trials submission COMMERCIAL ENTERPRISES p50 9.17 COMMITTEE ON SAFETY OF MEDI-CINES (CSM) p26 4.9-412 COMMONWEALTH MEDICAL ASSOCI-ATION Ethical code 1974 ch11 p69 COMMUNICATION Clarity of verbal and written p38 6.8 Doctor patient relationship p18 2.8COMMUNITY MEDICINE p20 3.5; p21 3.10 COMMUNITY PHYSICIAN p10 3.5 Ethical problems p20 3.8, 3.9. Intra-professional relations p21 3.10COMPUTERS British Medical Association ARM resolution 1978 ch11 p76 Storage and access to clinicalinformation p14 1.19-p15 1.21 World Medical Association 27th World Medical Assembly statement ch11 p64 CONFIDENTIALITY SEE PROFESSIONAL CONFIDENCE CONSCIENTIOUS OBJECTION p17 2.7 Abortion p20 3.8; p28 5.6 Community physician p20 3.8 Contraception for the unmarried p20 3.8

CONSENT TO TREATMENT Assault p12 1.8 Examination, in custody p24 3.27fitness to stand trial p24 3.28 forensic p23 3.23; p24 3.24 minors p24 3.25 presence of a third party p24 3.24 Incapacity to, p13 1.13 Minors p13 1.10, 1.11; p24 3.25; p25 4.6; p28 5.8 Reproductive organs, operations on, p13 1.14 Research p24 4.1; p25 4.4, 4.5 Statutory periodic examination p23 3.20 Tissue transplantation p31 5.22 Unconscious patient p24 3.26 Undue influence p12 1.8 CONSULTANTS Referral for a second opinion p16 2.3, 2.4 a-f Setting up in practice p47 9.2, 9.3 Sharing of premises with general practitioners p48 9.6 CONTRACEPTION p16 2.4(h); p20 3.8 Oral contraceptives British Medical Association ARM Resolution chll p77 CORPORAL PUNISHMENT See PUNISH-MENT COUNCIL OF EUROPE p42 7.2 COUNCIL FOR PROFESSIONS SUPPLE-MENTARY TO MEDICINE p37 6.4 COURTS OF LAW see under LAW CUSTODY, Examination in Consent to, p24 3.27 Police Surgeons p23 3.22-3.24 see also p45 7.20, 7.21

DECLARATIONS OF THE WORLD MEDICAL ASSOCIATION see under WORLD MEDICAL ASSOCIATION DELEGATION OF MEDICAL DUTIES Doctors in training p38 6.7; p40 6.15; p52 9.27 Nurses p38 6.7; p39 6.9-6.11 Paramedical professions p38 6.7 Pharmacists p40 6.16 Professions supplementary to medicine p38 6.7; p39 6.12-6.15 Unqualified persons p38 6.7 DEPUTISING ARRANGEMENTS General practice p53 9.31, 9.33 Hospital practice p53 9.32 DEPUTISING SERVICES p53 9.33 DICHOTOMY p38 6.6; p40 6.16, 6.17; p51 9.18 DIETICIANS p39 6.12 DISCRIMINATION IN MEDICINE World Medical Association Declaration Munich 1973 ch11 p59 DOCTOR(S) see also PROFESSIONAL CONFIDENCE; PROFESSIONAL INDE-PENDENCE Acceptance of patients p15 2.1-2.4; p17 2.7; p37 6.2 And his colleagues p52 9.27–9.31 Consultants p53 9.29 General practitioners p53 9.28, 9.29 Junior doctors p53 9.27–9.30 Notices to colleagues p47 9.2-9.3 Notices to patients p47 9.2-9.3 Outside pressures on p14 1.15; p17 2.6 Patient relationship p11 1.2-1.21; p17 2.5-2.8; p35 5.42 Reporting to a third party p19 3.1 - 3.4

Special communities p18 2:9-2.17Armed Forces Medical Officers p18 2.11-2.14 Expedition doctors p19 2.17 Prison Medical Officers p18 2.10 Ships' Surgeons p19 2.15-2.16 **DOCTOR AND THE MEDIA See PRESS** AND BROADCASTING MEDIA DOCTOR'S PREMISES see under PREMISES DOOR PLATES p48 9.7, 9.8 DRUGS, Clinical trials Clinical trials submissions p26 4.10 Committee on Safety of Medicines p26 4.9-4.12 Compensation for damage p55 10.6Marketing p27 4.12 Product Licence submission p27 4.12DRUGS, Prescribing see PRESCRIBING **DRUGS**, Public policy Compensation for damage p55 10.6 EEC see EUROPE EMBRYO p13 1.14 EMPLOYMENT MEDICAL ADVISOR see OCCUPATIONAL PHYSICIANS ETHICAL CODES Belgium p43 7.7 British Association of Social Workers p41 6.21, 6.22 Canadian Medical Association chll p69 Commonwealth Medical Association ch11 p69 European p42 7.4–7.9 "Medical Ethics: or, a Code of Institutes and Precepts . . ."

Thomas Percival p10 Netherlands p43 7.6 Royal College of Nursing p39 6.9 World Medical Association, Declarations: Abortion, Therapeutic 1970 Oslo ch11 p63 Computers in Medicine 1973 ch11 p64 Discrimination in medicine Munich 1973 ch11 p59 Human Experimentation Helsinki 1964, rev. 1975 ch11 p59 International Code of Medical Ethics Geneva 1948, rev. Sydney 1968 ch11 p57 Medical Secrecy 1973 p64 Torture Tokyo 1975 ch11 p65 ETHICAL COMMITTEES Controlled Clinical Trials p25 4.5 Minors, research on p25 4.6 ETHICS see MEDICAL ETHICS EUROPE, European Economic Community Directives relating to free movement of doctors p42 7.4 Ethical codes p42 7.4-7.9 Regulation of Medical Practice p42 7.5-7.9 EUTHANASIA see also BRAIN DEATH p30 5.16-5.20 Active p30 5.19 British Medical Association ARM resolution ch11 p76 Compulsory p30 5.17 Parliamentary Bills, 1936, 1969, 1976 p30 5.16 Passive p30 5.19 Severely malformed infants p29 5.10 - 5.12Voluntary p30 5.18 EXAMINATIONS, Clinical

ł

In custody p23 3.22-3.24; p24 3.27Fitness to stand trial p24 3.27, 3.28Minors p24 3.25 Presence of a third party p24 3.24Unconscious patient p24 3.26 EXAMINER, Medical see MEDICAL EXAMINER EXPEDITION DOCTORS see under DOCTOR(s): Special communities FAMILY see also PARENTAL CONSENT Next of kin p14 1.15; p17 2.6 FAMILY LAW REFORM ACT p13 1.10 FAMILY PLANNING See CONTRACEP-TION FEEDING, Artificial p32 5.26-5.28 World Medical Association Declaration Tokyo 1974 ch11 p65 FEES Attendance upon colleagues p51 9.19Collusion p38 6.6; p40 6.16, 6.17 Undisclosed sharing of (dichotomy) p51 9.18 FETUS p14 1.14 see LAW; FORENSIC MEDICINE POLICE; PRISONERS; PRISON MEDI-CAL OFFICERS; SOLICITORS GENERAL MEDICAL COUNCIL Formation p10 Doctor patient relationship p17 2.5Erasure from register p10; p55 10.5 Intra-professional constraints p14 1.18 Medical Acts 1958 p10; 1969 p55 10.5; 1978 p55 10.5

"Professional Conduct and Discipline" 1979 p38 6.7 GENERAL NURSING COUNCIL p37 6.4 GENERAL PRACTICE Assignment of patients p16 2.2 Clinical trials of drugs p26 4.9-4.12Deputising arrangements p53 9.31, 9.33 Doctor and the law p55 10.4 Doctor in practice p47 9.1-9.13 Intra-professional disagreements p54 9.34-9.36 Referral of patients p16 2.3, 2.4(a-f)GENETIC COUNSELLING p30 5.14, 5.15 GENEVA, Declaration see under WORLD MEDICAL ASSOCIATION HAM-MURABI

Code of Laws p9

HEALTH AND SAFETY EXECUTIVE Medical Advisory Committee p23 .3.20HEALTH CHECKS p27 5.2-5.4 HEALTH EDUCATION p35 5.42 HEALTH SERVICES Allocation of resources p33 5.30, 5.31; p35 5.40-5.42 HELSINKI, Declaration see under WORLD MEDICAL ASSOCIATION HIPPOCRATIC OATH p19 Text ch11 p56 HOLLAND See NETHERLANDS HUMAN EXPERIMENTATION see also RESEARCH World Medical Association Declaration of Helsinki 1964, rev. 1975 ch11 p59

HUMAN RIGHTS Human Rights Commission, Strasbourg p42 7.2 United Nations Covenant on Economic, Social and Cultural Rights p41 7.1 United Nations Declaration p21 7.1 HUNGER STRIKES see FEEDING, Artificial INDUSTRIAL see also OCCUPATIONAL INDUSTRIAL ACTION Disadvantages to patients p33 5.29 - 5.38Disputes over pay and conditions p33 5.31 Monopoly employees p33 5.31-5.38Provision of emergency care p34 5.37 State and profession p34 5.33 Withdrawal of services p33 5.29-5.38INDUSTRIAL TRIBUNAL p22 3.19 INSEMINATION, Artificial by donor p29 5.13; p55 10.6 INSURANCE, Examinations p11 1.4; p19 3.1; p20 3.3, 3.4 INTERNATIONAL CODE OF MEDICAL ETHICS World Medical Association Declaration of Geneva 1947, rev. Sydney 1968 ch11 p57 INTER-PROFESSIONAL DISAGREE-MENTS British Medical Association ethical machinery p54 9.35, 9.36 Community Physicians and their colleagues p20 3.8; p21 3.10 Partnership disputes p35 9.34-9.36INTRA-PROFESSIONAL RELATIONS p21 3.10; p22 3.13-3.16, 3.18 p37 6.4-6.22

INTRA-UTERINE DEVICES see also CONTRACEPTION p16 2.4(h) JUNIOR DOCTORS see DELEGATION OF MEDICAL DUTIES; DOCTOR(S) JURISPRUDENCE see LAW; POLICE; PRISONERS; PRISON MEDICAL OFFI-CERS; SOLICITORS JURY SERVICE

Fitness for, p24 3.28

LAW see also POLICE; PRISONERS; PRISON MEDICAL OFFICERS; SOLICI-TORS p54 10.1-10.8 Compensation for damage p55 10.6 Family Law Reform Act p13 1.10 Forensic examination in custody p24 3.24, 3.27, 3.28 Medical information-professional confidence p14 1.16-1.18 Minors, emergency treatment p13 1.11 Statutory periodic examination p23 3.20; p56 10.7 LAY PRESS p45 8.1-8.9 LIFE INSURANCE p11 1.4; p19 3.1; p20 3.3, 3.4 LOCAL AUTHORITY, rehousing p21 3.10

MANIPULATIVE MEDICINE p40 6.19 MEDIA see NEWSPAPERS; PRESS AND BROADCASTING MEDIA; TELEVISION MEDICAL ACTS 1858-1978 p10; p55 10.5 MEDICAL AUDIT British Medical Association ARM resolution ch11 p77 MEDICAL ETHICS History p9 MEDICAL EXAMINATIONS SEE EXAM-INATIONS, Clinical MEDICAL EXAMINER p11 1.3, 1.4; p19 3.1-3.4; p24 4.1-4.12 MEDICAL INSTITUTIONS p52 9.24, 9.25 MEDICAL JURISPRUDENCE See LAW; POLICE; PRISONERS; PRISON MEDI-CAL OFFICERS; SOLICITORS MEDICAL RECORDS Community medicine p21 3.10 Computers, British Medical Association ARM resolution ch11 p76 Confidentiality, British Medical Association ARM resolution ch11 p76 Information to relatives p14 1.15 Medical information required by courts of law p14 1.16-1.18 Occupational medicine p21 3.11-3.13 Patient's notes, illegible p38 6.8 Storage and access p14 1.19-1.21 MEDICAL SCIENTIFIC OFFICERS p39 6.12 MEDICAL SECRECY SEE PROFESSIONAL CONFIDENCE MENTAL ILLNESS Incapacity to consent p13 1.13 Mental Health Act 1959 p13 1.13 MERCHANT NAVY See SHIPS' SUR-GEONS MERCY KILLING SEE EUTHANASIA MINORS see also CHILDREN Abortion p28 5.8 Consent to treatment p13 1.10-1.12; p24 3.25 Unconscious patient p24 3.26 MINISTERS OF RELIGION Collaboration with p41 6.20

MULTI-DISCIPLINARY CARE See INTRA-**PROFESSIONAL RELATIONS** MUNICH, Declaration see under WORLD MEDICAL ASSOCIATION NATIONAL HEALTH SERVICE Acts p54 10.2, 10.3 Allocation of resources p35 5.39-5.41 Doctor and the law p54 10.1-10.8 Inadequate resources p33 5.29-5.41 Industrial action p33 5.29-5.38 Patient's right to choose p15 2.1-2.2Reduction of services to patients p33 5.29-5.41 Withdrawal of services p33 5.29-5.38NETHERLANDS Regulation of medical practice p43 7.6 NEWSPAPERS see also press and BROADCASTING MEDIA; TELEVISION p45 8.1-8.9 NEXT OF KIN see under FAMILY NOTICE BOARDS p48 9.7, 9.8 NOTICES TO COLLEAGUES see under DOCTOR(S) NOTICES TO PATIENTS see under PATIENTS NURSING General Nursing Council p37 6.4 Intra-professional relationships p38 6.7; p39 6.9, 6.10 Royal College of Nursing Code of Professional Conduct p39 6.9 NURSING HOMES p52 9.24-9.26 OCCUPATIONAL see also INDUSTRIAL OCCUPATIONAL MEDICINE

EEC Occupational registers p56 10.8

EEC recognition of workers exposure to toxic substances p26 4.8; p55 10.7 Sickness absence p22 3.16, 3.19 OCCUPATIONAL PHYSICIANS Consultation with patient's general practitioner p22 3.13-3.16 Doctor patient relationship p21 3.11Employment Medical Adviser p22 3.19 Opinion on liability for industrial disease p22 3.17 Professional confidence p22 3.12, 3.19 - 3.21Statutory investigations p23-3.20 OCCUPATIONAL THERAPISTS p39 6.12 ORAL CONTRACEPTIVES See also CONTRACEPTION British Medical Association ARM resolution ch11 p77 ORGAN TRANSPLANTATION p31 5.21-5.25 ORTHOPTISTS p39 6.12 oslo, Declaration of see under WORLD MEDICAL ASSOCIATION OSTEOPATHY p40 6.19 OUTSIDE PRESSURES on doctors see under DOCTOR(S) OVERSEAS PATIENTS See under PATIENTS

PARAMEDICAL PROFESSIONS p37 6.4-6.11 British Medical Association ARM resolution ch11 p78 PARENTAL CONSENT p13 1.10-1.12; p28 5.8 PARLIAMENT, Acts see ACTS OF PARLIAMENT, Bills see BILLS, Parliament

PATIENTS Acceptance of p15 2.1-2.4; p17 2.7; p37 6.2 Assignment p16 2.2 Code of Conduct, British Medical Association ARM resolution ch11 p75 Notes, illegible p38 6.8 Notices to, p47 9.2, 9.3 Overseas patients p16 2.4(g)Relatives p14 1.15; p17 2.6 Unconscious patient p24 3.26 PERCIVAL, Thomas p10 PHARMACEUTICAL SOCIETY p40 6.18 PHARMACISTS p40 6.16-6.18 Collusion for professional gain p40 6.17-6.18 Improper delegation of duties to, p40 6.16 Liaison with, p40 6.16 PHYSIOTHERAPISTS p39 6.12 PHYSIOTHERAPY Hospitals, British Medical Association ARM resolution ch11 p78 PLACEBOS p25 4.4 POLICE see also LAW; PRISONERS; PRISON MEDICAL OFFICERS; SOLICI-TORS POLICE CUSTODY p23 3.22-3.27 POLICE SURGEONS p20 3.3; p23 3.22-3.24; p24 3.27-3.28; p45 7.20 POLITICAL AND RELIGIOUS DISSEN-TERS British Medical Association ARM resolution ch11 p77 PREMISES See under PRACTICE PREMISES PREGNANCY TERMINATION See ABOR-TION, Therapeutic

PREMISES Location and sharing p48 9.4-9.6 Notice boards, sign posts and door plates p48 9.7, 9.8 Titles, health centres and group practices p49 9.9, 9.10 PRESCRIBING Freedom, British Medical Association ARM resolution ch11 p77 PRESCRIPTIONS Illegible p38 6.8 PRESS AND BROADCASTING MEDIA see also NEWSPAPERS; TELEVISION Authoritative comment on medical subject p45 8.2-8.8 Ethics p45 8.1-8.9 Health Education p46 8.7 Identification of doctor p46 8.5-8.9 Lay public, correspondence p46 8.9 Statements on behalf of known organisations p46 8.8 PRESS ANNOUNCEMENTS, New drugs British Medical Association ARM resolution ch11 p77 PRISON MEDICAL OFFICERS p18 2.10; p26 4.7; p44 7.10-7.21 PRISONERS Artificial feeding p32 5.26, 5.27 Diet p44 7.16–7.18 Doctor-patient relationship p18 2.10Interrogation p44 7.14; p45 7.21 Punishment p44 7.16-7.19 Right to die p32 5.27, 5.28 Torture p44 7.12-7.15 United Nations Standard minimum rules p44 7.16 World Medical Association Declaration Tokyo "Torture and other cruel and inhuman punishments" 1975 ch11 p65

PROFESSIONAL CONFIDENCE Armed Forces p19 2.13 Armed Forces Medical Officers p18 2.12 British Medical Association ARM resolutions ch11 p76 Clinical information, access p14 1.19 - 1.21Community Medicine p21 3.10 Confidentiality p11 1.3; p12 1.5-1.7; p19 3.1-3.4; p21 3.10 Consent p12 1.8; p19 3.1-3.4; p21 3.10 Europe, EEC Countries p43 7.6-7.8 Genetic counselling p30 5.14, 5.15Law p14 1.16-1.18; p54 10.2 Nurses p37 6.4 Occupational medicine p21 3.11, 3.12; p22 3.19; p23 3.21 Paramedical professions p37 6.4, 6.5 Police surgeons p23 3.22; p24 3.27Professions supplementary to medicine p37 6.4, 6.5; p40 6.13 Third party, disclosures to p11 1.3 - 1.7PROFESSIONAL INDEPENDENCE British Medical Association ARM resolution ch11 p77 PROFESSIONS ALLIED TO MEDICINE see also PARAMEDICAL PROFES-SIONS; PROFESSIONS SUPPLEMEN-TARY TO MEDICINE British Medical Association ARM resolution ch11 p78 Premises, sharing p48 9.4 PROFESSIONS SUPPLEMENTARY TO MEDICINE see also DOCTORS IN TRAINING; INTRA-PROFESSIONAL RE-LATIONS; PREMISES, SHARING WITH DOCTORS p37 6.4-6.7; p39 6.12-6.15

PROVINCIAL MEDICAL AND SURGICAL ASSOCIATION p10 PUBLICITY See ADVERTISING; TELE-VISION ADVERTISEMENTS PUNISHMENT. Corporal punishment p45 7.19 Diet p44 7.16–7.18 Drugs p45 7.20 United Nations Standard minimum rules p44 7.16 QUACKERY **Provincial Medical and Surgical** Association, Committee on p10; p37 6.3 RADIOGRAPHERS British Medical Association ARM resolution ch11 p78 RECORDS SEE MEDICAL RECORDS -OF REDUCTION SERVICES TO PATIENTS see under NATIONAL HEALTH SERVICE **REFERRAL FROM GENERAL PRACTI-**TIONER TO CONSULTANT p16 2.3, 2.4(a-f) **REFRACTION EXAMINATIONS** p16 2.4(f) **REGULATION OF MEDICAL PRACTICE** see also ETHICAL CODES; GENERAL MEDICAL COUNCIL p9; p42 7.4–7.9; p55 10.5 RELIGION, MINISTERS OF Collaboration with p41 6.20 **RELIGIOUS DISSENTERS** British Medical Association ARM resolution ch11 p77 REMEDIAL GYMNASTS p39 6.12 RESEARCH p24 4.1-4.12 Children p25 4.6 Compensation for damage p55 10.6

Drugs, controlled clinical trials p26 4.9-4.12 Infants p26 4.6(c) Law p24 4.1 Medical examiner p11 1.3; p24 4.1 - 4.12Minors under 10 yrs p26 4.6(c) Occupational medicine p26 4.8 Parental consent p26 4.6(b)(c)Pregnant women p26 4.6(c) Prisoners p26 4.7 Supervision of research p25 4.5 4.6(a)(b)Withdrawal of patients from trials p25 4.5 World Medical Association Declaration Human Experimentation Helsinki ch11 p59 RESOURCES, Limitation of see under NATIONAL HEALTH SERVICE ROYAL COLLEGE OF NURSING SEE also NURSES p39 6.9 **SCREENING**, Pre-symptomatic p27 5.3, 5:4 SECRECY See PROFESSIONAL CON-FIDENCE SERVICEMEN'S FAMILIES see also ARMED FORCES p19 2.13 SHIPS' SURGEONS p18 2.9; p19 2.15, 2.16 SIGNPOSTS p48 9.7, 9.8 SOCIAL WORKERS p41 6.21, 6.22 SOLICITORS see also LAW; POLICE; PRISONERS; PRISON MEDICAL OFFI-CERS Presence at a forensic examination p24 3.24 SPECIALISED COMMUNITIES, doctors see under DOCTOR(S): Special **Communities**

SPECIALIST OPINION p16 2.3, 2.4(a)-(f) STATE, The see also NATIONAL HEALTH SERVICE p20 3.7 p41 7.1-7.3 European states p42 7.4-7.9 SUICIDE Attempts p9; p32 5.28 SURGEONS, Ships' see SHIPS' SUR-GEONS SYDNEY, Declaration see under WORLD MEDICAL ASSOCIATION SYSTEMS OF TREATMENT p52 9.26

TELEVISION see also NEWSPAPERS; PRESS AND BROADCASTING MEDIA TELEVISION ADVERTISEMENTS British Medical Association ARM resolution ch11 p78 THERAPEUTIC DOCTOR PATIENT RE-LATIONSHIP p11 1.2-1.21 THIRD PARTY, Disclosures to see PROFESSIONAL CONFIDENCE TISSUE TRANSPLANTATION see also ORGAN TRANSPLANTATION Bone marrow p31 5.24 Child donors, parental consent p31 5.23 Unpaired organs, certification of brain death p32 5.25 Written consent, adults p31 5.22 токуо, Declaration see under WORLD MEDICAL ASSOCIATION TORTURE see also EUTHANASIA p44 7.10-7.15; p45 7.20-7.21 World Medical Association Declaration Tokyo "Torture and other cruel and inhuman punishments" 1975 ch11 p65 TRANSPLANTATION SEE ORGAN TRANS-PLANTATION; TISSUE TRANSPLANTA-TION

TREATMENT see also THERAPEUTIC TREATMENT, Consent to see under CONSENT TO TREATMENT TREATMENTS, systems or methods p52 9.26 TRUST p17 2.5–2.8 UNCONSCIOUS PATIENT see under PATIENT UNITED NATIONS Covenant on Economic Social and Cultural Rights Article 12

p41 7.1 Declaration of Human Rights

Article 25 (1) p41 7.1 Standard minimum rules for the treatment of prisoners p44 7.16-7.19

UNQUALIFIED PERSONS p10; p37 6.3

venereal disease p16 2.4(e)

t

p24 3.27

WOMEN Examination in custody p24 3.24 Pregnant, research on p26 4.6(c) WORLD MEDICAL ASSOCIATION Declarations and resolutions ch11 pp57-67 Abortion, Therapeutic Oslo 1970 ch11 p63 Computers in medicine 1973 p64 Discrimination in medicine 1973 Munich p59 Human experimentation 1964 rev. 1975 Helsinki p59 International Code of Medical Ethics Declaration of Geneva 1947 rev. Sydney 1968 ch11 p57 Medical Secrecy 1973 p64 Torture 1975 Tokyo p65

94

BMAL0000087_0090